

























Product	Page	Cat. no.	Description	Excl. V.A.T.
	66	593156	MG Duff aluminium hull or rudder blade anode type AD56	16,94
		593158	MG Duff aluminium hull or rudder blade anode type AD58	23,57
	67	ZD72B.	MG Duff zinc anode type ZD72B.	218,90
		ZD78B.	MG Duff zinc anode type ZD78B.	83,78
		593055	MG Duff zinc hull or rudder blade anode type ZD55	189,50
		593056	MG Duff zinc hull or rudder blade anode type ZD56	23,60
		593058	MG Duff zinc hull or rudder blade anode type ZD58	51,60
		593061	MG Duff zinc anode type ZD75	32,26
		593062	MG Duff zinc anode type ZD76	27,75
		593063	MG Duff zinc anode type ZD77	45,30
		593064	MG Duff zinc anode type ZD79	57,46
		593065	MG Duff zinc anode type ZD78	83,58
		593066	MG Duff zinc anode type ZD60	113,12
		593067	MG Duff zinc anode type ZD73	164,61
		593070	MG Duff zinc anode type ZD76E	42,08
		593077	MG Duff zinc anode type ZD77E	61,94
		ZD72BM.	MG Duff zinc anode type ZD72BM.	136,61
 	68	5901	Zinc ball anode for shaft diam. 25 mm.	10,18
		5902	Zinc ball anode for shaft diam. 30 mm.	10,18
		5903	Zinc ball anode for shaft diam. 35 mm.	10,18
		5904	Zinc ball anode for shaft diam. 40 mm.	21,70
		5905	Zinc ball anode for shaft diam. 45 mm.	21,70
		5906	Zinc ball anode for shaft diam. 50 mm.	21,70
		5907	Zinc ball anode for shaft diam. 55 mm.	37,28
		5908	Zinc ball anode for shaft diam. 60 mm.	37,28
		5909	Zinc ball anode for shaft diam. 65 mm.	58,59
		5910	Zinc ball anode for shaft diam. 70 mm.	58,59
		5911	Zinc ball anode for shaft diam. 22 mm.	7,69
		5930	Zinc ring anode for shaft diam. 22 mm.	6,28
		5931	Zinc ring anode for shaft diam. 25 mm.	6,28
		5932	Zinc ring anode for shaft diam. 30 mm.	6,28
		5933	Zinc ring anode for shaft diam. 35 mm.	9,51
		5934	Zinc ring anode for shaft diam. 40 mm.	9,51
		5935	Zinc ring anode for shaft diam. 45 mm.	9,51
		5936	Zinc ring anode for shaft diam. 50 mm.	20,15
		5937	Zinc ring anode for shaft diam. 55 mm.	20,15
		5938	Zinc ring anode for shaft diam. 60 mm.	28,79
		5939	Zinc ring anode for shaft diam. 65 mm.	35,53
		5940	Zinc ring anode for shaft diam. 70 mm.	35,53
		5941	Zinc ring anode for shaft diam. 75 mm.	35,53
		5942	Zinc ring anode for shaft diam. 80 mm.	36,96
		5943	Zinc ring anode for shaft diam. 85 mm.	36,96
		5944	Zinc ring anode for shaft diam. 90 mm.	115,25
		5945	Zinc ring anode for shaft diam. 100 mm.	122,93
		5946	Zinc ring anode for shaft diam. 110 mm.	141,19
		5947	Zinc ring anode for shaft diam. 120 mm.	157,51
		5948	Zinc ring anode for shaft diam. 125 mm.	192,06
		5949	Zinc ring anode for shaft diam. 130 mm.	215,12
		591019	MG Duff zinc shaft anode for shaft diam. 19 mm.	28,90
		591022	MG Duff zinc shaft anode for shaft diam. 22 mm.	28,90
		591025	MG Duff zinc shaft anode for shaft diam. 25 mm.	28,90
		591026	MG Duff zinc shaft anode for shaft diam. 25.4 mm.	28,90
		591028	MG Duff zinc shaft anode for shaft diam. 28 mm.	28,90
		591030	MG Duff zinc shaft anode for shaft diam. 30 mm.	28,90
		591032	MG Duff zinc shaft anode for shaft diam. 31.7 mm.	34,50
		591035	MG Duff zinc shaft anode for shaft diam. 35 mm.	34,50








Product	Page	Cat. no.	Description	Excl. V.A.T.
	68	591038	MG Duff zinc shaft anode for shaft diam. 38 mm	43,82
		591040	MG Duff zinc shaft anode for shaft diam. 40 mm	43,82
		591045	MG Duff zinc shaft anode for shaft diam. 45 mm	77,59
		591050	MG Duff zinc shaft anode for shaft diam. 50 mm	84,28
		591060	MG Duff zinc shaft anode for shaft diam. 60 mm	106,61
		591070	MG Duff zinc shaft anode for shaft diam. 70 mm	128,94
	69	CMALPHA KITA	Anode pack for Mercruiser Alpha I gen II 1991-now	122,81
		CMBRAVO1KITA	Anode pack for Mercruiser Bravo I 1988-now	94,56
		CMBRAVO23KITA	Anode pack for Mercruiser Bravo II and III 1989-now	82,97
	70	131880	Simson MSR CA white 290 ml, box of 12 cartridges	134,15
		131910	Simson MSR CA black 290 ml, box of 12 cartridges	134,15
		131960	Simson MSR CA grey 290 ml, box of 12 cartridges	134,15
		133090	Simson MSR CA black 600 ml, box of 12 sausages	197,66
		136530	Simson MSR CA white 600 ml, box of 12 sausages	197,66
		134660	Simson MSR CA brown 290 ml, box of 12 cartridges	134,15
		132990	Simson MSR Deck Caulk black 290 ml, box of 12 cartridges	157,63
		133000	Simson MSR Deck Caulk black 600 ml, box of 12 sausages	292,80
		133040	Simson MSR Bedding Compound grey 290 ml, box of 12 cartridges	116,40
		133050	Simson MSR Bedding Compound grey 600 ml, box of 12 sausages	206,06
		136960	Simson MSR Bedding Compound white 290 ml, box of 12 cartridges	116,40
		136961	Simson MSR Bedding Compound white 600 ml, box of 12 sausages	206,06
	71	023461	Simsonrix 750 ml	4,37
		023462	Simsonrix 5 l.	59,80
		132913	Simson MSR Fast Tack white 290 ml, box of 12 cartridges	211,48
		136121	Simson MSR Fast Tack black 290 ml, box of 12 cartridges	211,48
		22110s	Simson Primer M 500 ml, 1 can	30,69
		23300s	Simson Primer P 500 ml, 1 can	40,52
		23510s	Simson Primer G 30 ml, 1 can	19,20
	72	2850	Roll of tape 50 m, black, for sound damping	18,40
		2851	Roll of tape 50 m, grey, for sound damping	18,40
		2855	Roll of tape 50 m, white, for sound damping	18,40
		2895	Roll of GW-tape 50 m, silvergrey, for Hollex GW sheets	50,04
		23360	Simson Cleaner E 500 ml, box of 6 cans	69,78
		181587	Adhesive gun PZ 600 for sausages	61,74
		181588	Adhesive gun PZ400 for cartridges	57,96
		23360s	Simson Cleaner E 500 ml, 1 can	11,63
	73	2838	Hollex Merfocom sound absorbing sheet 35 mm	147,79
	74	2806	Hollex PU sound absorbing sheet 20 mm, white	45,68
		2807	Hollex PU sound absorbing sheet 30 mm, white	52,93
		2808	Hollex PU sound absorbing sheet 50 mm, white	76,97
		2821	Hollex PU sound absorbing sheet 20 mm, black	43,48
		2822	Hollex PU sound absorbing sheet 30 mm, black	54,12
		2823	Hollex PU sound absorbing sheet 50 mm, black	70,79
		2829	Hollexmatt sound insulating sheet 4 mm	22,31
		2830	Hollexmatt sound insulating sheet 6 mm	44,34
		2886	Hollex GW sound absorbing sheet 40 mm	89,43
		2887	Hollex GW sound absorbing sheet 25 mm	76,22






Product	Page	Cat. no.	Description	Excl. V.A.T.
	74	2862401	Hollex Akootherm sound absorbing sheet 25 mm	7,13
		2862403	Hollex Akootherm sound absorbing sheet 40 mm	11,72
	75	2840	Hollex sound paste 5 kg	120,77
		2846	Zincor plate 1.5 mm	73,06
	76	2817	Hollomer vibration insulating sheet 50 mm	20,81
		2818	Hollomer vibration insulating sheet 30 mm	21,71
		2819	Hollomer vibration insulating strip 10 mm	3,28
		2820	Hollomer self adhesive vibration insulating strip 10 mm	6,56
 	77	322040	Transom exhaust connection Ø 40 mm	39,06
		322045	Transom exhaust connection Ø 45 mm	41,60
		322050	Transom exhaust connection Ø 50 mm	44,18
		322060	Transom exhaust connection Ø 60 mm	46,82
		322075	Transom exhaust connection Ø 75 mm	47,56
		322090	Transom exhaust connection Ø 90 mm	49,20
		322100	Transom exhaust connection Ø 100 mm	58,60
		322127	Transom exhaust connection Ø 127 mm	131,25
		322620	Waterlock type L, 40 mm	269,77
		322621	Waterlock type L, 50 mm	269,77
		322622	Waterlock type L, 60 mm	269,77
		322623	Waterlock type S, 75 mm	269,77
		322624	Waterlock type S, 90 mm	269,77
		322625	Waterlock type S, 100 mm	269,77
		322626	Waterlock type S, 217 mm	269,77
		322627	Waterlock type L, 75 mm	269,77
		322631	Waterlock type L, 45 mm	269,77
		322141	Water separator for hose 40/40/40 mm	340,43
		322151	Water separator for hose 50/40/50 mm	372,83
	78	560040	Welding elbow 90° tube Ø 40 mm	7,98
		560045	Welding elbow 90° tube Ø 45 mm	9,11
		560050	Welding elbow 90° tube Ø 50 mm	12,46
		560060	Welding elbow 90° tube Ø 60 mm	14,12
		560075	Welding elbow 90° tube Ø 75 mm	19,51
		560090	Welding elbow 90° tube Ø 90 mm	21,69
		560100	Welding elbow 90° tube Ø 100 mm	31,80
		HM-040	Silencer type HM, Ø 40 mm	270,48
		HM-050	Silencer type HM, Ø 50 mm	274,40
		HM-065	Silencer type HM, Ø 65 mm	335,16
		HM-080	Silencer type HM, Ø 80 mm	423,36
		HM-100	Silencer type HM, Ø 100 mm	573,30
		HM-125	Silencer type HM, Ø 125 mm	758,67
		HM-150	Silencer type HM, Ø 150 mm	1068,20
		HM-200	Silencer type HM, Ø 200 mm	1601,42
		HM-250	Silencer type HM, Ø 250 mm	2549,27
	79	CF-040	Matching flange 1.5" for silencer	13,72
		CF-050	Matching flange 2" for silencer	13,72
		CF-065	Matching flange 2.5" for silencer	13,72
		CF-080	Matching flange 3" for silencer	19,11
		CF-100	Matching flange 4" for silencer	23,52
		CF-125	Matching flange 5" for silencer	43,12
		CF-150	Matching flange 6" for silencer	47,78





Product	Page	Cat. no.	Description	Excl. V.A.T.
	79	CF-200	Matching flange 8" for silencer.....	61,15
		CF-250	Matching flange 10" for silencer.....	70,71
		PA-040	Gasket 1.5" for silencer.....	5,88
		PA-050	Gasket 2" for silencer	5,88
		PA-065	Gasket 2.5" for silencer.....	7,84
		PA-080	Gasket 3" for silencer	13,38
		PA-100	Gasket 4" for silencer	15,68
		PA-125	Gasket 5" for silencer	21,56
		PA-150	Gasket 6" for silencer	27,44
		PA-200	Gasket 8" for silencer	39,20
		PA-250	Gasket 10" for silencer	47,04
		L25-040.....	Silencer type L25, Ø 40 mm	464,52
		L25-050.....	Silencer type L25, Ø 50 mm	464,52
		L25-065.....	Silencer type L25, Ø 65 mm	644,84
		L25-080.....	Silencer type L25, Ø 80 mm	697,76
		L25-100.....	Silencer type L25, Ø 100 mm	991,81
		L25-125.....	Silencer type L25, Ø 125 mm	1431,34
		L25-150.....	Silencer type L25, Ø 150 mm	1792,52
		L25-200.....	Silencer type L25, Ø 200 mm	2576,03
		L25-250.....	Silencer type L25, Ø 250 mm	3260,17
		LH35-040	Silencer type LH35, Ø 40 mm.....	423,36
		LH35-050	Silencer type LH35, Ø 50 mm.....	556,64
		LH35-065	Silencer type LH35, Ø 65 mm.....	605,70
		LH35-080	Silencer type LH35, Ø 80 mm.....	682,08
		LH35-100	Silencer type LH35, Ø 100 mm.....	1121,12
		LH35-125	Silencer type LH35, Ø 125 mm.....	1409,24
		LH35-150	Silencer type LH35, Ø 150 mm.....	1695,06
		LH35-200	Silencer type LH35, Ø 200 mm.....	2597,05
		LH35-250	Silencer type LH35, Ø 250 mm.....	3537,26
 	80	17061	Hollox exhaust bellow 1"	64,58
		17071	Hollox exhaust bellow 1 1/4"	65,83
		17081	Hollox exhaust bellow 1 1/2"	68,35
		17091	Hollox exhaust bellow 2"	74,82
		17101	Hollox exhaust bellow 2 1/2"	86,37
		17111	Hollox exhaust bellow 3"	109,82
		17121	Hollox exhaust bellow 4"	138,16
		17131	Hollox exhaust bellow 5"	181,40
		17141	Hollox exhaust bellow 6"	204,14
		17151	Hollox exhaust bellow 8"	302,83
		20601	Glass fibre mat 5000 x 500 x 50 mm	58,58
		20610	Glass fibre cord Ø 30 mm, length 50 m	88,62
		20612	Glass fibre cord Ø 50 mm, length 40 m	124,07
		20620	Heat blanket (heat insulation), width 1m, price per m	11,39
		20621	100 stainless steel mounting hooks for heat blanket	28,00
		20622	Stainless steel thread for heat blanket	21,63
		20623	Glass fibre strip, woven, 50 x 3 mm, roll length 50 m.....	3,14
		50701	Exhaust bellow with twined steel wire 1 1/2"	118,07
		50702	Exhaust bellow with twined steel wire 2"	142,29
		50703	Exhaust bellow with twined steel wire 2 1/2"	272,46
		50704	Exhaust bellow with twined steel wire 3"	408,22
		50705	Exhaust bellow with twined steel wire 4"	484,38
	81	140	Rule in-line blower, model 140 (Ø 75 mm), 12V.....	39,90
		240	Rule in-line blower, model 240 (Ø 100 mm), 12V.....	43,90
		140-24V	Rule in-line blower, model 140-24V (Ø 75 mm), 24V.....	43,90
		240-24V	Rule in-line blower, model 240-24V (Ø 100 mm), 24V.....	47,88
		403001	Jabsco blower, model 36740 (Ø 75 mm), 12V, flexmount	174,47






Product	Page	Cat. no.	Description	Excl. V.A.T.
	81	403002	Jabsco blower, model 36740 (Ø 75 mm), 24V, flexmount	174,47
		403003	Jabsco blower, model 34739 (Ø 75 mm), 12V, flange mount	174,47
		403004	<i>Jabsco blower, model 34739 (Ø 75 mm), 24V, flange mount</i>	<i>174,47</i>
		403011	Jabsco blower, model 35440 (Ø 100 mm), 12V, flexmount	216,40
		403012	Jabsco blower, model 35440 (Ø 100 mm), 24V, flexmount	216,40
		403013	Jabsco blower, model 35400 (Ø 100 mm), 12V, flange mount	216,40
		403014	Jabsco blower, model 35400 (Ø 100 mm), 24V, flange mount	216,40
		403041	Jabsco continuous duty marine blower, model 35770 (Ø 100 mm), 12V	290,78
		403042	Jabsco continuous duty marine blower, model 35770 (Ø 100 mm), 24V	290,78
		403043	Jabsco continuous duty marine blower, model 35760 (Ø 100 mm), 12V	290,78
		403044	Jabsco continuous duty marine blower, model 35760 (Ø 100 mm), 24V	290,78
 	82	1016	Hollox flush mount intake screen s.s. Ø 115 mm.	36,60
		1017	<i>Hollox flush mount intake screen s.s. Ø 150 mm.</i>	<i>45,95</i>
		1018	Hollox flush mount intake screen s.s. Ø 175 mm.	66,39
		1019	ECS blower ducting 6 m long, Ø 76 mm.	34,94
		1020	Hollox intake screen s.s. 304.	16,74
		1021	ECS blower ducting 6 m long, Ø 102 mm.	46,87
		1024	Hollox intake screen s.s. (3 intakes)	19,95
		1025	Hollox intake screen s.s. (5 intakes)	24,77
		1026	Hollox deck intake screen Ø 185 mm.	59,98
		1027	Hollox deck intake screen Ø 240 mm.	73,22
		1030	Hollox intake screen s.s. 304.	22,01
		1031	Hollox non-metallic mounting collar for 1030.	3,95
		2004	ECS intake screen s.s. with light flow	45,91
		2005	ECS intake screen s.s. without light flow	44,70
		2008	ECS intake screen bulkhead mount.	23,84
		2009	ECS intake screen.	18,23
		2010	ECS flange flush mount	53,88
		2011	ECS flange bulkhead.	52,44
		2013	<i>ECS flush mount ventilator 12 / 24 Volt</i>	<i>185,85</i>
	83	402015	Centrifugal blower type VCR401/B, 230V AC	p.o.r.
		402017	Centrifugal blower type VCR631/B, 230V AC	p.o.r.
		402019	Centrifugal blower type VCR711/D, 230V AC	p.o.r.
		G-01LC2020	Centrifugal blower type C202 right, 12V DC	636,00
		G-01LC2021	Centrifugal blower type C202 right, 24V DC	636,00
		G-01LC2022	Centrifugal blower type C202 right, 230V AC	664,00
		G-01LC2030	Centrifugal blower type C202 left, 12V DC.	636,00
		G-01LC2031	Centrifugal blower type C202 left, 24V DC.	636,00
		G-01LC2032	Centrifugal blower type C202 left, 230V AC.	664,00
	84	G-01LTE255V	Helicodal blower type ELL / R250 / 2 Fan, 12V DC	1644,00
		G-01LTE256V	Helicodal blower type ELL / R250 / 2 Fan, 24V DC	1610,00
		G-01LTE257V	Helicodal blower type ELL / R250 / 2 Fan, 230V AC	1481,00
		G-01LTE255E	Helicodal blower type ELL / R250 / 2 Extraction, 12V DC	1644,00
		G-01LTE256E	Helicodal blower type ELL / R250 / 2 Extraction, 24V DC	1610,00
		G-01LTE257E	Helicodal blower type ELL / R250 / 2 Extraction, 230V AC	1481,00
		G-01LTR315V	Helicodal blower type ELL / R315 / 2 Fan, 12V DC	2240,00
		G-01LTR316V	Helicodal blower type ELL / R315 / 2 Fan, 24V DC	1966,00
		G-01LTR317V	Helicodal blower type ELL / R315 / 2 Fan, 230V AC	1803,00
		G-01LTR315E	Helicodal blower type ELL / R315 / 2 Extraction, 12V DC	p.o.r.
		G-01LTR316E	Helicodal blower type ELL / R315 / 2 Extraction, 24V DC	p.o.r.
		G-01LTR317E	Helicodal blower type ELL / R315 / 2 Extraction, 230V AC	p.o.r.
		G-01LTR355V	Helicodal blower type ELL / R355 / 2 Fan, 12V DC	2352,00
		G-01LTR356V	Helicodal blower type ELL / R355 / 2 Fan, 24V DC	2078,00
		G-01LTR357V	Helicodal blower type ELL / R355 / 2 Fan, 230V AC	1918,00







Product	Page	Cat. no.	Description	Excl. V.A.T.
	84	G-01LTR355E.....	Helicodal blower type ELL / R355 / 2 Extraction, 12V DC	p.o.r.
		G-01LTR356E.....	Helicodal blower type ELL / R355 / 2 Extraction, 24V DC	p.o.r.
		G-01LTR357E.....	Helicodal blower type ELL / R355 / 2 Extraction, 230V AC	p.o.r.
		G-01LTR400V.....	Helicodal blower type ELL / R400 / 2 Fan, 12V DC	2512,00
		G-01LTR401V.....	Helicodal blower type ELL / R400 / 2 Fan, 24V DC	2512,00
		G-01LTR402V.....	Helicodal blower type ELL / R400 / 2 Fan, 230V AC	1966,00
		G-01LTR400E.....	Helicodal blower type ELL / R400 / 2 Extraction, 12V DC	p.o.r.
		G-01LTR401E.....	Helicodal blower type ELL / R400 / 2 Extraction, 24V DC	p.o.r.
		G-01LTR402E.....	Helicodal blower type ELL / R400 / 2 Extraction, 230V AC	p.o.r.
 	85	86599	Anti-vibration mount type 60.060	22,50
		86600	Anti-vibration mount type 60.060	22,50
		86601	Anti-vibration mount type 60.060	22,50
		86110.45	Anti-vibration mount type PC100, hardness 45°Sh	26,67
		86110.55	Anti-vibration mount type PC100, hardness 55°Sh	26,67
		86110.65	Anti-vibration mount type PC100, hardness 65°Sh	26,67
		86140.45	Anti-vibration mount type PC100, hardness 45°Sh (with stylus)	37,59
		86140.55	Anti-vibration mount type PC100, hardness 55°Sh (with stylus)	37,59
		86140.65	Anti-vibration mount type PC100, hardness 65°Sh (with stylus)	37,59
		86210.45	Anti-vibration mount type PC140, hardness 45°Sh	44,52
		86210.55	Anti-vibration mount type PC140, hardness 55°Sh	44,52
		86210.65	Anti-vibration mount type PC140, hardness 65°Sh	44,52
		86210.75	Anti-vibration mount type PC140, hardness 75°Sh	44,52
		86240.45	Anti-vibration mount type PC140, hardness 45°Sh (with stylus)	65,52
		86240.55	Anti-vibration mount type PC140, hardness 55°Sh (with stylus)	65,52
		86240.65	Anti-vibration mount type PC140, hardness 65°Sh (with stylus)	65,52
		86240.75	Anti-vibration mount type PC140, hardness 75°Sh (with stylus)	65,52
	86	86410.45	Anti-vibration mount type PC182, hardness 45°Sh	69,72
		86410.55	Anti-vibration mount type PC182, hardness 55°Sh	69,72
		86410.65	Anti-vibration mount type PC182, hardness 65°Sh	69,72
		86410.75	Anti-vibration mount type PC182, hardness 75°Sh	69,72
		86440.45	Anti-vibration mount type PC182, hardness 45°Sh (with stylus)	95,09
		86440.55	Anti-vibration mount type PC182, hardness 55°Sh (with stylus)	95,09
		86440.65	Anti-vibration mount type PC182, hardness 65°Sh (with stylus)	95,09
		86440.75	Anti-vibration mount type PC182, hardness 75°Sh (with stylus)	95,09
  	87	76910	Vibracon regular adjustable mount type SM12	121,66
		76920	Vibracon regular adjustable mount type SM16	150,92
		76930	Vibracon regular adjustable mount type SM20	180,18
		76940	Vibracon regular adjustable mount type SM24	214,06
		76950	Vibracon regular adjustable mount type SM30	260,26
		76960	Vibracon regular adjustable mount type SM36	318,78
		76970	Vibracon regular adjustable mount type SM42	438,90
		76975	Vibracon regular adjustable mount type SM48	542,48
		76980	Vibracon regular adjustable mount type SM56	664,62
		76985	Vibracon regular adjustable mount type SM64	791,51
		99101	Hollex casting mass, 1 kg	25,70
		99105	Hollex casting mass, 5 kg	69,02
		99110	Hollex casting mass, 10 kg	120,57
		99130	Hollex compritape 6000 x 20 mm	33,48
		99131	Hollex compritape 4000 x 25 mm	35,30
		99132	Hollex compritape 4000 x 30 mm	50,87
		76920LP	Vibracon low profile adjustable mount type SM16LP	169,58
		76930LP	Vibracon low profile adjustable mount type SM20LP	202,46
		76940LP	Vibracon low profile adjustable mount type SM24LP	240,53
		76950LP	Vibracon low profile adjustable mount type SM30LP	292,44





Product	Page	Cat. no.	Description	Excl. V.A.T.
	87	76960LP	Vibracon low profile adjustable mount type SM36LP	358,19
		76970LP	Vibracon low profile adjustable mount type SM42LP	493,16
	88	CD5304MP3	VDO radio CD5304MP3	332,00
		CD5404MP3X	VDO radio CD5404MP3X	377,72
		X11719000034	VDO Marine Audio radiocover white	48,24
		X11719000057	VDO Marine Audio speakerset 130 mm 120W, white	81,79
		X11719000069	VDO Marine Audio remote control incl. black frontring and cable	137,40
		X11719000070	VDO Marine Audio remote control incl. white frontring and cable	139,68
		X11719000071	VDO Marine Audio speakerset 165 mm 120W, white	89,46
	89	N02012110	VDO OLW tachometer / engine hours counter white, 12/ 24V, Ø 85 mm	290,47
		N02012150	VDO OLB tachometer / engine hours counter black, 12 / 24V, Ø 85 mm	260,73
		N02012210	VDO OLC tachometer / engine hours counter chrome, 12/24V, Ø85 mm	258,08
		N02012410	VDO OLW tachometer white, 12V, Ø 85 mm	226,63
		N02012430	VDO OLB tachometer black, 12V, Ø 85 mm	203,72
		N02012510	VDO OLC tachometer chrome, 12V, Ø 85 mm	202,22
		N02012710	VDO OLW tachometer white, 24V, Ø 85 mm	221,84
		N02012730	VDO OLB tachometer black, 24V, Ø 85 mm	209,24
		N02012810	VDO OLC tachometer chrome, 24V, Ø 85 mm	202,22
		N05800550	Light bulb 24V for tachometer / engine hours counter	6,22
 	90	N02321602	VDO OLW temperature gauge cooling water, white, 12V, Ø 52 mm	86,18
		N02321612	VDO OLB temperature gauge cooling water black, 12V, Ø 52 mm	77,64
		N02321702	VDO OLW temperature gauge cooling water, white, 24V, Ø 52 mm	86,18
		N02321712	VDO OLB temperature gauge cooling water black, 24V, Ø 52 mm	77,64
		N02322302	VDO OLC temperature gauge cooling water chrome, 12V, Ø 52 mm	75,96
		N02322402	VDO OLC temperature gauge cooling water chrome, 24V, Ø 52 mm	75,96
		N03110402	VDO OLW engine hours counter white	111,89
		N03110412	VDO OLB engine hours counter black	115,70
		N03110502	VDO OLC engine hours counter chrome	113,40
		323803001004D	VDO OLB sender unit cooling water AC 90°C	59,47
		323803001006D	VDO OLB sender unit cooling water AC 96°C	65,10
		323805001001N	VDO OLB sender unit cooling water	41,05
		323805001007N	VDO OLB sender unit cooling water 2 nd instrument	41,38
		232011017011D	Switch	59,89
		X10232001005	Switch (insulated earth return)	82,94
 	91	N02300608	VDO OLW pyrometer set for exhaust fumes, white, 12V, Ø 52 mm	491,57
		N02300612	VDO OLC pyrometer set for exhaust fumes, chrome, 12V, Ø 52 mm	450,38
		N02300616	VDO OLB pyrometer set for exhaust fumes, black, 12V, Ø 52 mm	450,07
		N02321502	VDO OLW outside temperture indicator, white, 12V, Ø 52 mm	189,92
		N02321512	VDO OLB outside temperture indicator, black, 12V, Ø 52 mm	180,72
		N02321606	VDO OLW temperature gauge for motor oil white, 12V, Ø 52 mm	84,59
		N02321616	VDO OLB temperature gauge for motor oil black, 12V, Ø 52 mm	76,96
		N02321706	VDO OLW temperature gauge for motor oil white, 24V, Ø 52 mm	84,59
		N02321716	VDO OLB temperature gauge for motor oil black, 24V, Ø 52 mm	78,37
		N02322202	VDO OLC outside temperature indicator, chrome, 12V, Ø 52 mm	173,40
		N02322306	VDO OLC temperature gauge for motor oil chrome, 12V, Ø 52 mm	72,30
		N02322406	VDO OLC temperature gauge for motor oil chrome, 24V, Ø 52 mm	80,05
		N02340702	VDO OLW pyrometer indic. for exhaust fumes, white, 12V, Ø 52 mm	189,92
		N02340712	VDO OLB pyrometer indic. for exhaust fumes, black, 12V, Ø 52 mm	177,55
		N02340802	VDO OLC pyrometer indic. for exhaust fumes, chrome, 12V, Ø 52 mm	178,19
		N03320264	VDO OLB sender unit temperture exhaust fumes	319,20
		N03320266	VDO OLB weld boss for pyromter	11,65
		N03320268	VDO OLB cable for temperature exhaust fumes gauge, 4 metres	61,94
		X10232001005	VDO OLB temperature switch (insulated earth return) M18	82,94





Product	Page	Cat. no.	Description	Excl. V.A.T.
	91	232011017011D	VDO OLB temperature switch M14	59,89
		323803002007D	VDO OLB sender unit motor oil AC 130°C	70,48
		323805003001N	VDO OLB sender unit motor oil	44,02
		323809010005C	VDO OLB sender unit outside temperature	p.o.r.
		325805002001C	VDO OLB sender unit motor oil 2 nd instrument	59,70
		N05801180	Transformer set 12V to 24V	24,32
  	92	N02124102	VDO OLW oil pressure gauge, white, 12V, 0-2 bar, Ø 52 mm	84,59
		N02124106	VDO OLW oil pressure gauge, white, 12V, 0-5 bar, Ø 52 mm	86,18
		N02124110	VDO OLW oil pressure gauge, white, 12V, 0-10 bar, Ø 52 mm	86,18
		N02124114	VDO OLW oil pressure gauge, white, 12V, 0-25 bar, Ø 52 mm	86,18
		N02124122	VDO OLB oil pressure gauge, black, 12V, 0-2 bar, Ø 52 mm	76,96
		N02124126	VDO OLB oil pressure gauge, black, 12V, 0-5 bar, Ø 52 mm	76,96
		N02124130	VDO OLB oil pressure gauge, black, 12V, 0-10 bar, Ø 52 mm	76,96
		N02124134	VDO OLB oil pressure gauge, black, 12V, 0-25 bar, Ø 52 mm	84,59
		N02124502	VDO OLW oil pressure gauge, white, 12V, 0-2 bar, Ø 52 mm	84,59
		N02124506	VDO OLW oil pressure gauge, white, 24V, 0-5 bar, Ø 52 mm	84,59
		N02124510	VDO OLW oil pressure gauge, white, 24V, 0-10 bar, Ø 52 mm	86,18
		N02124514	VDO OLW oil pressure gauge, white, 24V, 0-25 bar, Ø 52 mm	86,18
		N02124522	VDO OLB oil pressure gauge, black, 12V, 0-2 bar, Ø 52 mm	76,96
		N02124526	VDO OLB oil pressure gauge, black, 24V, 0-5 bar, Ø 52 mm	76,96
		N02124530	VDO OLB oil pressure gauge, black, 24V, 0-10 bar, Ø 52 mm	76,96
		N02124534	VDO OLB oil pressure gauge, black, 24V, 0-25 bar, Ø 52 mm	76,96
		N02125402	VDO OLC oil pressure gauge, chrome, 12V, 0-2 bar, Ø 52 mm	75,49
		N02125406	VDO OLC oil pressure gauge, chrome, 12V, 0-5 bar, Ø 52 mm	75,49
		N02125410	VDO OLC oil pressure gauge, chrome, 12V, 0-10 bar, Ø 52 mm	75,49
		N02125414	VDO OLC oil pressure gauge, chrome, 12V, 0-25 bar, Ø 52 mm	75,49
		N02125502	VDO OLC oil pressure gauge, chrome, 12V, 0-2 bar, Ø 52 mm	75,49
		N02125506	VDO OLC oil pressure gauge, chrome, 24V, 0-5 bar, Ø 52 mm	75,49
		N02125510	VDO OLC oil pressure gauge, chrome, 24V, 0-10 bar, Ø 52 mm	75,49
		N02125514	VDO OLC oil pressure gauge, chrome, 24V, 0-25 bar, Ø 52 mm	75,49
		230112003015	VDO OLB oil pressure switch M10	p.o.r.
		230112005006	VDO OLB oil pressure switch (insulated earth return) M10	p.o.r.
		360081030002C	VDO OLB sender unit oil pressure AC 0.5 bar, 0-5 bar	92,01
		360081030009C	VDO OLB sender unit oil pressure AC 0.5 bar, 0-10 bar	99,18
		360081032002C	VDO OLB sender unit oil pressure, 0-5 bar	95,96
		360081032003C	VDO OLB sender unit oil pressure, 0-10 bar	95,96
		360081032025C	VDO OLB sender unit oil pressure, 0-2 bar	100,04
		360081038003C	VDO OLB sender unit oil pressure, 0-25 bar insulated earth return	124,91
		360081039002C	VDO OLB sender unit oil pressure AC 0.8 bar, 0-5 bar	114,44
		360081039003C	VDO OLB sender unit oil pressure AC 0.8 bar, 0-10 bar	114,26
		362081001001K	VDO OLB sender unit oil pressure 2 nd instrument, 0-5 bar	115,02
		362081001002K	VDO OLB sender unit oil pressure 2 nd instrument, 0-10 bar	115,02
 	93	N02400306	VDO OLW ammeter incl. shunt, white, 80-0-80A, Ø 52 mm	327,18
		N02400308	VDO OLC ammeter incl. shunt, chrome, 140-0-140A, Ø 52 mm	303,49
		N02400310	VDO OLB ammeter incl. shunt, black, 140-0-140A, Ø 52 mm	303,49
		N02400312	VDO OLB ammeter incl. shunt, black, 80-0-80A, Ø 52 mm	318,42
		N02410802	VDO OLW Voltage gauge, white, 12V, 8-16V, Ø 52 mm	86,18
		N02410812	VDO OLB Voltage gauge, black, 12V, 8-16V, Ø 52 mm	76,96
		N02410902	VDO OLW Voltage gauge, white, 24V, 18-32V, Ø 52 mm	86,18
		N02410912	VDO OLB Voltage gauge, black, 24V, 18-32V, Ø 52 mm	77,81
		N02411202	VDO OLC Voltage gauge, chrome, 12V, 8-16V, Ø 52 mm	75,49
		N02411302	VDO OLC Voltage gauge, chrome, 24V, 18-32V, Ø 52 mm	75,49
		N03270602	VDO OLW Clock, white, Ø 52 mm	187,52
		N03270612	VDO OLB Clock, black, Ø 52 mm	196,81
		8539910014	Adaptor M10 x 1 - M14 x 1.5	14,65
		8539910018	Adaptor M10 x 1 - M18 x 1.5	14,65







Product	Page	Cat. no.	Description	Excl. V.A.T.
	93	8539912014	Adaptor M12 x 1.5 - M14 x 1.5	14,65
		8539912018	Adaptor M12 x 1.5 - 1/8 x 27	22,02
		8539914012	Adaptor M14 x 1.5 - M12 x 1.5	22,02
		8539914016	Adaptor M14 x 1.5 - M16 x 1.5	14,65
		8539914020	Adaptor M14 x 1.5 - M20 x 1.5	14,65
		8539914022	Adaptor M14 x 1.5 - M22 x 1.5	14,65
		8539914038	Adaptor M14 x 1.5 - 3/8 - 18 np	14,65
		8539914058	Adaptor M14 x 1.5 - 5/8 - 18 un	14,65
		8539914112	Adaptor M14 x 1.5 - R 1/2	14,65
		8539914118	Adaptor M14 x 1.5 - M18 x 1.5	14,65
		8539978022	Adaptor 7/8 - 18 - M22 x 1.5	40,70
		N05801180	Transformer set 12V to 24V	24,32
 	94	N02200308	VDO OLW fresh water level set non-metallic tank, Ø 52 mm, white	318,25
		N02200314	VDO OLC fresh water level set non-metallic tank, Ø 52 mm, chrome	277,79
		N02200320	VDO OLB fresh water level set non-metallic tank, Ø 52 mm, black	280,02
		N02222102	VDO OLW fuel level gauge float, white, 12V, Ø 52 mm	88,96
		N02222112	VDO OLB fuel level gauge float, black, 12V, Ø 52 mm	80,14
		N02222302	VDO OLW fuel level gauge float, white, 24V, Ø 52 mm	102,56
		N02222312	VDO OLB fuel level gauge float, black, 24V, Ø 52 mm	77,84
		N02222502	VDO OLW fuel level gauge tubular, white, 12V, Ø 52 mm	90,92
		N02222512	VDO OLB fuel level gauge tubular, black, 12V, Ø 52 mm	80,14
		N02222702	VDO OLW fuel level gauge tubular, white, 24V, Ø 52 mm	86,18
		N02222712	VDO OLB fuel level gauge tubular, black, 24V, Ø 52 mm	80,30
		N02222802	VDO OLC fuel level gauge float, chrome, 12V, Ø 52 mm	75,49
		N02222902	VDO OLC fuel level gauge float, chrome, 24V, Ø 52 mm	75,49
		N02223202	VDO OLC fuel level gauge tubular, chrome, 12V, Ø 52 mm	75,49
		N02223302	VDO OLC fuel level gauge tubular, chrome, 24V, Ø 52 mm	75,49
		N02230602	VDO OLW fresh water level gauge, Ø 52 mm, white	86,18
		N02230612	VDO OLB fresh water level gauge, Ø 52 mm, black	89,37
		N02230902	VDO OLC fresh water level gauge, Ø 52 mm, chrome	87,61
		N02240402	VDO sender unit fresh water, non-metallic tank, Ø 59 mm	243,13
		N02240902	VDO sender unit fresh water, metallic tank, Ø 43 mm	343,50
		226828001001K	VDO float sender unit existing watertank (replacement part)	202,69
		X10224021001	VDO tubular sender unit (insulated earth return) 536 mm for fuel tank	345,63
		X10224021002	VDO tubular sender unit (insulated earth return) 596 mm for fuel tank	356,38
		X10224021005	VDO tubular sender unit (insulated earth return) 1045 mm fuel tank	399,90
		X10224021006	VDO tubular sender unit (insulated earth return) 846 mm for fuel tank	371,73
		224082005044R	VDO tubular sender unit 463.5 mm for fuel tank	114,71
		224082005142R	VDO tubular sender unit 404.5 mm for fuel tank	114,71
		226801015001G	VDO float sender unit for fuel tank	86,49
	95	N01100828	VDO OLW Sumlog set 0-12 kn, Ø 85 mm, white	635,29
		N01100830	VDO OLW Sumlog set 0-30 kn, Ø 85 mm, white	635,29
		N01100834	VDO OLW Sumlog set 0-50 kn, Ø 85 mm, white	635,29
		N01100842	VDO OLC Sumlog set 0-12 kn, Ø 85 mm, chrome	611,86
		N01100844	VDO OLC Sumlog set 0-30 kn, Ø 85 mm, chrome	611,86
		N01100846	VDO OLC Sumlog set 0-50 kn, Ø 85 mm, chrome	611,86
		N01100858	VDO OLB Sumlog set 0-12 kn, Ø 85 mm, black	619,71
		N01100860	VDO OLB Sumlog set 0-30 kn, Ø 85 mm, black	619,71
		N01100862	VDO OLB Sumlog set 0-50 kn, Ø 85 mm, black	619,71
		N01113002	VDO OLW Sumlog repeater 0-12 kn, Ø 85 mm, white	409,42
		N01113022	VDO OLB Sumlog repeater 0-12 kn, Ø 85 mm, black	403,23
		N01113102	VDO OLC Sumlog repeater 0-12 kn, Ø 85 mm, chrome	384,05
		N01140302	VDO sender unit Sumlog	246,96
		N02200520	VDO OLW black water level set 80-600 mm, Ø 52 mm, white	434,42
		N02200522	VDO OLC black water level set 80-600 mm, Ø 52 mm, white	391,27
		N02200524	VDO OLB black water level set 80-600 mm, Ø 52 mm, black	368,88




Product	Page	Cat. no.	Description	Excl. V.A.T.
	95	N02230622	VDO OLW black water level gauge, Ø 52 mm, white	90,22
		N02230626	VDO OLB black water level gauge, Ø 52 mm, black	89,37
		N02230912	VDO OLC black water level gauge, Ø 52 mm, chrome	87,61
		N02240902	VDO sender unit black water, 80-600 mm, Ø 52 mm	343,50
		N02240904	VDO sender unit black water, 600-1200 mm, Ø 43 mm	432,74
		N02240906	VDO sender unit black water, 1200-1500 mm, Ø 43 mm	499,68
		270023005010	VDO through hull fitting	p.o.r.
		X10224000007	VDO mounting flange for level sender	19,46
		270023005003D	VDO paddle wheel 12 / 18 kn.	24,36
		270023005004D	VDO paddle wheel 30 kn.	26,04
 	96	N01500112	VDO OLW compass set 12 / 24 Volt, Ø 85 mm, white	790,58
		N01500114	VDO OLC compass set 12 / 24 Volt, Ø 85 mm, chrome	789,52
		N01500116	VDO OLB compass set 12 / 24 Volt, Ø 85 mm, black	806,40
		N01512202	VDO OLW compass (repeater), Ø 85 mm, white	324,72
		N01512206	VDO OLB compass (repeater), Ø 85 mm, black	391,71
		N01512402	VDO OLC compass (repeater), Ø 85 mm, chrome	384,05
		N01530302	VDO OLB compass sender unit	465,29
		N01612002	VDO OLB combi log / depth sounder indicator, Ø 85 mm, black	400,90
		N01612006	VDO OLW combi log / depth sounder indicator, Ø 85 mm, white	393,88
		X11719000053	VDO NMEA transmount triducer	505,82
		X11719000058	VDO NMEA through hull triducer	584,85
		X11719000065	VDO OLB combi log / depth sounder set black, through hull	1015,14
		X11719000066	VDO OLW combi log / depth sounder set white, through hull	1047,48
		X11719000067	VDO OLB combi log / depth sounder set black, stern / bow mounting	946,96
		X11719000068	VDO OLW combi log / depth sounder set white, stern / bow mounting	949,20
		X11719000073	VDO cable for combi log / depth sounder, 7.5 m long	57,48
 	97	N0321502	VDO OLW rudder indicator instrument 24V, Ø 52 mm, white	p.o.r.
		N01300206	VDO OLW wind indicator set, Ø 85 mm, white	1098,75
		N01300208	VDO OLB wind indicator set, Ø 85 mm, black	1144,08
		N01300210	VDO OLC wind indicator set, Ø 85 mm, chrome	1185,07
		N01310602	VDO OLW wind speed indicator, Ø 85 mm, white	258,40
		N01310612	VDO OLB wind speed indicator, Ø 85 mm, black	253,31
		N01310702	VDO OLC wind speed indicator, Ø 85 mm, chrome	250,82
		N01320702	VDO OLW wind direction indicator, Ø 85 mm, white	313,40
		N01320712	VDO OLB wind direction indicator, Ø 85 mm, black	305,76
		N01320802	VDO OLC wind direction indicator, Ø 85 mm, chrome	385,48
		N01340404	VDO wind sensor Universal	668,64
		N01340602	VDO wind sensor Ocean Line	701,55
		N03200410	VDO OLW rudder indicator set 24V, Ø 52 mm, white	213,86
		N03200412	VDO OLC rudder indicator set 24V, Ø 52 mm, chrome	198,07
		N03200414	VDO OLB rudder indicator set 24V, Ø 52 mm, black	202,05
		N03200510	VDO OLW rudder indicator set 12V, Ø 52 mm, white	205,66
		N03200512	VDO OLC rudder indicator set 12V, Ø 52 mm, chrome	183,29
		N03200514	VDO OLB rudder indicator set 12V, Ø 52 mm, black	186,96
		N03200618	VDO OLC rudder indicator set 12 / 24V, Ø 85 mm, chrome	331,72
		N03200620	VDO OLB rudder indicator set 12 / 24V, Ø 85 mm, black	322,42
		N03211202	VDO OLW rudder indicator instrument 12/24V, Ø 85 mm, white	267,71
		N03200616	VDO OLW rudder indicator set 12 / 24V, Ø 85 mm, white	p.o.r.
		N03211206	VDO OLB rudder indicator instrument 12 / 24V, Ø 85 mm, black	231,40
		N03211302	VDO OLC rudder indicator instrument 12 / 24V, Ø 85 mm, chrome	226,88
		N03211402	VDO OLW rudder indicator instrument 12V, Ø 52 mm, white	90,92
		N03211412	VDO OLB rudder indicator instrument 12V, Ø 52 mm, black	76,78
		N03211512	VDO OLB rudder indicator instrument 24V, Ø 52 mm, black	76,96
		N03211602	VDO OLC rudder indicator instrument 12V, Ø 52 mm, chrome	75,49
		N03211702	VDO OLC rudder indicator instrument 24V, Ø 52 mm, chrome	75,49
		N05800236	VDO cable Universal 30 m	252,86







Product	Page	Cat. no.	Description	Excl. V.A.T.
	97	N05800306	VDO paddle wheel 1 st generation	21,48
		N05800308	VDO vane 1 st generation	71,74
		N05800356	VDO vane 2 nd generation	47,54
		N05801448	VDO paddle wheel 2 nd generation	22,34
		N05801542	VDO cable Ocean Line 30 m	229,32
		440102001001D	VDO sender unit rudder angle for 1 instrument	182,76
		440102002001D	VDO sender unit rudder angle for 2 instruments	182,76
 	98	N03230702	VDO OLB acoustic alarm 85 dB	116,79
		N05800550	VDO Instrument lighting bulb, 24V, red	6,22
		N05800552	VDO Instrument lighting bulb, 12V, red	4,79
		N05800762	VDO warning light bulb 12V	5,21
		N05800764	VDO warning light bulb 24V	6,08
		4214004	VDO Instrument lighting bulb, 12V, white	5,74
		4214008	VDO Instrument lighting bulb, 24V, white	5,82
		N05800774	VDO frontring black Ø 52 mm	6,00
		N05801180	VDO Transformer set from 12V to 24V	24,32
		N05801562	VDO frontring black Ø 85 mm	7,54
		N05801788	VDO frontring white Ø 52 mm	8,15
		N05801790	VDO frontring white Ø 85 mm	11,48
		X10719002037	VDO makepoint switch	65,39
		X11719000022	VDO frontring chrome Ø 52 mm	36,84
		X11719000023	VDO frontring chrome Ø 85 mm	30,68
		X11719000026	VDO frontring aluminium Ø 85 mm	30,68
		X11719000027	VDO frontring aluminium Ø 52 mm	29,51
		X11719000028	VDO frontring brass Ø 85 mm	30,68
		X11719000029	VDO frontring brass Ø 52 mm	29,51
		X11719000030	VDO frontring anthracite Ø 85 mm	30,68
		X11719000031	VDO frontring anthracite Ø 52 mm	29,51
		X11719000041	VDO frontring gold Ø 85 mm	30,68
		X11719000046	VDO frontring gold Ø 52 mm	29,51
	99	N01610506	VDO NMEA-interface 0183	248,70
		X10719002050	VDO plotter map MAP 7w, wide colour sunlight viewable	3394,86
		X10719002051	VDO plotter map MAP 7wi, wide colour sunlight viewable	3234,00
		X10719002053	VDO plotter map MAP 11cse, sunlight viewable	6223,00
		X10719002055	VDO plotter map MAP 7wi, vertical sunlight viewable	2134,44
	100	MXN12C	Color, flushmount camera, 120 degree lens (mirror image)	326,70
		MXN22C	MXN22C ball camera, 130° lens	435,00
		MXN22CHD	MXN22C Heavy Duty camera, 130° lens	449,00
		MXN22B-020	MXN ball camera, 20° lens	435,00
		MXN22B-040	MXN ball camera, 40° lens	435,00
	101	MXN91C	MXN91C camera, 120° lens	367,20
		MXN5000	MXN5000 monitor 5"	645,30
		MXN6900	MXN6900 monitor 7"	726,30
	102	MXN7000	MXN7000 monitor 7" splitscreen	877,50
		DINW5M	MXN standard cable 5 meters	32,40
		DINW10M	MXN standard cable 10 meters	37,80
		DINW15M	MXN standard cable 15 meters	45,90
		DINW20M	MXN standard cable 20 meters	51,30
		HDINW20M	MXN Heavy Duty cable 20 meters	83,70
		HDINWW20M	MXN Heavy Duty extension cable 20 meters	86,40




Product	Page	Cat. no.	Description	Excl. V.A.T.
	103	2436	Hollex arm supports (long model) for helmsman's seat type 9009	209,00
		250200	Score helmsman's seat Basic I anthracite.	369,26
		250201	Score helmsman's seat Basic I dark blue	369,26
		250202	Score helmsman's seat Comfort Nx I anthracite, 46 - 70 cm.	457,88
		250203	Score helmsman's seat Comfort Nx I dark blue, 46 - 70 cm	457,88
		250204	Score helmsman's seat Comfort Nx I anthracite, 60 - 84 cm.	443,10
		250205	Score helmsman's seat Comfort Nx I dark blue, 60 - 84 cm	443,10
		250206	Score helmsman's seat DeLuxe Nx I anthracite, 46 - 70 cm	451,98
		250207	<i>Score helmsman's seat DeLuxe Nx I dark blue, 46 - 70 cm.</i>	<i>451,98</i>
		250208	Score helmsman's seat DeLuxe Nx I anthracite, 60 - 84 cm	466,73
		250209	Score helmsman's seat DeLuxe Nx I dark blue, 60 - 84 cm	466,73
		2435.01	Hollex helmsman's seat type 9009 (seat only)	775,19
		2436.01	Hollex arm supports (short model) for helmsman's seat type 9009	215,52
		2437.01	Hollex head support for helmsman's seat type 9009	98,87
		2438.01	Hollex helmsman's seat complete type 9009 (with pedestal)	1441,70
 	104	2468.00005	Zwaardvis Michigan 20 (seat only), black fabric	804,32
		2468.00019	Zwaardvis Michigan 20 (seat only), blue fabric	804,32
		2468.00130	Zwaardvis Michigan 20 (seat only), white vinyl	804,32
		2468.00140	Zwaardvis Michigan 20 (seat only), light blue vinyl	804,32
		2468.00148	Zwaardvis Michigan 20 (seat only), grey blue vinyl	804,32
		2468.00150	Zwaardvis Michigan 20 (seat only), black vinyl	804,32
		2468.00165	Zwaardvis Michigan 20 (seat only), royal blue vinyl	804,32
		2488.00005	Zwaardvis Michigan de Luxe 25 (seat only), black fabric	1037,95
		2488.00019	Zwaardvis Michigan de Luxe 25 (seat only), blue fabric	1037,95
		2488.00130	Zwaardvis Michigan de Luxe 25 (seat only), white vinyl	1037,95
		2488.00140	Zwaardvis Michigan de Luxe 25 (seat only), light blue vinyl	1037,95
		2488.00148	Zwaardvis Michigan de Luxe 25 (seat only), grey blue vinyl	1037,95
		2488.00150	<i>Zwaardvis Michigan de Luxe 25 (seat only), black vinyl</i>	<i>1037,95</i>
		2488.00165	Zwaardvis Michigan de Luxe 25 (seat only), royal blue vinyl	1037,95
		Z.61271.00005	Zwaardvis Atlantic (seat only), black fabric	1046,11
		Z.61271.00019	Zwaardvis Atlantic (seat only), blue fabric	1046,11
		Z.61271.00130	<i>Zwaardvis Atlantic (seat only), white vinyl</i>	<i>1046,11</i>
		Z.61271.00140	Zwaardvis Atlantic (seat only), light blue vinyl	1046,11
		Z.61271.00148	Zwaardvis Atlantic (seat only), grey blue vinyl	1046,11
		Z.61271.00150	Zwaardvis Atlantic (seat only), black vinyl	1046,11
		Z.61271.00165	Zwaardvis Atlantic (seat only), royal blue vinyl	1046,11
	105	2407.00005	Zwaardvis Maine 90 (seat only), black fabric	387,42
		2407.00019	Zwaardvis Maine 90 (seat only), blue fabric	387,42
		2407.00070	Zwaardvis Maine 90 (seat only), white vinyl	387,42
		2407.00140	Zwaardvis Maine 90 (seat only), light blue vinyl	387,42
		2407.00148	Zwaardvis Maine 90 (seat only), grey blue vinyl	387,42
		2407.00150	Zwaardvis Maine 90 (seat only), black vinyl	387,42
		2407.00165	Zwaardvis Maine 90 (seat only), royal blue vinyl	387,42
		2413.00005	<i>Zwaardvis Maryland 60 (seat only), black fabric</i>	<i>883,33</i>
		2413.00019	Zwaardvis Maryland 60 (seat only), blue fabric	883,33
		2413.00130	Zwaardvis Maryland 60 (seat only), white vinyl	883,33
		2413.00140	Zwaardvis Maryland 60 (seat only), light blue vinyl	883,33
		2413.00148	Zwaardvis Maryland 60 (seat only), grey blue vinyl	883,33
		2413.00150	Zwaardvis Maryland 60 (seat only), black vinyl	883,33
		2413.00165	Zwaardvis Maryland 60 (seat only), royal blue vinyl	883,33
		2415.00070	Zwaardvis California 35 (seat only), white vinyl	706,66
		2415.00140	Zwaardvis California 35 (seat only), light blue vinyl	706,66




Product	Page	Cat. no.	Description	Excl. V.A.T.
	105	2415.00148	Zwaardvis California 35 (seat only), grey blue vinyl	706,66
		2415.00150	Zwaardvis California 35 (seat only), black vinyl	706,66
		2415.00165	Zwaardvis California 35 (seat only), royal blue vinyl	706,66
		2406.01	Zwaardvis helmsman's seat type Oregon 40, black (seat only)	305,09
		2406.03	Zwaardvis helmsman's seat type Oregon 40, white (seat only)	305,09
	106	2432	Zwaardvis helmsman's seat type Florida 5 (seat only)	296,70
		2445.00070	Zwaardvis set of seat cushions for Florida 5, white vinyl	296,70
		2445.00140	Zwaardvis set of seat cushions for Florida 5, light blue vinyl	296,70
		2445.00148	Zwaardvis set of seat cushions for Florida 5, grey blue vinyl	163,04
		2445.00150	Zwaardvis set of seat cushions for Florida 5, black vinyl	163,04
		2445.00165	Zwaardvis set of seat cushions for Florida 5, royal blue vinyl	163,04
		2446.00005	Zwaardvis Dakota 57 (seat only), black fabric	621,15
		2446.00019	Zwaardvis Dakota 57 (seat only), blue fabric	621,15
		2446.00140	Zwaardvis Dakota 57 (seat only), light blue vinyl	621,15
		2446.00148	Zwaardvis Dakota 57 (seat only), grey blue vinyl	621,15
		2446.00150	Zwaardvis Dakota 57 (seat only), black vinyl	621,15
		2446.00165	Zwaardvis Dakota 57 (seat only), royal blue vinyl	621,15
		2446.00460	Zwaardvis Dakota 57 (seat only), white vinyl	621,15
		2447.00005	Zwaardvis Dakota Folding 55 (seat only), black fabric	663,97
		2447.00019	Zwaardvis Dakota Folding 55 (seat only), blue fabric	663,97
		2447.00140	Zwaardvis Dakota Folding 55 (seat only), light blue vinyl	663,97
		2447.00148	Zwaardvis Dakota Folding 55 (seat only), grey blue vinyl	580,98
		2447.00150	Zwaardvis Dakota Folding 55 (seat only), black vinyl	663,97
		2447.00165	Zwaardvis Dakota Folding 55 (seat only), royal blue vinyl	663,97
		2447.00470	Zwaardvis Dakota Folding 55 (seat only), white vinyl	663,97
	107	61272.gr	Zwaardvis San Diego (seat only) grey	2040,00
		61272.zw	Zwaardvis San Diego (seat only) black	2040,00
		2420	Zwaardvis seat pedestal, 545 - 780 mm	150,24
		2421	Zwaardvis seat pedestal powermatic, 555 - 825 mm	264,74
		2422	Zwaardvis seat pedestal, 330 - 430 mm	127,71
		2423	Zwaardvis seat pedestal, 435 - 690 mm	152,77
		2424	Zwaardvis seat pedestal powermatic, 435 - 690 mm	258,43
		2430	Zwaardvis five-leg base Ø 76 cm	134,56
		2452	Zwaardvis seat pedestal powermatic, 330 - 440 mm	224,64
		2441.19	Zwaardvis type De Witt (without arm rests) vinyl	321,60
		2451.19	Zwaardvis type De Witt (with arm rests) vinyl	350,88
		2480.19	Zwaardvis seat type Newport vinyl	554,88
		2428	Zwaardvis bulkhead mount Ø 27 cm (tube Ø 76 mm)	48,80
		2427	Zwaardvis round base flush mount Ø 23 cm	46,27
		2441.09	Zwaardvis type De Witt (without arm rests) fabric	321,60
		2451.09	Zwaardvis type De Witt (with arm rests) fabric	350,88
		2465	Zwaardvis plug (tube Ø 76 mm)	8,42
		2464	Zwaardvis plug (tube Ø 60 mm)	8,42
	108	2416	Zwaardvis slide assembly with 15 cm travel	70,02
		246027	Zwaardvis adjustable foot rest tube Ø 76 mm	247,07
		2417	Zwaardvis adjustable foot rest tube Ø 60 mm	142,82
		2418	Zwaardvis foot rest for seat pedestal Poseidon	322,66
		2419	Zwaardvis fixed foot rest stainless steel, with tip-up footplate	286,43
		2426	Zwaardvis slide assembly with 19 cm travel	119,62
		2442	Zwaardvis seat support 24 x 24 cm for tube Ø 60 mm	83,23
		2443	Zwaardvis seat support 24 x 24 cm for tube Ø 76 mm	83,23
		2493	Zwaardvis seat column high, anodised	157,50
		2492	Zwaardvis seat column low, anodised	132,38
		2498	Zwaardvis flush mount diam. 180 mm (tube Ø 60 mm), anodised	48,38




Product	Page	Cat. no.	Description	Excl. V.A.T.
	108	2474	Zwaardvis table column, height 365 - 650 mm (tube Ø 76 / 60 mm)	206,81
		249901	Zwaardvis bulkhead mount diam. 180 mm (tube Ø 60 mm), anodised	58,50
		2499	Zwaardvis bulkhead mount diam. 250 mm (tube Ø 60 mm), anodised	61,92
		2482	Zwaardvis bulkhead mount diam. 250 mm (tube Ø 76 mm), anodised	64,06
		246020	Zwaardvis bulkhead mount flange round anodised tube 60 mm	42,43
		246021	Zwaardvis bulkhead mount flange round anodised tube 76 mm	45,70
 	109	24114	Zwaardvis seat pedestal complete	481,28
		24158	Zwaardvis seat pedestal complete five-leg base	451,54
		246011	Zwaardvis pedestal with five-leg base, 350 - 400 mm	749,57
		246012	Zwaardvis pedestal with five-leg base, 450 - 550 mm	765,25
		246013	Zwaardvis pedestal with five-leg base, 540 - 760 mm	777,31
		246031	Zwaardvis pedestal with mount, 350 - 400 mm	595,58
		246032	Zwaardvis pedestal with mount, 450 - 550 mm	611,20
		246033	Zwaardvis pedestal with mount, 540 - 760 mm	623,26
		246113	Zwaardvis seat pedestal Poseidon, height 33 cm	1116,29
		246115	Zwaardvis seat pedestal Poseidon, hoogte 38 - 46 cm (adjustable)	1433,31
		246117	Zwaardvis seat pedestal Poseidon, height 43 cm	1116,29
		246120	Zwaardvis seat pedestal Poseidon, hoogte 46 - 54 cm (adjustable)	1433,31
		246122	Zwaardvis seat pedestal Poseidon, height 56 cm	1116,29
		246125	Zwaardvis seat pedestal Poseidon, hoogte 54 - 62 cm (adjustable)	1433,31
		246127	Zwaardvis seat pedestal Poseidon, hoogte 69 cm	1116,29
		246129	Zwaardvis seat pedestal Poseidon, height 64 - 74 cm (adjustable)	1433,31
		246110	Mounting bracket for Poseidon pedestal Ø 300 mm	77,49
	110	<i>Non-standard discount applicable for Recaro seats.</i>	
		<i>Please contact the Exalto sales department</i>	
		2510.01	Recaro helm'sman's seat Atlantic black fabric	1645,00
		2510.02	Recaro helm'sman's seat Atlantic LT-H.	1745,00
		2510.08	Recaro helm'sman's seat Atlantic outdoor	3675,00
	111	<i>Non-standard discount applicable for Recaro seats.</i>	
		<i>Please contact the Exalto sales department</i>	
		2510.04	Recaro helm'sman's seat Caribbean	3495,00
		2510.05	Recaro helm'sman's seat Arctic	3095,00
		2510.12	Recaro helm'sman's seat Caspian	2315,00
	112	<i>Non-standard discount applicable for Recaro seats.</i>	
		<i>Please contact the Exalto sales department</i>	
		251604	Hydromar hydraulic pedestal LD, 520 - 670 mm	935,00
		251635	Hydromar hydraulic pedestal with five-leg base, 390 - 540 mm	805,00
		251636	Hydromar hydraulic pedestal with five-leg base, 440 - 590 mm	819,00
		251637	Hydromar hydraulic pedestal with five-leg base, 490 - 640 mm	828,00
		251638	Hydromar hydraulic pedestal with five-leg base, 540 - 690 mm	845,00
		251639	Hydromar hydraulic pedestal with five-leg base, 590 - 740 mm	865,00
		251706	Recaro foot rest 304 with duropal plate	505,00
		251707	Recaro foot rest 304 with s.s. plate	565,00
		251708	Recaro foot rest 304 with teak plate	515,00
		251709	Recaro foot rest 304 without plate	419,00
		251710	Recaro foot rest 304 with polished s.s. plate	615,00







Product	Page	Cat. no.	Description	Excl. V.A.T.
	112	2511.02	Recaro stainless steel slide assembly	815,00
		2511.05	Surcharge leather upholstery Recaro seat	1265,00
		2511.07	Surcharge owner supplied material (6 m ² per seat) Recaro seat	890,00
		2511.15	Voltage dropper from 24V to 12V for Recaro seat	105,00
		251604.1	Hydromar hydraulic pedestal LD, 570 - 720 mm	955,00
		251604.2	Hydromar hydraulic pedestal LD, 620 - 770 mm	980,00
	113	<i>Non-standard discount applicable for Recaro seats.</i>	
		<i>Please contact the Exalto sales department</i>	
		251605	Hydromar hydraulic pedestal HD (chrome plated), 415 - 615 mm.	1185,00
		251606	Hydromar hydraulic pedestal HD (chrome plated), 465 - 665 mm.	1195,00
		251607	Hydromar hydraulic pedestal HD (chrome plated), 515 - 715 mm.	1205,00
		251608	Hydromar hydraulic pedestal HD (chrome plated), 565 - 765 mm.	1215,00
		251609	Hydromar hydraulic pedestal HD (chrome plated), 615 - 815 mm.	1230,00
		251610	Hydromar hydraulic pedestal HD (chrome plated), 665 - 865 mm.	1240,00
		251611	Hydromar hydraulic pedestal HD (chrome plated), 715 - 915 mm.	1250,00
		251612	Hydromar hydraulic pedestal HD (chrome plated), 765 - 965 mm.	1260,00
		251615	Hydromar hydraulic pedestal HD (s.s. 316), 410 - 595 mm	2275,00
		251616	Hydromar hydraulic pedestal HD (s.s. 316), 445 - 645 mm	2299,00
		251617	Hydromar hydraulic pedestal HD (s.s. 316), 495 - 695 mm	2315,00
		251618	Hydromar hydraulic pedestal HD (s.s. 316), 545 - 745 mm	2331,00
		251619	Hydromar hydraulic pedestal HD (s.s. 316), 595 - 795 mm	2349,00
		251620	Hydromar hydraulic pedestal HD (s.s. 316), 635 - 835 mm	2379,00
		251621	Hydromar hydraulic pedestal HD (s.s. 316), 695 - 895 mm	2399,00
		251622	Hydromar hydraulic pedestal HD (s.s. 316), 775 - 975 mm	2425,00
		251704	Hydromar fixed pedestal (s.s. 304), 1000 mm	985,00
 	114	<i>Non-standard discount applicable for Recaro seats.</i>	
		<i>Please contact the Exalto sales department</i>	
		251100	Multi rail systems, multi rail, 100 cm	1950,00
		251120	Multi rail systems, multi rail, 120 cm	2120,00
		251150	Multi rail systems, multi rail, 150 cm	2220,00
		251200	Multi rail systems, multi rail, 200 cm	2385,00
		251250	Multi rail systems, multi rail, 250 cm	3025,00
		251204	Multi rail systems, electrical adjustment 24V	1235,00
		251205	Multi rail systems, tailor made to length	265,00
		251210	Multi rail systems, bulkhead frame, 100 cm	415,00
		251212	Multi rail systems, bulkhead frame, 120 cm	460,00
		251215	Multi rail systems, bulkhead frame, 150 cm	499,00
		251220	Multi rail systems, bulkhead frame, 200 cm	730,00
		251310	Multi rail systems, Top plate stainless steel, 100 cm	305,00
		251312	Multi rail systems, Top plate stainless steel, 120 cm	330,00
		251315	Multi rail systems, Top plate stainless steel, 150 cm	350,00
		251320	Multi rail systems, Top plate stainless steel, 200 cm	395,00
		251325	Multi rail systems, Top plate stainless steel, 250 cm	440,00
		251410	Multi rail systems, Top plate coated wood, 100 cm	190,00
		251412	Multi rail systems, Top plate coated wood, 120 cm	235,00
		251415	Multi rail systems, Top plate coated wood, 150 cm	255,00
		251420	Multi rail systems, Top plate coated wood, 200 cm	380,00
		251425	Multi rail systems, Top plate coated wood, 250 cm	440,00
		251510	Multi rail systems, Top plate grey duropal, 100 cm	99,00
		251512	Multi rail systems, Top plate grey duropal, 120 cm	109,00
		251515	Multi rail systems, Top plate grey duropal, 150 cm	129,00
		251520	Multi rail systems, Top plate grey duropal, 200 cm	139,00
		251525	Multi rail systems, Top plate grey duropal, 250 cm	175,00




Product	Page	Cat. no.	Description	Excl. V.A.T.
	114	251930	Hydromar electric pedestal (24V), 520 - 670 mm	2268,00
		251935	Hydromar electric pedestal (24V), 570 - 720 mm	2289,00
		251940	Hydromar electric pedestal (24V), 620 - 770 mm	2309,00
		251250.1	Multi rail systems, bulkhead frame, 250 cm	790,00
 	115	2440	<i>Zwaardvis table support cross (tube Ø 60 mm)</i>	45,22
		2450	Zwaardvis slide assembly	81,60
		2453	Zwaardvis table column, 1 side con. h = 400 mm (tube Ø 60 mm)	33,28
		2454	Zwaardvis table column, 1 side con. h = 660 mm (tube Ø 60 mm)	49,28
		2455	Zwaardvis table column, 1 side con. h = 710 mm (tube Ø 60 mm)	51,90
		2456	Zwaardvis table column, 2 sides con. h = 660 mm (tube Ø 60 mm)	49,38
		2457	Zwaardvis table column, 2 sides con. h = 710 mm (tube Ø 60 mm)	53,22
		2470	<i>Zwaardvis table column, height 485 - 755 mm (tube Ø 76 / 60 mm)</i>	114,56
		2471	Zwaardvis table column powermatic, h = 480 - 760 mm (Ø 76/60 mm)	171,36
		2473	Zwaardvis table column powermatic, h = 365 - 640 mm (Ø 76/60 mm)	121,09
		2474	Zwaardvis table column, height 365 - 650 mm (tube Ø 76 / 60 mm)	206,81
		2475	Zwaardvis table support 30 cm (tube Ø 60 mm)	71,01
		2476	Zwaardvis table support 50 cm (tube Ø 60 mm)	78,08
		2477	Zwaardvis table support 30 cm (tube Ø 76 mm)	83,14
		2478	Zwaardvis table support 50 cm (tube Ø 76 mm)	89,92
		2479	Zwaardvis add on	23,68
		2483	Zwaardvis table column, 1 side conical, h = 400 mm (tube Ø 76 mm)	35,10
		2484	Zwaardvis table column, 1 side conical, h = 660 mm (tube Ø 76 mm)	50,59
		2485	Zwaardvis table column, 1 side conical, h = 710 mm (tube Ø 76 mm)	53,22
		2486	Zwaardvis table column, 2 sides conical, h = 660 mm (tube Ø 76 mm)	51,07
		2487	Zwaardvis table column, 2 sides conical, h = 710 mm (tube Ø 76 mm)	53,22
		246043	Zwaardvis three-step table column, h = 340 - 670 mm	422,69
		246044	Zwaardvis three-step table column, h = 350 - 690 mm	422,69
		246045	Zwaardvis three-step table column, h = 360 - 720 mm	422,69
		246046	Zwaardvis table support All directions, tube Ø 60 mm	384,00
		246047	Zwaardvis table support All directions, tube Ø 76 mm	384,00
		2487LM	Zwaardvis table column, mahonyish 2sides con. h=710 mm (Ø 76 mm)	82,43
  	116	2427	Zwaardvis flush mount Ø 23 cm (tube Ø 76 mm)	46,27
		2428	<i>Zwaardvis round base bulkhead mount Ø 27 cm.</i>	48,80
		2461	Zwaardvis flush mount plastic Ø 14 cm (tube Ø 60 mm)	17,79
		2462	Zwaardvis flush mount Ø 22 cm (tube Ø 76 mm)	40,32
		2463	Zwaardvis bulkhead mount Ø 25 cm (tube Ø 60 mm)	45,70
		2464	Zwaardvis plug (tube Ø 60 mm)	8,42
		2465	Zwaardvis plug synthetic	8,42
		2466	Zwaardvis conical adaptor (tube Ø 60 / 76 mm)	34,27
		2472	Zwaardvis flush mount diam. 220 mm (tube Ø 76 mm), anodised	52,13
		2481	Zwaardvis support plate (tube Ø 60 / 76 mm)	11,42
		2482	Zwaardvis bulkhead mount diam. 250 mm (tube Ø 76 mm), anodised	64,06
		246020	Zwaardvis bulkhead mount flange round anodised tube 60 mm	42,43
		246021	<i>Zwaardvis bulkhead mount flange round anodised tube 76 mm</i>	45,70
		2492	Zwaardvis column low, anodised	132,38
		2493	Zwaardvis column high, anodised	157,50
		2494	Zwaardvis frame (tube Ø 60 mm)	30,59
		2495	Zwaardvis frame (tube Ø 76 mm)	30,59
		2498	Zwaardvis flush mount diam. 180 mm (tube Ø 60 mm), anodised	48,38
		2499	Zwaardvis bulkhead mount diam. 250 mm (tube Ø 60 mm), anodised	61,92
		246023	Zwaardvis flush mount diam. 80 mm (tube Ø 60 mm), stainless steel	68,38
		246024	Zwaardvis flush mount diam. 96 mm (tube Ø 76 mm), stainless steel	78,18
		246025	Zwaardvis table column, 2 sides con. height 660 mm, tube Ø 60 mm	p.o.r.
		246026	<i>Zwaardvis table column, 2 sides con. height 710 mm, tube Ø 60 mm</i>	81,18
		246028	Zwaardvis table column, 2 sides con. height 660 mm, tube Ø 76 mm	71,30





Product	Page	Cat. no.	Description	Excl. V.A.T.
	116	246029	Zwaardvis table column, 2 sides con. height 710 mm, tube Ø 76 mm	73,17
		249901	Zwaardvis bulkhead mount diam. 250 mm (tube Ø 60 mm), anodised	58,50
	117	24201	Zwaardvis table pedestal complete (2 mounts+column) height 660mm	123,41
		24209	Zwaardvis table pedestal complete height 485 - 755 mm	209,44
		24237	Zwaardvis table pedestal complete height 365 - 640 mm	217,08
		246040	Zwaardvis table pedestal with mount on floor, height 510 - 830 mm	638,72
		246041	Zwaardvis table pedestal through floor, height 365 - 685 mm	642,69
		246042	Zwaardvis table pedestal with mount on floor, height 720 mm (fixed)	346,14
		246501	<i>Zwaardvis table pedestal Columbus 1</i>	151,78
		246502	Zwaardvis table pedestal Columbus 2	144,45
		246503	Zwaardvis table pedestal Columbus 3	136,67
		246504	Zwaardvis table pedestal Columbus 4	136,67
		246505	Zwaardvis table pedestal Columbus 5	257,86
 	118	1501	<i>Stazo steering wheel type 01, Ø 35 cm, brass</i>	180,40
		1502	Stazo steering wheel type 01, Ø 40 cm, brass	205,94
		1503	Stazo steering wheel type 01, Ø 45 cm, brass	229,24
		1505	Stazo steering wheel type 01, Ø 55 cm, brass	281,82
		1511	Stazo steering wheel type 01, Ø 35 cm, chrome plated	200,70
		1512	Stazo steering wheel type 01, Ø 40 cm, chrome plated	227,72
		1513	Stazo steering wheel type 01, Ø 45 cm, chrome plated	253,29
		1515	Stazo steering wheel type 01, Ø 55 cm, chrome plated	308,17
		1522	Stazo steering wheel type 02, Ø 45 cm, brass	320,04
		1523	Stazo steering wheel type 02, Ø 50 cm, brass	363,22
		1525	Stazo steering wheel type 02, Ø 60 cm, brass	407,93
		1542	Stazo steering wheel type 02, Ø 45 cm, chrome plated	333,45
		1543	Stazo steering wheel type 02, Ø 50 cm, chrome plated	369,91
		1545	Stazo steering wheel type 02, Ø 60 cm, chrome plated	413,81
		1587	Stazo steering wheel type 12, Ø 70 cm grey	433,10
		1589	Stazo steering wheel type 12, Ø 80 cm black	441,72
		5656	Stazo steering wheel type 11, Ø 110 cm	1064,76
		5657	Stazo steering wheel type 11, Ø 120 cm	1104,12
		5674	Stazo steering wheel type 07, Ø 90 cm, brass	1233,68
		5675	Stazo steering wheel type 07, Ø 100 cm, brass	1443,60
		5676	Stazo steering wheel type 07, Ø 115 cm, brass	1534,09
		5677	Stazo steering wheel type 07, Ø 125 cm, brass	1590,20
		5684	Stazo steering wheel type 07, Ø 90 cm, chrome plated	1280,13
		5685	Stazo steering wheel type 07, Ø 100 cm, chrome plated	1497,27
		5686	Stazo steering wheel type 07, Ø 115 cm, chrome plated	1583,76
		5687	Stazo steering wheel type 07, Ø 125 cm, chrome plated	1643,85
		1521	Stazo steering wheel type 02, Ø 40 cm, brass	294,73
		1541	Stazo steering wheel type 02, Ø 40 cm, chrome plated	318,56
		5671	Stazo steering wheel type 07, Ø 70 cm, brass	1141,45
		5681	Stazo steering wheel type 07, Ø 70 cm, chrome plated	1167,99
		1580	Stazo steering wheel type 12, Ø 35 cm black	79,97
		1585	Stazo steering wheel type 12, Ø 55 cm black	192,78
		1588	Stazo steering wheel type 12, Ø 70 cm black	424,12
		1579	Stazo steering wheel type 12, Ø 35 cm grey	79,97
		1582	Stazo steering wheel type 12, Ø 45 cm grey	160,78
		1584	Stazo steering wheel type 12, Ø 55 cm grey	192,78
		1581	Stazo steering wheel type 12, Ø 35 cm white	79,97
		1561	Stazo steering wheel type 03, Ø 40 cm	331,94
		1563	Stazo steering wheel type 03, Ø 50 cm	379,60
		1565	Stazo steering wheel type 03, Ø 60 cm	419,02
		1561	<i>Stazo steering wheel type 03, Ø 40 cm</i>	331,94
		1563	Stazo steering wheel type 03, Ø 50 cm	379,60
		1565	Stazo steering wheel type 03, Ø 60 cm	419,02


Product	Page	Cat. no.	Description	Excl. V.A.T.
	118	5651	Stazo steering wheel type 11, Ø 60 cm	661,53
		5652	<i>Stazo steering wheel type 11, Ø 70 cm</i>	815,86
		5653	Stazo steering wheel type 11, Ø 80 cm	843,47
		5654	Stazo steering wheel type 11, Ø 90 cm	885,19
		5655	Stazo steering wheel type 11, Ø 100 cm	930,08
		1533	Stazo steering wheel type 13, Ø 60 cm	546,50
		1534	<i>Stazo steering wheel type 13, Ø 70 cm</i>	522,84
		1535	Stazo steering wheel type 13, Ø 80 cm	584,67
		1536	Stazo steering wheel type 13, Ø 90 cm	608,58
		1550	Stazo steering wheel type 14, Ø 60 cm	503,33
		1551	Stazo steering wheel type 14, Ø 70 cm	470,85
		1552	Stazo steering wheel type 14, Ø 80 cm	530,60
		1553	Stazo steering wheel type 14, Ø 90 cm	550,23
	119	1599	Stazo steering wheel type 17, Ø 45 cm	385,62
		5661	Stazo steering wheel type 19, Ø 60 cm	745,58
		5662	Stazo steering wheel type 19, Ø 70 cm	867,22
		5663	Stazo steering wheel type 19, Ø 80 cm	970,70
		5664	Stazo steering wheel type 19, Ø 90 cm	1001,50
		5665	Stazo steering wheel type 19, Ø 100 cm	1071,00
		5666	Stazo steering wheel type 19, Ø 190 cm	1145,23
		5667	Stazo steering wheel type 19, Ø 120 cm	1209,99
		1571	Stazo steering wheel type 20, Ø 40 cm	265,50
		1572	Stazo steering wheel type 20, Ø 50 cm	388,26
		1573	Stazo steering wheel type 20, Ø 60 cm	387,74
		1547	Stazo steering wheel type 20, Ø 40 cm	423,14
		1556	Stazo steering wheel type 28, Ø 50 cm	439,99
		1557	Stazo steering wheel type 28, Ø 60 cm	442,79
		1566	Stazo steering wheel type 50 Ø 35 cm, teak/s.s. retrostyle	340,59
		1567	<i>Stazo steering wheel type 56 Ø 35 cm, teak/s.s. retrostyle</i>	346,64
		1568	Stazo steering wheel type 57 Ø 35 cm, teak/s.s. retrostyle	346,64
		1577	Stazo steering wheel type 63, Ø 35 cm	198,49
		1509	Stazo lay-spoke M12 brass	90,57
		1507	Stazo lay-spoke M12 chrome plated	109,52
	120	157017	Steering wheel adapter alum. custom made, max. Ø 28 mm.	35,05
		157027	Steering wheel taper custom made, max. Ø 40 mm	38,19
		157031	Steering wheel adapter s. s. 17.25 x 19 x 25 / keyway 5 x 3 mm	15,85
		157033	Steering wheel adapter s. s. 18 x 25 x 25 / keyway 6 x 4 mm.	15,85
		157036	Steering wheel adapter s. s. 25.4 x 25.4 x 25 / keyway 6.3 x 3.2 mm.	31,08
		157011	Steering wheel adapter alum. 17.25 x 19 x 25 / keyway 5 x 3 mm.	11,25
		157001	Steering wheel adapter delrin 17.25 x 19 x 25 / keyway 5 x 3 mm.	7,20
		157012	Steering wheel adapter alum. 19.7 x 22 x 26 / keyway 6 x 3 mm.	35,05
		157013	Steering wheel adapter alum. 18 x 25 x 25 / keyway 6 x 4 mm	11,25
		157003	Steering wheel adapter delrin 18 x 25 x 25 / keyway 6 x 4 mm	7,20
		157014	Steering wheel adapter alum. 17 x 19 x 25 / keyway 5 x 3 mm	11,25
		157004	Steering wheel adapter delrin 17 x 19 x 25 / keyway 5 x 3 mm	7,20
		157005	Steering wheel adapter delrin 10 x 10 x 25 pilot bored.	7,14
		157016	Steering wheel adapter alum. 25.4 x 25.4 x 25 / keyway 6.3 x 3.2 mm	22,04
		157006	Steering wheel adapter delrin 25.4 x 25.4 x 25 / keyway 6.3 x 3.2 mm	14,14
		157019	Steering wheel adapter alum. 23.2 x 24.6 x 25 / keyway 5 x 3 mm	34,36
		157007	Steering wheel adapter delrin custom made, max. Ø 26 mm	22,45
	121	1604	Copper tubing 8 x 10 mm per metre	4,68
		16042	LS system 2, 42 Kgm, single station	916,81
		16043	LS system 2, 42 Kgm, single station with non-return valve	934,60
		16044	LS system 2, 42 Kgm, dual station with non-return valve	1512,16




Product	Page	Cat. no.	Description	Excl. V.A.T.
	121	16060	LS system 2, 60 Kgm, single station	917,82
		16061	LS system 2, 60 Kgm, single station with non-return valve	935,61
		16062	LS system 2, 60 Kgm, dual station with non-return valve	1513,17
		16075	LS system 2, 75 Kgm, single station	968,47
		16076	LS system 2, 75 Kgm, single station with non-return valve	986,26
		16077	LS system 2, 75 Kgm, dual station with non-return valve	1563,82
		16095	LS system 2, 95 Kgm, single station	1163,34
		16096	LS system 2, 95 Kgm, single station with non-return valve	1181,13
		16097	LS system 2, 95 Kgm, dual station with non-return valve	1758,69
		16115	LS system 2, 115 Kgm, single station	1288,64
		16116	LS system 2, 115 Kgm, single station with non-return valve	1391,54
		16117	LS system 2, 115 Kgm, dual station with non-return valve	2091,18
		16185	LS system 2, 185 Kgm, single station	1404,51
		16186	LS system 2, 185 Kgm, single station with non-return valve	1507,41
		16187	LS system 2, 185 Kgm, dual station with non-return valve	2218,37
		16240	LS system 2, 240 Kgm, single station	1824,70
		16241	LS system 2, 240 Kgm, single station with non-return valve	1953,93
		16242	LS system 2, 240 Kgm, dual station with non-return valve	2985,75
		160127	LS Hydraulic steering system 1	614,52
		1605	Copper tubing 10 x 12 mm per metre	6,09
		1606	Copper tubing 13 x 15 mm per metre	7,17
		1607	Jerrycan hydraulic fluid, 5 l.	31,63
	122	1634	Hydraulic pump, system 2, type LS331 30 HB	531,09
		1635	Hydraulic pump, system 2, type LS331 30 HB with non-return valve	548,88
		1636	Hydraulic pump, system 2, type LS351 135	497,26
		1637	Hydraulic pump, system 2, type LS351 135 with non-return valve	599,18
		1644	Hydraulic pump, system 2, type L330 29CT HB	448,89
		1645	Hydraulic pump, system 2, type L330 29CT HB with non-return valve	551,74
		1648	Hydraulic pump, system 2, type LS430 29CT 30AL	621,56
		1649	Hydraulic pump, system 2, type LS430 29CT 30AL w/non-return valve	687,81
		1650	Cylinder 40-254 LC465 115 KGM 239 cc	680,36
		1660	Cylinder 50-228 LC466 185 KGM 352 cc	800,17
		1670	Cylinder 50-300 LC467 240KGM 464 cc	925,13
		1687	Cylinder 28 DTP LC462 30 KGM 70 cc	283,27
		1688	Cylinder 32 DT LC450 42 KGM 90 cc	345,50
		1689	Cylinder 32 DTP LC464 60 KGM 120 cc	346,51
		1690	Cylinder 35 DTP LC451 75 KGM 150 cc	397,16
		1691	Cylinder 40 DTP LC463 95 KGM 191 cc	592,03
		1692	Hydraulic pump, system 2, type LS451 140	568,06
		1693	Hydraulic pump, system 2, type LS451 140 with non-return valve	670,96
		1694	Hydraulic pump, system 2, type LS432 60CT	863,99
		1695	Hydraulic pump, system 2, type LS432 60CT with non-return valve	993,22
	123	1605	Copper tubing 10 x 12 mm per m.	6,09
		1606	Copper tubing 13 x 15 mm per m.	7,17
		1607	Jerrycan hydraulic fluid, 5 l.	31,63
		1621	LS system 3, type 70 kgm, single station	1588,47
		1622	LS system 3, type 70 kgm, single station w/non-return valve	1719,69
		1623	LS system 3, type 70 kgm, dual station w/non-return valve	2618,59
		1624	Hydraulic pump, system 3, type LS431 36CT	729,08
		1625	Hydraulic pump, system 3, type LS431 36CT with non-return valve	860,30
		1631	LS system 3, type 125 kgm, single station	1628,48
		1632	LS system 3, type 125 kgm, single station with non-return valve	1759,70
		1633	LS system 3, type 125 kgm, dual station with non-return valve	2658,60
		1638	LS system 3, type 140SP kgm, single station	1679,32
		1639	LS system 3, type 140SP kgm, single station non-ret. valve	1810,54
		1640	LS system 3, type 140SP kgm, dual station non-ret. valve	2724,64
		1641	LS system 3, type 140 kgm, single station	1814,23

Product	Page	Cat. no.	Description	Excl. V.A.T.
  	123	1642	LS system 3, type 140 kgm, single station non-ret. valve	1943,46
		1643	LS system 3, type 140 kgm, dual station with non-ret. valve	2990,48
		1651	LS system 3, type 265 kgm, single station	2018,84
		1652	LS system 3, type 265 kgm, single station with non-return valve	2148,08
		1653	LS system 3, type 265 kgm, dual station with non-return valve	3201,45
		1661	LS system 3, type 330 kgm, single station	2579,00
		1662	LS system 3, type 330 kgm, single station with non-return valve	2641,59
		1663	LS system 3, type 330 kgm, dual station with non-return valve	4010,70
		1666	Hydraulic pump, sys. 3, type LS531 70CT	870,33
		1667	Hydraulic pump, sys. 3, type LS531 70CT with non-return valve	999,57
		1671	LS system 3, type 330SP kgm, single station	2196,61
		1672	LS system 3, type 330SP kgm, single station non-return valve	2325,85
		1673	LS system 3, type 330SP kgm, dual station non-return valve	3379,22
		1694	Hydraulic pump, system 3, type LS432 60CT	863,99
		1695	Hydraulic pump, system 3, type LS432 60CT with non-return valve	993,22
		16951	Hydraulic pump, system 3, type LS532 90CT	1252,72
		16952	Hydraulic pump, system 3, type LS532 90CT with non-return valve	1315,31
		16953	Non-return valve for pump type LS433, LS434, LS437	549,63
		16954	Hydraulic pump, system 3, type LS433 105CT	2023,27
		16955	Hydraulic pump, system 3, type LS434 150CT	2442,57
		16956	Hydraulic pump, system 3, type LS437 200CT	2487,45
		160100	LS system 3, type 420 kgm, single station	3536,03
		160101	LS system 3, type 420 kgm, single station non-return valve	4107,42
		160102	LS system 3, type 420 kgm, dual station non-return valve	6761,68
		160110	LS system 3, type 550 kgm, single station	4014,77
		160111	LS system 3, type 550 kgm, single station non-return valve	4586,16
		160112	LS system 3, type 550 kgm, dual station non-return valve	7240,42
		160120	LS system 3, type 840 kgm, single station	4789,55
		160121	LS system 3, type 840 kgm, single station non-return valve	5360,94
		160122	LS system 3, type 840 kgm, dual station non-return valve	8434,50
		160130	LS system 3, type 1350 kgm, single station	5613,43
		160131	LS system 3, type 1350 kgm, single station non-return valve	6184,82
		160132	LS system 3, type 1350 kgm, dual station non-return valve	9303,26
		160140	LS system 3, type 1660 kgm, single station	5805,94
		160141	LS system 3, type 1660 kgm, single station non-return valve	6377,33
		160142	LS system 3, type 1660 kgm, dual station non-return valve	9495,77
  	124	1612	Hydraulic cylinder, system 3, type LC452 35 DT	823,81
		1613	Hydraulic cylinder, system 3, type LC453 45 DT	863,82
		1614	Hydraulic cylinder, system 3, type LC454 45 DT 228	904,08
		1615	Hydraulic cylinder, system 3, type LC455 60 DT	1102,35
		1616	Hydraulic cylinder, system 3, type LC456 60 DT 300	1280,12
		169457	Hydraulic cylinder, system 3, type LC457 63 DT	1442,84
		169458	Hydraulic cylinder, system 3, type LC458 80 DT	1921,58
		169459	Hydraulic cylinder, system 3, type LC459 90 DT	2277,06
		169460	Hydraulic cylinder, system 3, type LC460 110 DT	3056,06
		169461	Hydraulic cylinder, system 3, type LC461 120 DT	3248,57
		1608.3000	Hydraulic hose Ø 8 mm, length 3.0 m	41,63
		1608.3500	Hydraulic hose Ø 8 mm, length 3.5 m	44,28
		1608.4000	Hydraulic hose Ø 8 mm, length 4.0 m	45,45
		1608.4500	Hydraulic hose Ø 8 mm, length 4.5 m	48,71
		1608.5000	Hydraulic hose Ø 8 mm, length 5.0 m	51,98
		1608.6000	Hydraulic hose Ø 8 mm, length 6.0 m	58,54
		1608.7000	Hydraulic hose Ø 8 mm, length 7.0 m	65,06
		1608.8000	Hydraulic hose Ø 8 mm, length 8.0 m	75,21
		1608.9000	Hydraulic hose Ø 8 mm, length 9.0 m	78,17
		1608.10000	Hydraulic hose Ø 8 mm, length 10.0 m	88,94

Product	Page	Cat. no.	Description	Excl. V.A.T.
	125	1656	Electric hydraulic pumpset RV2 12V	924,35
		1657	Electric hydraulic pumpset RV2 24V	924,35
		163008	Electric hydraulic pumpset RV1 12V	801,29
		163009	Electric hydraulic pumpset RV1 24V	801,29
		163012	Electric hydraulic pumpset RV3 12V	1361,42
		163013	Electric hydraulic pumpset RV3 24V	1361,42
		167763	Seal kit for cylinder type LC450	81,20
		167764	Seal kit for cylinder type LC451	80,79
		167765	Seal kit for cylinder type LC452	89,05
		167766	Seal kit for cylinder type LC453 / 454	93,64
		167767	Seal kit for cylinder type LC455 / 456	97,21
		167768	Seal kit for cylinder type LC457	323,11
		167769	Seal kit for cylinder type LC458	307,00
		167770	Seal kit for cylinder type LC459	310,67
		167771	Seal kit for cylinder type LC460	268,37
		167772	Seal kit for cylinder type LC461	138,85
		167773	Seal kit for cylinder type LC462	65,09
		167774	Seal kit for cylinder type LC463 / 465	90,55
		167776	Seal kit for cylinder type LC464	70,28
		167777	Seal kit for cylinder type LC466 / 467	94,08
		167780	Seal kit for pump type LS330	64,45
		167781	Seal kit for pump type LS430	65,23
		167782	Seal kit for pump type LS431 / 432 / 531 / 532	64,17
		167786	Seal kit for pump type LS331 / 351 / 451	64,17
		167787	Seal kit for pump type LS433 / 437	99,66
		1609.3000	Hydraulic hose Ø 10 mm, length 3.0 m	42,78
		1609.3500	Hydraulic hose Ø 10 mm, length 3.5 m	44,45
		1609.4000	Hydraulic hose Ø 10 mm, length 4.0 m	48,13
		1609.4500	Hydraulic hose Ø 10 mm, length 4.5 m	55,80
		1609.5000	Hydraulic hose Ø 10 mm, length 5.0 m	55,51
		1609.6000	Hydraulic hose Ø 10 mm, length 6.0 m	62,89
		1609.7000	Hydraulic hose Ø 10 mm, length 7.0 m	70,27
		1609.8000	Hydraulic hose Ø 10 mm, length 8.0 m	77,65
		1609.9000	Hydraulic hose Ø 10 mm, length 9.0 m	84,61
		1609.10000	Hydraulic hose Ø 10 mm, length 10.0 m	92,40
	126	1658	Electric hydraulic pumpset EV2 12V	2059,20
		1659	Electric hydraulic pumpset EV2 24V	2059,20
		1664	Electric hydraulic pumpset HVR 12V	4025,50
		1665	Electric hydraulic pumpset HVR 24V	4230,94
		1674	Electric hydraulic pumpset type HF1-2.5, 24V	4347,49
		1675	Electric hydraulic pumpset type HF1-3, 24V	4347,49
		1676	Electric hydraulic pumpset type HF1-4, 24V	4347,49
		1677	Electric hydraulic pumpset type HF1-6, 24V	4536,99
		1678	Electric hydraulic pumpset type HF1.5-9, 24V	5399,92
		1679	Electric hydraulic pumpset type HF1.5-11, 24V	5539,59
		163018	Electric hydraulic pumpset EV3 12V	2496,28
		163019	Electric hydraulic pumpset EV3 24V	2496,28
	127	30010	Pretech engine control TM Single	322,00
		30020	Pretech engine control TM Twin	490,00
		31001	Pretech engine control TC Single Throttle	240,00
		31002	Pretech engine control TC Single Clutch	150,00
		31916	Pretech engine control SD	37,80
		31917	Pretech bracket for SD (for side mounting)	23,50
		36468	Pretech engine control TC Twin Throttle & Clutch	327,00
		36469	Pretech engine control TC Twin Throttle & Throttle	430,00

Product	Page	Cat. no.	Description	Excl. V.A.T.
	127	36470	Pretech engine control TC Twin Clutch & Clutch	266,00
		308601	Pretech engine control TS Single	187,00
		308602	Pretech engine control TS Twin	287,00
	129	526MM01-12	Pretech electronic engine control set 1 12V	2552,60
		526MM01-24	Pretech electronic engine control set 1 24V	2552,60
		526MM02-12	Pretech electronic engine control set 2 12V	4420,41
		526MM02-24	Pretech electronic engine control set 2 24V	4420,41
		116000220	Pretech communication cable, 6 m	90,58
		116000240	Pretech communication cable, 9 m	109,66
		116000260	Pretech communication cable, 19 m	128,72
		11415C	Pretech control for extra control station, twin engine	787,00
		11415CSGL	Pretech control for extra control station, single engine	624,00
	130	11415C	Pretech control for extra control station, twin engine	787,00
		11470635	Pretech Handheld remote control - hardwired set	1901,00
		11415CSGL	Pretech control for extra control station, single engine	624,00
		11470625P	Pretech Handheld remote control - plug-in set	2253,00
		116000220	Pretech communication cable, 6 m	90,58
		116000240	Pretech communication cable, 9 m	109,66
		116000260	Pretech communication cable, 19 m	128,72
		526ME01-12	Pretech electronic engine control set 3 12V	3100,60
		526ME01-24	Pretech electronic engine control set 3 24V	3100,60
		526ME02-12	Pretech electronic engine control set 4 12V	3253,00
		526ME02-24	Pretech electronic engine control set 4 24V	3253,00
	131	031020	Switch 20 Amp.	12,05
		224501	Morse KE-4 Single electronic control left.	688,70
		224502	Morse KE-4 Twin electronic control	830,59
		224503	Morse KE-4 Single electronic control right	612,19
		224504	Morse Control unit 12V.	1742,08
		224505	Morse Control unit 24V.	1977,85
		224506	Morse Actuator	1136,12
		224507	Audio alarm (buzzer) 12 Volt	24,43
		224508	Audio alarm (buzzer) 24 Volt	26,73
		224510	Synchro master harness	66,74
		224511	Synchro slave harness.	66,74
		224512	Switch kit	133,56
		2245/04.000	Morse harness connection cable type CC, 4 m	131,63
		2245/06.000	Morse harness connection cable type CC, 6 m	153,14
		2245/08.000	Morse harness connection cable type CC, 8 m	167,13
		2245/10.000	Morse harness connection cable type CC, 10 m	180,97
		2245/12.000	Morse harness connection cable type CC, 12 m	194,96
		2245/14.000	Morse harness connection cable type CC, 14 m	208,80
		2245/16.000	Morse harness connection cable type CC, 16 m	214,57
		2245/18.000	Morse harness connection cable type CC, 18 m	224,66
		2245/20.000	Morse harness connection cable type CC, 20 m	241,45
		2245/30.000	Morse harness connection cable type CC, 30 m	308,44
		2245/40.000	Morse harness connection cable type CC, 40 m	375,53
		2247/05.000	Communication harness 5 m.	114,18
		2248/05.000	Morse Harness power supply 5 m	85,22
		2248/10.000	Morse Harness power supply 10 m	116,08
		2249/05.000	Morse harness connection cable type S, 5 m	22,78
		2249/10.000	Morse harness connection cable type S, 10 m	39,48
		2249/20.000	Morse harness connection cable type S, 20 m	74,61
		2249/30.000	Morse harness connection cable type S, 30 m	109,78
		2249/40.000	Morse harness connection cable type S, 40 m	144,78

Product	Page	Cat. no.	Description	Excl. V.A.T.
	132	2208	Hollex dual station unit	48,19
		3300100	Pretech cable type 3300, 1.00 m	18,33
		3300125	Pretech cable type 3300, 1.25 m	20,15
		3300150	Pretech cable type 3300, 1.50 m	20,86
		3300175	Pretech cable type 3300, 1.75 m	21,25
		3300200	Pretech cable type 3300, 2.00 m	21,81
		3300225	Pretech cable type 3300, 2.25 m	22,38
		3300250	Pretech cable type 3300, 2.50 m	22,91
		3300275	Pretech cable type 3300, 2.75 m	23,44
		3300300	Pretech cable type 3300, 3.00 m	24,00
		3300325	Pretech cable type 3300, 3.25 m	24,53
		3300350	Pretech cable type 3300, 3.50 m	25,10
		3300375	Pretech cable type 3300, 3.75 m	25,63
		3300400	Pretech cable type 3300, 4.00 m	26,16
		3300425	Pretech cable type 3300, 4.25 m	26,72
		3300450	Pretech cable type 3300, 4.50 m	27,25
		3300475	Pretech cable type 3300, 4.75 m	27,82
		3300500	Pretech cable type 3300, 5.00 m	28,39
		3300525	Pretech cable type 3300, 5.25 m	28,92
		3300550	Pretech cable type 3300, 5.50 m	29,48
		3300575	Pretech cable type 3300, 5.75 m	30,01
		3300600	Pretech cable type 3300, 6.00 m	30,58
		3300625	Pretech cable type 3300, 6.25 m	31,36
		3300650	Pretech cable type 3300, 6.50 m	32,13
		3300675	Pretech cable type 3300, 6.75 m	32,95
		3300700	Pretech cable type 3300, 7.00 m	33,72
		3300725	Pretech cable type 3300, 7.25 m	34,50
		3300750	Pretech cable type 3300, 7.50 m	35,28
		3300775	Pretech cable type 3300, 7.75 m	36,09
		3300800	Pretech cable type 3300, 8.00 m	36,87
		3300825	Pretech cable type 3300, 8.25 m	37,28
		3300850	Pretech cable type 3300, 8.50 m	38,43
		3300875	Pretech cable type 3300, 8.75 m	39,42
		3300900	Pretech cable type 3300, 9.00 m	40,02
		3300925	Pretech cable type 3300, 9.25 m	41,42
		3300950	Pretech cable type 3300, 9.50 m	43,59
		3300975	Pretech cable type 3300, 9.75 m	44,85
		3301000	Pretech cable type 3300, 10.00 m	47,26
		3301100	Pretech cable type 3300, 11.00 m	52,41
		3301200	Pretech cable type 3300, 12.00 m	57,99
		3301300	Pretech cable type 3300, 13.00 m	65,66
		3301400	Pretech cable type 3300, 14.00 m	71,37
		3301500	Pretech cable type 3300, 15.00 m	77,08
		3301600	Pretech cable type 3300, 16.00 m	82,81
		3301700	Pretech cable type 3300, 17.00 m	88,53
		3301800	Pretech cable type 3300, 18.00 m	98,33
		3301900	Pretech cable type 3300, 19.00 m	105,48
		3302000	Pretech cable type 3300, 20.00 m	112,65
		3302100	Pretech cable type 3300, 21.00 m	119,74
		3302200	Pretech cable type 3300, 22.00 m	126,92
		6300100	Pretech cable type 3300 Extreme, 1.00 m	36,62
		6300125	Pretech cable type 3300 Extreme, 1.25 m	37,44
		6300150	Pretech cable type 3300 Extreme, 1.50 m	38,21
		6300175	Pretech cable type 3300 Extreme, 1.75 m	38,99
		6300200	Pretech cable type 3300 Extreme, 2.00 m	39,77
		6300225	Pretech cable type 3300 Extreme, 2.25 m	40,58
		6300250	Pretech cable type 3300 Extreme, 2.50 m	41,36
		6300275	Pretech cable type 3300 Extreme, 2.75 m	42,14
		6300300	Pretech cable type 3300 Extreme, 3.00 m	42,91

Product	Page	Cat. no.	Description	Excl. V.A.T.
  	132	6300325	Pretech cable type 3300 Extreme, 3.25 m	43,76
		6300350	Pretech cable type 3300 Extreme, 3.50 m	44,54
		6300375	Pretech cable type 3300 Extreme, 3.75 m	45,32
		6300400	Pretech cable type 3300 Extreme, 4.00 m	46,10
		6300425	Pretech cable type 3300 Extreme, 4.25 m	46,91
		6300450	Pretech cable type 3300 Extreme, 4.50 m	47,69
		6300475	Pretech cable type 3300 Extreme, 4.75 m	48,46
		6300500	Pretech cable type 3300 Extreme, 5.00 m	49,24
		6300525	Pretech cable type 3300 Extreme, 5.25 m	50,06
		6300550	Pretech cable type 3300 Extreme, 5.50 m	50,83
		6300575	Pretech cable type 3300 Extreme, 5.75 m	51,61
		6300600	Pretech cable type 3300 Extreme, 6.00 m	52,39
		6300625	Pretech cable type 3300 Extreme, 6.25 m	53,48
		6300650	Pretech cable type 3300 Extreme, 6.50 m	54,58
		6300675	Pretech cable type 3300 Extreme, 6.75 m	55,68
		6300700	Pretech cable type 3300 Extreme, 7.00 m	56,77
		6300725	Pretech cable type 3300 Extreme, 7.25 m	57,87
		6300750	Pretech cable type 3300 Extreme, 7.50 m	58,96
		6300775	Pretech cable type 3300 Extreme, 7.75 m	60,02
		6300800	Pretech cable type 3300 Extreme, 8.00 m	61,16
		6300825	Pretech cable type 3300 Extreme, 8.25 m	62,26
		6300850	Pretech cable type 3300 Extreme, 8.50 m	63,35
		6300875	Pretech cable type 3300 Extreme, 8.75 m	64,45
		6300900	Pretech cable type 3300 Extreme, 9.00 m	65,54
		6300925	Pretech cable type 3300 Extreme, 9.25 m	66,88
		6300950	Pretech cable type 3300 Extreme, 9.50 m	68,30
		6300975	Pretech cable type 3300 Extreme, 9.75 m	69,64
		6301000	Pretech cable type 3300 Extreme, 10.00 m	71,02
		6301100	Pretech cable type 3300 Extreme, 11.00 m	76,50
		6301200	Pretech cable type 3300 Extreme, 12.00 m	81,98
		6301300	Pretech cable type 3300 Extreme, 13.00 m	90,25
		6301400	Pretech cable type 3300 Extreme, 14.00 m	93,47
		6301500	Pretech cable type 3300 Extreme, 15.00 m	96,72
		6301600	Pretech cable type 3300 Extreme, 16.00 m	99,93
		6301700	Pretech cable type 3300 Extreme, 17.00 m	103,12
		6301800	Pretech cable type 3300 Extreme, 18.00 m	109,59
		6301900	Pretech cable type 3300 Extreme, 19.00 m	115,98
		6302000	Pretech cable type 3300 Extreme, 20.00 m	126,09
		6302100	Pretech cable type 3300 Extreme, 21.00 m	133,62
		6302200	Pretech cable type 3300 Extreme, 22.00 m	141,15
		6500100	Pretech cable type 4300, 1.00 m	35,22
		6500125	Pretech cable type 4300, 1.25 m	36,94
		6500150	Pretech cable type 4300, 1.50 m	38,81
		6500175	Pretech cable type 4300, 1.75 m	39,98
		6500200	Pretech cable type 4300, 2.00 m	41,43
		6500225	Pretech cable type 4300, 2.25 m	43,01
		6500250	Pretech cable type 4300, 2.50 m	44,01
		6500275	Pretech cable type 4300, 2.75 m	45,32
		6500300	Pretech cable type 4300, 3.00 m	46,63
		6500325	Pretech cable type 4300, 3.25 m	47,91
		6500350	Pretech cable type 4300, 3.50 m	49,21
		6500375	Pretech cable type 4300, 3.75 m	50,51
		6500400	Pretech cable type 4300, 4.00 m	51,79
		6500425	Pretech cable type 4300, 4.25 m	53,11
		6500450	Pretech cable type 4300, 4.50 m	54,40
6500475	Pretech cable type 4300, 4.75 m	55,71		
6500500	Pretech cable type 4300, 5.00 m	57,02		
6500525	Pretech cable type 4300, 5.25 m	58,31		
6500550	Pretech cable type 4300, 5.50 m	59,60		

Product	Page	Cat. no.	Description	Excl. V.A.T.
