





















Product	Page	Cat. no.	Description	Excl. V.A.T.
	134	2239 .....	Pivot for MAXFLEX 4300. ....	18,39
		2252 .....	Double cable clamp for MAXFLEX 3300/EXTREME .....	38,28
		2224.01 .....	Clevis type K MAXFLEX 3300 .....	3,93
		2224.02 .....	Clevis type G MAXFLEX 3300 .....	24,22
		2227.01 .....	Ball joint type K MAXFLEX 3300 .....	14,14
		2227.02 .....	Ball joint type G MAXFLEX 3300 .....	18,40
	135	1040 .....	Cupa bow thruster CP40 .....	2084,21
		1050 .....	Cupa bow thruster CP50 .....	2123,74
		1090 .....	Cupa bow thruster CP90 .....	2567,43
	136	10050 .....	CP50 with proportional control .....	5020,29
		10090 .....	CP90 with proportional control .....	5905,74
		11410 .....	Cross-pipe steel for Cupa bow thruster CP40 / CP50, 100 cm (length) .....	313,40
		11412 .....	Cross-pipe steel for Cupa bow thruster CP40 / CP50, 120 cm (length) .....	334,69
		11415 .....	Cross-pipe steel for Cupa bow thruster CP40 / CP50, 150 cm (length) .....	380,34
		11910 .....	Cross-pipe steel for Cupa bow thruster CP90, 100 cm (length) .....	325,57
		11912 .....	Cross-pipe steel for Cupa bow thruster CP90, 120 cm (length) .....	365,35
		11915 .....	Cross-pipe steel for Cupa bow thruster CP90, 150 cm (length) .....	535,50
		16444 .....	Cross-pipe polyester for Cupa bow thruster CP40 / CP50, 150cm (l) .....	523,59
		16999 .....	Cross-pipe polyester for Cupa bow thruster CP90, 150 cm (length) .....	621,65
		121632 .....	Cupa serial-parallel switch (2 x 12V) .....	286,01
		121821 .....	Cupa relay 12V CP40 (or CP50 combined with cat. no. 121632) .....	223,51
		121823 .....	Cupa relay 24V CP50 .....	200,81
		121825 .....	Cupa relay 24V CP90 .....	360,56
		121900 .....	Cupa reversible safety 12V .....	165,80
		121901 .....	Cupa reversible safety 24V .....	165,80
		167999 .....	Cupa joystick (second position) .....	79,86
		443810 .....	Cupa main power switch .....	43,35
	137	.....	<i>Non-standard discount applicable.</i>	
		.....	<i>Please contact the Exalto sales department.</i>	
		1505701 .....	Bow thruster type 1505, Cross-pipe L = 750 mm steel .....	p.o.r.
		1505702 .....	Bow thruster type 1505, Cross-pipe L = 750 mm GRP .....	141,09
		1505703 .....	Bow thruster type 1505, Cross-pipe L = 750 mm aluminium .....	334,16
		1505704 .....	Bow thruster type 1505, Cross-pipe L = 750 mm s.s. 316 .....	279,23
		1505801 .....	Bow thruster type 1505, Hooked gear including propeller bronze .....	2286,62
	138	.....	<i>Non-standard discount applicable.</i>	
		.....	<i>Please contact the Exalto sales department.</i>	
		1505901 .....	Bow thruster type 1505, Motor 12V= .....	948,30
		1505902 .....	Bow thruster type 1505, Motor 24V= .....	948,30
		1505907 .....	Bow thruster type 1505, Motor 24V= with controlbox for var. thrust .....	p.o.r.
		2005711 .....	Bow thruster type 2005, Cross-pipe L = 1000 mm steel .....	p.o.r.
		2005712 .....	Bow thruster type 2005, Cross-pipe L = 1000 mm GRP .....	p.o.r.
		2005713 .....	Bow thruster type 2005, Cross-pipe L = 1000 mm aluminium .....	p.o.r.
		2005714 .....	Bow thruster type 2005, Cross-pipe L = 1000 mm s.s. 316 .....	p.o.r.
		2005811 .....	Bow thruster type 2005, Hooked gear including propeller bronze .....	p.o.r.
		2005812 .....	Bow thruster type 2005, Hooked gear including propeller aluminium .....	2465,12
		2005911 .....	Bow thruster type 2005, Motor 12V= .....	1099,18
		2005912 .....	Bow thruster type 2005, Motor 24V= .....	p.o.r.
		2005915 .....	Bow thruster type 2005, Motor 24V= with controlbox for var. thrust .....	p.o.r.
		2005930 .....	Bow thruster type 2005, Hydraulic rotary gear motor SEM6 .....	674,40




Product	Page	Cat. no.	Description	Excl. V.A.T.
 	139	.....	<i>Non-standard discount applicable.</i>	
		.....	<i>Please contact the Exalto sales department.</i>	
		2505821 .....	Bow thruster type 2505, Hooked gear including propeller bronze .....	p.o.r.
		2505822 .....	Bow thruster type 2505, Hooked gear including propeller aluminium .....	p.o.r.
		2505921 .....	Bow thruster type 2505, Motor 400V~ .....	1856,89
		2505922 .....	Bow thruster type 2505, Motor 24V= .....	1475,46
		2505923 .....	Bow thruster type 2505, Hydraulic rotary gear motor SNM8,5 .....	904,71
		2505924 .....	Bow thruster type 2505, Motor 400V~ incl. controlbox. ....	p.o.r.
		2505925 .....	Bow thruster type 2505, Motor 24V= with controlbox for var. thrust .....	p.o.r.
		2505930 .....	Bow thruster type 2505, Motor 400V~ w/contr.box w/stardeltaswitch .....	p.o.r.
		2505931 .....	Bow thruster type 2505, Motor 400V~ w/controlbox w/soft start switch .....	p.o.r.
		2505933 .....	Bow thruster type 2505, Motor 400V~ w/controlbox w/frequency contr. ....	p.o.r.
		2500721 .....	Bow thruster type 2510, Cross-pipe L = 1500 mm steel .....	p.o.r.
		2500721 .....	Bow thruster type 2510, Cross-pipe L = 1500 mm steel .....	p.o.r.
		2500723 .....	Bow thruster type 2510, Cross-pipe L = 1500 mm aluminium. ....	p.o.r.
		2500724 .....	Bow thruster type 2510, Cross-pipe L = 1500 mm s.s. 316 .....	p.o.r.
 	140	.....	<i>Non-standard discount applicable.</i>	
		.....	<i>Please contact the Exalto sales department.</i>	
		2500721 .....	Bow thruster type 2505, Cross-pipe L = 1500 mm steel .....	p.o.r.
		2500722 .....	Bow thruster type 2505, Cross-pipe L = 1500 mm GRP .....	p.o.r.
		2500723 .....	Bow thruster type 2505, Cross-pipe L = 1500 mm aluminium. ....	p.o.r.
		2500724 .....	Bow thruster type 2505, Cross-pipe L = 1500 mm s.s. 316 .....	p.o.r.
		2510821 .....	Bow thruster type 2510, Hooked gear including propeller bronze .....	p.o.r.
		2510822 .....	Bow thruster type 2510, Hooked gear including propeller aluminium .....	p.o.r.
		2510921 .....	Bow thruster type 2510, Motor 400V~ .....	2053,63
		2510922 .....	Bow thruster type 2510, Motor 24V= .....	2581,71
		2510924 .....	Bow thruster type 2510, Motor 400V~ incl. controlbox. ....	p.o.r.
		2510933 .....	Bow thruster type 2510, Hydraulic rotary gear motor SNM11 .....	948,40
		2510940 .....	Bow thruster type 2510, Hydraulic control system .....	p.o.r.
		2510941 .....	Bow thruster type 2510, Hydraulic control system for variable thrust. ....	p.o.r.
		2510950 .....	Bow thruster type 2510, Motor 400V~ w/contr.box star delta switch .....	p.o.r.
		2510951 .....	Bow thruster type 2510, Motor 400V~ w/contr.box "soft start" switch. ....	p.o.r.
		2510953 .....	Bow thruster type 2510, Motor 400V~ w/contr.box frequency contr. ....	p.o.r.
		2510960 .....	Bow thruster type 2510, Hydraulic piston motor H1C12 .....	2442,32
 	141	.....	<i>Non-standard discount applicable.</i>	
		.....	<i>Please contact the Exalto sales department.</i>	
		3500731 .....	Bow thruster type 3505, Cross-pipe L = 1500 mm steel .....	900,10
		3500732 .....	Bow thruster type 3505, Cross-pipe L = 1500 mm GRP .....	437,25
		3500734 .....	Bow thruster type 3505, Cross-pipe L = 1500 mm s.s. 316 .....	p.o.r.
		3505831 .....	Bow thruster type 3505, Hooked gear including propeller, bronze .....	p.o.r.
		3505932 .....	Bow thruster type 3505, Motor 24V= .....	4517,74
		3505940 .....	Bow thruster type 3505, Motor 24V= with controlbox for var. thrust .....	8799,08
		3505950 .....	Bow thruster type 3505, Hydraulic rotary gear motor SNM11 .....	1267,20
		3505951 .....	Bow thruster type 3505, Hydraulic piston motor H1C12 .....	2355,62
		3505952 .....	Bow thruster type 3505, Hydraulic control system .....	p.o.r.
		3505953 .....	Bow thruster type 3505, Hydraulic control system for variable thrust. ....	p.o.r.
		3510831 .....	Bow thruster type 3510, Hooked gear including propeller, bronze .....	p.o.r.



Product	Page	Cat. no.	Description	Excl. V.A.T.
	142	.....	<i>Non-standard discount applicable.</i>	
		.....	<i>Please contact the Exalto sales department.</i>	
		3510932 .....	Bow thruster type 3510, Motor 2 x 24V= .....	5469,43
		3510933 .....	Bow thruster type 3510, Hydraulic rotary gear motor SNM14 .....	1272,05
		3510934 .....	Bow thruster type 3510, Motor 400V~ .....	2593,22
		3510935 .....	Bow thruster type 3510, Hydraulic piston motor H1C12 .....	2634,44
		3510936 .....	Bow thruster type 3510, Motor 400V~ w/contr.box star delta switch .....	p.o.r.
		3510940 .....	Bow thruster type 3510, Motor 400V~ w/contr.box w/soft start switch .....	p.o.r.
		3510942 .....	Bow thruster type 3510, Motor 400V~ w/contr.box with frequency .....	p.o.r.
		3510950 .....	Bow thruster type 3510, Motor 2 x 24V= w/contr.box for var. thrust .....	p.o.r.
		3510951 .....	Bow thruster type 3510, Hydraulic control system for variable thrust. ....	p.o.r.
		3510952 .....	Bow thruster type 3510, Hydraulic control system .....	p.o.r.
	143	.....	<i>Non-standard discount applicable.</i>	
		.....	<i>Please contact the Exalto sales department.</i>	
		99540 .....	2 <sup>nd</sup> remote control with joystick for bow thruster motor 12V/24V, 400V .....	203,00
		99541 .....	Extension cable 2.5 m for bow thruster motor 12V / 24V, 400V .....	26,82
		99542 .....	Extension cable 5 m for bow thruster motor 12V / 24V, 400V .....	28,78
		99543 .....	Extension cable 10 m for bow thruster motor 12V / 24V, 400V .....	55,23
		99544 .....	2 <sup>nd</sup> remote control with push buttons for motor 12V / 24V, 400V .....	151,55
		99545 .....	Remote control with push buttons for motor 12V / 24V, 400V .....	217,86
		99546 .....	Remote control with joystick for motor 12V / 24V, 400V .....	254,37
		99547 .....	Remote control Joystick variable thrust for motor hydraulic .....	977,47
		99548 .....	Remote control Joystick variable thrust for motor 400V .....	977,47
		99549 .....	Remote control Joystick variable thrust for motor 12V / 24V .....	1108,80
		99550 .....	Series / parallel switch for bow thruster motor 12V / 24V, 400V .....	496,19
  	144	67081 .....	Exalto rudder lever RL 30 .....	192,72
		67082 .....	Exalto rudder lever RL 40 .....	193,67
		67083 .....	Exalto rudder lever RL 50 .....	342,34
		67084 .....	Exalto rudder lever RL 60 .....	377,66
		67091 .....	Exalto rudder lever RL 70 .....	441,94
		67092 .....	Exalto rudder lever RL 80 .....	460,35
		67093 .....	Exalto rudder lever RL 90 .....	506,68
		67094 .....	Exalto rudder lever RL 100 .....	553,00
		D5-A0 .....	OMM rudder bronze D5, rudder tube A0 .....	582,01
		D5-C0 .....	OMM rudder bronze D5, rudder tube C0 .....	722,15
		P6-A0 .....	OMM rudder bronze P6, rudder tube A0 .....	593,45
		P6-C0 .....	OMM rudder bronze P6, rudder tube C0 .....	715,00
		P7-A0 .....	OMM rudder bronze P7, rudder tube A0 .....	629,20
		P7-C0 .....	OMM rudder bronze P7, rudder tube C0 .....	757,90
		D11-A0 .....	OMM rudder bronze D11, rudder tube A0 .....	707,85
		D11-C0 .....	OMM rudder bronze D11, rudder tube C0 .....	836,55
		D5-A15 .....	OMM rudder bronze D5, rudder tube A15 .....	582,01
		D5-C12 .....	OMM rudder bronze D5, rudder tube C12 .....	722,15
		P11-A0 .....	OMM rudder bronze P11, rudder tube A0 .....	710,71
		P11-C0 .....	OMM rudder bronze P11, rudder tube C0 .....	836,55
		P6-A15 .....	OMM rudder bronze P6, rudder tube A15 .....	593,45
		P6-C12 .....	OMM rudder bronze P6, rudder tube C12 .....	715,00
		P7-A15 .....	OMM rudder bronze P7, rudder tube A15 .....	629,20
		P7-C12 .....	OMM rudder bronze P7, rudder tube C12 .....	757,90
		D11-A15 .....	OMM rudder bronze D11, rudder tube A15 .....	707,85
		D11-C12 .....	OMM rudder bronze D11, rudder tube C12 .....	836,55
		P11-A15 .....	OMM rudder bronze P11, rudder tube A15 .....	710,71
		P11-C12 .....	OMM rudder bronze P11, rudder tube C12 .....	836,55




Product	Page	Cat. no.	Description	Excl. V.A.T.
	145	P18-A .....	OMM rudder stainless steel P18, rudder tube A .....	3156,01
		P18-B .....	OMM rudder stainless steel P18, rudder tube B .....	2752,75
		P20-A .....	OMM rudder stainless steel P20, rudder tube A .....	3194,62
		P20-B .....	OMM rudder stainless steel P20, rudder tube B .....	2791,36
		P24-A .....	OMM rudder stainless steel P24, rudder tube A .....	3281,85
		P24-B .....	OMM rudder stainless steel P24, rudder tube B .....	2878,59
		P25-A .....	OMM rudder stainless steel P25, rudder tube A .....	3297,58
		P25-B .....	OMM rudder stainless steel P25, rudder tube B .....	2894,32
		P13-A0 .....	OMM rudder stainless steel P13, rudder tube A0 .....	1297,01
		P13-C0 .....	OMM rudder stainless steel P13, rudder tube C0 .....	1454,31
		P15-A0 .....	OMM rudder stainless steel P15, rudder tube A0 .....	1297,01
		P15-C0 .....	OMM rudder stainless steel P15, rudder tube C0 .....	1454,31
		P18-C0 .....	OMM rudder stainless steel P18, rudder tube C0 .....	2970,11
		P20-C0 .....	OMM rudder stainless steel P20, rudder tube C0 .....	3008,72
		P24-C0 .....	OMM rudder stainless steel P24, rudder tube C0 .....	3095,95
		P25-C0 .....	OMM rudder stainless steel P25, rudder tube C0 .....	3111,68
		P13-A15 .....	OMM rudder stainless steel P13, rudder tube A15 .....	1309,88
		P13-C12 .....	OMM rudder stainless steel P13, rudder tube C12 .....	1438,58
		P15-A15 .....	OMM rudder stainless steel P15, rudder tube A15 .....	1309,88
		P15-C12 .....	OMM rudder stainless steel P15, rudder tube C12 .....	1438,58
		P18-C15 .....	OMM rudder stainless steel P18, rudder tube C15 .....	2945,80
		P20-C15 .....	OMM rudder stainless steel P20, rudder tube C15 .....	2984,41
		P24-C15 .....	OMM rudder stainless steel P24, rudder tube C15 .....	3074,50
		P25-C15 .....	OMM rudder stainless steel P25, rudder tube C15 .....	3088,80
	146	1741 .....	Greaser tube 500 mm for Exalto greasers .....	12,75
		1742 .....	Greaser tube 1000 mm for Exalto greasers .....	17,57
		1774 .....	Valve greaser 1/4" x 1/8" for Exalto greasers .....	3,76
		1775 .....	Valve greaser 1/4" x 1/4" for Exalto greasers .....	1,88
		1776 .....	Valve greaser 1/4" x 3/8" for Exalto greasers .....	2,68
		1777 .....	Valve greaser 3/8" x 3/8" for Exalto greasers .....	2,72
		62940 .....	Castrol grease cartridge 0.4 kg .....	8,34
		62942 .....	Castrol grease bucket 12.5 kg .....	70,51
		69010 .....	Oil reservoir 4 l .....	318,02
		69011 .....	Oil reservoir 6.5 l .....	350,48
		170775 .....	Hollex greaser 0.2 l .....	125,15
		170778 .....	Exalto greaser 0.5 l .....	134,82
		170781 .....	Exalto greaser 1.0 l .....	140,11
		170782 .....	Exalto greaser 2.0 l .....	187,88
		170880 .....	Exalto greaser for cartridge 0.5 l .....	154,95
		177051 .....	Rubber piston for greaser 170880 .....	5,85
		177052 .....	Rubber piston for greaser 170778 / 170781 .....	8,60
		177054 .....	Rubber piston for greaser 170782 .....	13,71
	147	1721 .....	Automatic greaser 1 month .....	53,70
		1722 .....	Automatic greaser 3 months .....	53,70
		1723 .....	Automatic greaser 6 months .....	53,70
		62920 .....	Stauffer grease steel cup 40 x 55 mm .....	6,69
		62921 .....	Stauffer grease steel cup 50 x 55 mm .....	7,06
		62922 .....	Stauffer grease steel cup 60 x 60 mm .....	8,35
		62923 .....	Stauffer grease steel cup 67 x 67 mm .....	21,15
		62924 .....	Stauffer grease steel cup 80 x 67 mm .....	24,13
		62925 .....	Stauffer grease brass 24 x 44 mm .....	18,45
		62926 .....	Stauffer grease brass 32 x 44 mm .....	29,33
		62930 .....	SNR electronic controlled greaser 170 cc .....	133,79
		62950 .....	Spring loaded grease cup 55 cc .....	62,80

Product	Page	Cat. no.	Description	Excl. V.A.T.
	148	2052020 .....	Stripper rope cutter AM5, shaft Ø 20 mm, 2 blades .....	p.o.r.
		2052022 .....	Stripper rope cutter AM5, shaft Ø 22 mm, 2 blades .....	p.o.r.
		2052025 .....	Stripper rope cutter AM5, shaft Ø 25 mm, 2 blades .....	p.o.r.
		2102025 .....	Stripper rope cutter AM10, shaft Ø 25 mm, 2 blades .....	p.o.r.
		2102030 .....	Stripper rope cutter AM10, shaft Ø 30 mm, 2 blades .....	p.o.r.
		2102035 .....	Stripper rope cutter AM10, shaft Ø 35 mm, 2 blades .....	p.o.r.
		2103025 .....	Stripper rope cutter AM10, shaft Ø 25 mm, 3 blades .....	p.o.r.
		2103030 .....	Stripper rope cutter AM10, shaft Ø 30 mm, 3 blades .....	p.o.r.
		2103035 .....	Stripper rope cutter AM10, shaft Ø 35 mm, 3 blades .....	p.o.r.
		2152040 .....	Stripper rope cutter AM15, shaft Ø 40 mm, 2 blades .....	p.o.r.
		2152045 .....	Stripper rope cutter AM15, shaft Ø 45 mm, 2 blades .....	p.o.r.
		2152050 .....	Stripper rope cutter AM15, shaft Ø 50 mm, 2 blades .....	p.o.r.
		2153040 .....	Stripper rope cutter AM15, shaft Ø 40 mm, 3 blades .....	p.o.r.
		2153045 .....	Stripper rope cutter AM15, shaft Ø 45 mm, 3 blades .....	p.o.r.
		2153050 .....	Stripper rope cutter AM15, shaft Ø 50 mm, 3 blades .....	p.o.r.
		2203050 .....	Stripper rope cutter AM20, shaft Ø 50 mm, 3 blades .....	p.o.r.
		2203060 .....	Stripper rope cutter AM20, shaft Ø 60 mm, 3 blades .....	p.o.r.
		2203070 .....	Stripper rope cutter AM20, shaft Ø 70 mm, 3 blades .....	p.o.r.
		2204050 .....	Stripper rope cutter AM20, shaft Ø 50 mm, 4 blades .....	p.o.r.
		2204060 .....	Stripper rope cutter AM20, shaft Ø 60 mm, 4 blades .....	p.o.r.
		2204070 .....	Stripper rope cutter AM20, shaft Ø 70 mm, 4 blades .....	p.o.r.
		2303080 .....	Stripper rope cutter AM30, shaft Ø 80 mm, 3 blades .....	p.o.r.
		2303090 .....	Stripper rope cutter AM30, shaft Ø 90 mm, 3 blades .....	p.o.r.
		2303100 .....	Stripper rope cutter AM30, shaft Ø 100 mm, 3 blades .....	p.o.r.
		2304080 .....	Stripper rope cutter AM30, shaft Ø 80 mm, 4 blades .....	p.o.r.
		2304090 .....	Stripper rope cutter AM30, shaft Ø 90 mm, 4 blades .....	p.o.r.
		2304100 .....	Stripper rope cutter AM30, shaft Ø 100 mm, 4 blades .....	p.o.r.
	149	2052034 .....	Stripper rope cutter AM5, shaft Ø 3/4", 2 blades .....	p.o.r.
		2052078 .....	Stripper rope cutter AM5, shaft Ø 7/8", 2 blades .....	p.o.r.
		2052100 .....	Stripper rope cutter AM5, shaft Ø 1", 2 blades .....	p.o.r.
		2102100 .....	Stripper rope cutter AM10, shaft Ø 1", 2 blades .....	p.o.r.
		2102112 .....	Stripper rope cutter AM10, shaft Ø 1 1/2", 2 blades .....	p.o.r.
		2102114 .....	Stripper rope cutter AM10, shaft Ø 1 1/4", 2 blades .....	p.o.r.
		2103100 .....	Stripper rope cutter AM10, shaft Ø 1", 3 blades .....	p.o.r.
		2103112 .....	Stripper rope cutter AM10, shaft Ø 1 1/2", 3 blades .....	p.o.r.
		2103114 .....	Stripper rope cutter AM10, shaft Ø 1 1/4", 3 blades .....	p.o.r.
		2152112 .....	Stripper rope cutter AM15, shaft Ø 1 1/2", 2 blades .....	p.o.r.
		2152134 .....	Stripper rope cutter AM15, shaft Ø 1 3/4", 2 blades .....	p.o.r.
		2152200 .....	Stripper rope cutter AM15, shaft Ø 2", 2 blades .....	p.o.r.
		2153112 .....	Stripper rope cutter AM15, shaft Ø 1 1/2", 3 blades .....	p.o.r.
		2153134 .....	Stripper rope cutter AM15, shaft Ø 1 3/4", 3 blades .....	p.o.r.
		2153200 .....	Stripper rope cutter AM15, shaft Ø 2", 3 blades .....	p.o.r.
		2203200 .....	Stripper rope cutter AM20, shaft Ø 2", 3 blades .....	p.o.r.
		2203214 .....	Stripper rope cutter AM20, shaft Ø 2 1/4", 3 blades .....	p.o.r.
		2203234 .....	Stripper rope cutter AM20, shaft Ø 2 3/4", 3 blades .....	p.o.r.
		2204200 .....	Stripper rope cutter AM20, shaft Ø 2", 4 blades .....	p.o.r.
		2204214 .....	Stripper rope cutter AM20, shaft Ø 2 1/4", 4 blades .....	p.o.r.
		2204234 .....	Stripper rope cutter AM20, shaft Ø 2 3/4", 4 blades .....	p.o.r.
		2303234 .....	Stripper rope cutter AM30, shaft Ø 2 3/4", 3 blades .....	p.o.r.
		2303300 .....	Stripper rope cutter AM30, shaft Ø 3", 3 blades .....	p.o.r.
		2303312 .....	Stripper rope cutter AM30, shaft Ø 3 1/2", 3 blades .....	p.o.r.
		2303400 .....	Stripper rope cutter AM30, shaft Ø 4", 3 blades .....	p.o.r.
		2304234 .....	Stripper rope cutter AM30, shaft Ø 2 3/4", 4 blades .....	p.o.r.
		2304300 .....	Stripper rope cutter AM30, shaft Ø 3", 4 blades .....	p.o.r.
		2304312 .....	Stripper rope cutter AM30, shaft Ø 3 1/2", 4 blades .....	p.o.r.
		2304400 .....	Stripper rope cutter AM30, shaft Ø 4", 4 blades .....	p.o.r.











Product	Page	Cat. no.	Description	Excl. V.A.T.
	151		HS Aquaprop propeller EP 3-blades 10"	p.o.r.
			HS Aquaprop propeller EP 3-blades 11"	p.o.r.
			HS Aquaprop propeller EP 3-blades 12"	308,12
			HS Aquaprop propeller EP 3-blades 13"	319,85
			HS Aquaprop propeller EP 3-blades 14"	330,61
			HS Aquaprop propeller EP 3-blades 15"	357,30
			HS Aquaprop propeller EP 3-blades 16"	371,21
			HS Aquaprop propeller EP 3-blades 17"	400,09
			HS Aquaprop propeller EP 3-blades 18"	421,53
			HS Aquaprop propeller EP 3-blades 19"	498,54
			HS Aquaprop propeller EP 3-blades 20"	563,82
			HS Aquaprop propeller EP 3-blades 21"	656,84
			HS Aquaprop propeller EP 3-blades 22"	756,34
			HS Aquaprop propeller EP 3-blades 23"	867,57
			HS Aquaprop propeller EP 3-blades 24"	927,51
			HS Aquaprop propeller EP 3-blades 25"	987,45
			HS Aquaprop propeller EP 3-blades 26"	1089,05
			HS Aquaprop propeller EP 3-blades 27"	1167,11
			HS Aquaprop propeller EP 3-blades 28"	1332,94
			HS Aquaprop propeller EP 3-blades 30"	1691,37
			HS Aquaprop propeller EP 3-blades 32"	1867,88
			HS Aquaprop propeller EP 3-blades 34"	2323,62
  	152		HS Aquaprop propeller EP 4-blades 17"	p.o.r.
			HS Aquaprop propeller EP 4-blades 18"	p.o.r.
			HS Aquaprop propeller EP 4-blades 19"	574,49
			HS Aquaprop propeller EP 4-blades 20"	649,40
			HS Aquaprop propeller EP 4-blades 21"	756,34
			HS Aquaprop propeller EP 4-blades 22"	868,70
			HS Aquaprop propeller EP 4-blades 23"	995,94
			HS Aquaprop propeller EP 4-blades 24"	1066,56
			HS Aquaprop propeller EP 4-blades 25"	1146,81
			HS Aquaprop propeller EP 4-blades 26"	1251,64
			HS Aquaprop propeller EP 4-blades 27"	1353,32
			HS Aquaprop propeller EP 4-blades 28"	1532,98
			HS Aquaprop propeller EP 4-blades 30"	1943,83
			HS Aquaprop propeller EP 4-blades 32"	2336,40
			HS Aquaprop propeller EP 4-blades 34"	2732,29
			HS Aquaprop propeller EP 4-blades 36"	2949,40
			HS Aquaprop propeller EP 4-blades 38"	3116,28
			HS Aquaprop propeller EP 4-blades 40"	3833,07
			HS Aquaprop propeller EP 5-blades 22"	1382,20
			HS Aquaprop propeller EP 5-blades 23"	1560,81
			HS Aquaprop propeller EP 5-blades 24"	1657,15
			HS Aquaprop propeller EP 5-blades 25"	1792,97
			HS Aquaprop propeller EP 5-blades 26"	1917,06
			HS Aquaprop propeller EP 5-blades 28"	2310,76
			HS Aquaprop propeller EP 5-blades 30"	2896,99
			HS Aquaprop propeller EP 5-blades 32"	3434,03
			HS Aquaprop propeller EP 5-blades 34"	3989,27
			HS Aquaprop propeller EP 5-blades 36"	4321,98
			HS Aquaprop propeller EP 5-blades 38"	4557,37
			HS Aquaprop propeller EP 5-blades 40"	5560,84
			HS Aquaprop propeller EP 5-blades 27"	2059,35





Product	Page	Cat. no.	Description	Excl. V.A.T.
	154		Bolts and splitpins Ø 63 mm hub Max-Prop MP-2B	29,92
			Max-Prop-2B 19" Ø63 mm	2002,16
			Max-Prop-2B Saildrive-NAB-19"-Ø70-B mm	2208,11
			Max-Prop-2B Saildrive-NAB-17"-Ø70-B mm	2002,32
			Max-Prop-2B Saildrive-NAB-14"-Ø70-B mm	1888,30
			Max-Prop-2B Saildrive-NAB-16"-Ø70-B mm	2001,94
			Max-Prop-2B Saildrive-NAB-15"-Ø70-B mm	1888,30
			Max-Prop-2B Saildrive-NAB-18"-Ø70-B mm	2063,50
			Max-Prop-2B 18" Ø 63 mm	1900,26
			Max-Prop-2B 22" Ø100 mm	5439,64
			Max-Prop-2B 23" Ø100 mm	5439,64
			Max-Prop-2B 24" Ø100 mm	5439,64
			Max-Prop-2B 25" Ø100 mm	5676,02
			Max-Prop-2B 26" Ø100 mm	5676,02
			Max-Prop-2B 27" Ø100 mm	5676,02
			Max-Prop-2B 28" Ø100 mm	6040,33
			Max-Prop-2B 30" Ø100 mm	6040,33
			Max-Prop-2B 32" Ø100 mm	6040,33
			Max-Prop-2B 34" Ø125 mm	13654,71
			Max-Prop-2B 36" Ø125 mm	13654,71
			Max-Prop-2B 38" Ø125 mm	14094,11
			Max-Prop-2B 40" Ø125 mm	14094,11
			Max-Prop-2B 12" Ø63 mm	1581,01
			Max-Prop-2B 13" Ø63 mm	1579,61
			Max-Prop-2B 14" Ø63 mm	1646,35
			Max-Prop-2B 15" Ø63 mm	1735,34
			Max-Prop-2B 16" Ø63 mm	1813,21
			Max-Prop-2B 17" Ø63 mm	1900,26
			Max-Prop-2B 20" Ø63 mm	2068,25
			Max-Prop-2B 21" Ø63 mm	2164,64
			Max-Prop-2B 22" Ø63 mm	2938,52
			Max-Prop-2B 14" Ø70 mm	1813,21
			Max-Prop-2B 15" Ø70 mm	1813,21
			Max-Prop-2B 16" Ø70 mm	2001,94
			Max-Prop-2B 17" Ø70 mm	2001,94
			Max-Prop-2B 18" Ø70 mm	2002,32
			Max-Prop-2B 19" Ø70 mm	2063,50
			Max-Prop-2B 20" Ø70 mm	2208,11
			Max-Prop-2B 21" Ø70 mm	2283,20
			Max-Prop-2B 22" Ø70 mm	2283,20
			Max-Prop-2B 23" Ø70 mm	2338,15
			Max-Prop-2B 24" Ø70 mm	2440,04
			Max-Prop-2B 25" Ø70 mm	2541,94
			Max-Prop-2B 20" Ø83 mm	2833,84
			Max-Prop-2B 21" Ø83 mm	2967,33
			Max-Prop-2B 22" Ø83 mm	2967,33
			Max-Prop-2B 23" Ø83 mm	3111,94
			Max-Prop-2B 24" Ø83 mm	3111,94
			Max-Prop-2B 25" Ø83 mm	3428,97
			Max-Prop-3B Saildrive-NAB-18"-Ø70-B mm	3439,15
			Max-Prop-3B Saildrive-NAB-17"-Ø70-B mm	3440,10
			Max-Prop-3B Saildrive-NAB-16"-Ø70-B mm	3314,95
			Max-Prop-3B Saildrive-NAB-14"-Ø70-B mm	3217,62
			Max-Prop-3B Saildrive-NAB-15"-Ø70-B mm	3217,62
			Max-Prop-3B Saildrive-NAB-19"-Ø70-B mm	3439,15
			Max-Prop-3B 17" Ø 63 (taper bore Ø25 mm)	3081,73
			Max-Prop-3B 26" Ø 83 mm	4711,01
			Max-Prop-3B 22" Ø100 mm	8459,80
				





Product	Page	Cat. no.	Description	Excl. V.A.T.
  	154		Max-Prop-3B 23" Ø100 mm	8459,80
			Max-Prop-3B 24" Ø100 mm	8459,80
			Max-Prop-3B 25" Ø100 mm	8757,37
			Max-Prop-3B 26" Ø100 mm	8757,37
			Max-Prop-3B 27" Ø100 mm	8757,37
			Max-Prop-3B 28" Ø100 mm	9066,06
			Max-Prop-3B 30" Ø100 mm	9066,06
			Max-Prop-3B 32" Ø125 mm	18123,78
			Max-Prop-3B 34" Ø125 mm	18971,98
			Max-Prop-3B 36" Ø160 mm	22954,37
			Max-Prop-3B 38" Ø160 mm	23805,36
			Max-Prop-3B 40" Ø160 mm	23808,14
			Max-Prop-3B 12" Ø63 mm	2592,14
			Max-Prop-3B 13" Ø63 mm	2591,89
			Max-Prop-3B 14" Ø63 mm	2700,35
			Max-Prop-3B 15" Ø63 mm	2895,02
			Max-Prop-3B 16" Ø63 mm	2968,81
			Max-Prop-3B 18" Ø63 mm	3406,70
			Max-Prop-3B 14" Ø70 mm	3017,39
			Max-Prop-3B 15" Ø70 mm	3017,39
			Max-Prop-3B 16" Ø70 mm	3217,62
			Max-Prop-3B 17" Ø70 mm	3314,95
			Max-Prop-3B 17" Ø70 mm (taper bore Ø30")	3314,95
			Max-Prop-3B 18" Ø70 mm	3315,92
			Max-Prop-3B 19" Ø70 mm	3439,15
			Max-Prop-3B 20" Ø70v	3541,83
			Max-Prop-3B 21" Ø70 mm	3623,91
			Max-Prop-3B 22" Ø70 mm	3624,37
			Max-Prop-3B 20" Ø83 mm	4106,43
			Max-Prop-3B 21" Ø83 mm	4229,90
			Max-Prop-3B 22" Ø83 mm	4229,90
			Max-Prop-3B 23" Ø83 mm	4393,98
			Max-Prop-3B 24" Ø83 mm	4393,98
			Max-Prop-3B 25" Ø83 mm	4711,01
		90982	Bolts and splitpins Ø 70 mm hub Max-Prop MP-2B	29,92
		90983	Bolts and splitpins Ø 70 mm hub Max-Prop MP-3B	60,08
		90984	Bolts and splitpins Ø 83 mm hub Max-Prop MP-3B	74,76
		90987	Hub cap Max-Prop MP-2B, 63 mm.	20,17
		90989	Max-Prop nipple with 2 greaseplugs.	3,30
		90993	Hub cap Max-Prop MP-3B, 100 mm.	59,67
		90996	Max-Prop grease 180 ml.	7,53
		90997	Greaser for Max-Prop 150 ml.	15,57
		90999	Zinc anode Max-Prop.	22,52
		CMMP63RZ	MgDuff multifit zinc anode (hub cap) MP-3B, Ø 63 mm	30,86
		CMMP70RZ	MgDuff multifit zinc anode (hub cap) MP-3B, Ø 70 mm	33,91
		CMMP83RZ	MgDuff multifit zinc anode (hub cap) MP-3B, Ø 83 mm	43,57
	155		Flex-O-Fold prices are available on request.	
	156	VTR-25	OMM P-bracket type VTR for shaft diam. 25 mm	185,90
		VTR-30	OMM P-bracket type VTR for shaft diam. 30 mm	264,55
		VTR-35	OMM P-bracket type VTR for shaft diam. 35 mm	321,75
		VTR-40	OMM P-bracket type VTR for shaft diam. 40 mm	421,85
		VTR-45	OMM P-bracket type VTR for shaft diam. 45 mm	650,65
		VTR-50	OMM P-bracket type VTR for shaft diam. 50 mm	786,50
	159	23446202515060	Exalto shaft type 23 from stock Ø 25, length 1500, taper length 55 mm	319,46
		23446202515070	Exalto shaft type 23 from stock Ø 25, length 1500, taper length 65 mm	320,42







Product	Page	Cat. no.	Description	Excl. V.A.T.
	159	23446202520060 .....	Exalto shaft type 23 from stock Ø 25, length 2000, taper length 55 mm .....	354,59
		23446202520070 .....	Exalto shaft type 23 from stock Ø 25, length 2000, taper length 65 mm .....	355,55
		23446202525060 .....	Exalto shaft type 23 from stock Ø 25, length 2500, taper length 55 mm .....	389,71
		23446202525070 .....	Exalto shaft type 23 from stock Ø 25, length 2500, taper length 65 mm .....	390,68
		23446202530060 .....	Exalto shaft type 23 from stock Ø 25, length 3000, taper length 55 mm .....	424,81
		23446202530070 .....	Exalto shaft type 23 from stock Ø 25, length 3000, taper length 65 mm .....	425,78
		23446203015080 .....	Exalto shaft type 23 from stock Ø 30, length 1500, taper length 75 mm .....	375,67
		23446203020080 .....	Exalto shaft type 23 from stock Ø 30, length 2000, taper length 75 mm .....	421,54
		23446203025080 .....	Exalto shaft type 23 from stock Ø 30, length 2500, taper length 75 mm .....	467,40
		23446203030080 .....	Exalto shaft type 23 from stock Ø 30, length 3000, taper length 75 mm .....	513,27
		23446203515090 .....	Exalto shaft type 23 from stock Ø 35, length 1500, taper length 85 mm .....	446,03
		23446203520090 .....	Exalto shaft type 23 from stock Ø 35, length 2000, taper length 85 mm .....	544,44
		23446203525090 .....	Exalto shaft type 23 from stock Ø 35, length 2500, taper length 85 mm .....	613,29
		23446203530090 .....	Exalto shaft type 23 from stock Ø 35, length 3000, taper length 85 mm .....	682,14
		23446204030100 .....	Exalto shaft type 23 from stock Ø 40, length 3000, taper length 95 mm .....	865,98
		23446204030120 .....	Exalto shaft type 23 from stock Ø 40, length 3000, taper length 112 mm .....	866,66
		23446204045100 .....	Exalto shaft type 23 from stock Ø 40, length 4500, taper length 95 mm .....	1151,70
		23446204045120 .....	Exalto shaft type 23 from stock Ø 40, length 4500, taper length 112 mm .....	1152,37
		23446204530120 .....	Exalto shaft type 23 from stock Ø 45, length 3000, taper length 112 mm .....	1041,25
		23446204545120 .....	Exalto shaft type 23 from stock Ø 45, length 4500, taper length 112 mm .....	1400,49
	160	A316DM25.1000 .....	OMM shaft Ø25, length 1000 mm, length taper 55 mm .....	170,52
		A316DM25.1500 .....	OMM shaft Ø25, length 1500 mm, length taper 55 mm .....	214,62
		A316DM25.2000 .....	OMM shaft Ø25, length 2000 mm, length taper 55 mm .....	258,72
		A316DM30.1500 .....	OMM shaft Ø30, length 1500 mm, length taper 30 mm .....	332,81
		A316DM30.2000 .....	OMM shaft Ø30, length 2000 mm, length taper 30 mm .....	423,36
		A316DM30.2500 .....	OMM shaft Ø30, length 2500 mm, length taper 30 mm .....	462,17
	166	95001 .....	Hollex single earthing device .....	53,20
		95002 .....	Holles double earthing device .....	92,51
		95011 .....	Hollex carbon brush coal for earthing device .....	16,87
		95012 .....	Hollex graphite brush copper for earthing device .....	30,71
		98250 .....	Exalto propeller shaft brake model 250 .....	1560,00
		98500 .....	Exalto propeller shaft brake model 500 .....	2800,00
	167	ZN25 .....	Zinc anode for OMM propeller nut shaft diam. 25 mm .....	10,00
		ZN30 .....	Zinc anode for OMM propeller nut shaft diam. 30 mm .....	11,42
		ZN35 .....	Zinc anode for OMM propeller nut shaft diam. 35 mm .....	12,85
		ZN40 .....	Zinc anode for OMM propeller nut shaft diam. 40 mm .....	15,00
		ZN45 .....	Zinc anode for OMM propeller nut shaft diam. 45 mm .....	20,00
		ZN50 .....	Zinc anode for OMM propeller nut shaft diam. 50 mm .....	28,56
		ZN55 .....	Zinc anode for OMM propeller nut shaft diam. 55 mm .....	41,41
		ZN60 .....	Zinc anode for OMM propeller nut shaft diam. 60 mm .....	54,26
		66211 .....	Hollex bronze propeller nut M14 x 1.5 mm .....	31,77
		66221 .....	Hollex bronze propeller nut M16 x 1.5 mm .....	18,35
		66233 .....	Hollex bronze propeller nut M18 x 1.5 mm .....	19,23
		66238 .....	Hollex bronze propeller nut M20 x 1.5 mm .....	27,15
		66243 .....	Hollex bronze propeller nut M22 x 1.5 mm .....	30,93
		66248 .....	Hollex bronze propeller nut M24 x 2 mm .....	34,45
		66253 .....	Hollex bronze propeller nut M27 x 2 mm .....	50,07
		66263 .....	Hollex bronze propeller nut M30 x 2 mm .....	64,09
		66283 .....	Hollex bronze propeller nut M36 x 2 mm .....	91,56
		66293 .....	Hollex bronze propeller nut M42 x 2 mm .....	125,95
		66313 .....	Hollex bronze propeller nut M48 x 3 mm .....	161,15
		66333 .....	Hollex bronze propeller nut M56 x 3 mm .....	399,12
		66344 .....	Hollex bronze propeller nut M64 x 4 mm .....	537,57
		66349 .....	Hollex bronze propeller nut M72 x 4 mm .....	670,98

Product	Page	Cat. no.	Description	Excl. V.A.T.
	167	66366 .....	Hollex bronze propeller nut M80 x 4 mm .....	752,64
		OES-25-16P1.5 .....	OMM bimetallic nose for shaft diam. 25 mm, M16 .....	25,05
		OES-25-18P1.5 .....	OMM bimetallic nose for shaft diam. 25 mm, M18 .....	25,05
		OES-25-20P1.5 .....	OMM bimetallic nose for shaft diam. 25 mm, M20 .....	25,05
		OES-30-18P1.5 .....	OMM bimetallic nose for shaft diam. 30 mm, M18 .....	29,31
		OES-30-20P1.5 .....	OMM bimetallic nose for shaft diam. 30 mm, M20 .....	29,31
		OES-35-20P1.5 .....	OMM bimetallic nose for shaft diam. 35 mm, M20 .....	33,60
		OES-35-24P2.0 .....	OMM bimetallic nose for shaft diam. 35 mm, M24 .....	33,60
		OES-40-24P1.5 .....	OMM bimetallic nose for shaft diam. 40 mm, M24 x 1.5 .....	40,04
		OES-40-24P2.0 .....	OMM bimetallic nose for shaft diam. 40 mm, M24 x 2.0 .....	40,04
		OES-45-27P1.5 .....	OMM bimetallic nose for shaft diam. 45 mm, M27 .....	50,76
		OES-45-33P2.0 .....	OMM bimetallic nose for shaft diam. 45 mm, M33 .....	50,76
		OES-50-27P1.5 .....	OMM bimetallic nose for shaft diam. 50 mm, M27 .....	75,79
		OES-50-36P3.0 .....	OMM bimetallic nose for shaft diam. 50 mm, M36 .....	75,79
		OES-55-40P3.0 .....	OMM bimetallic nose for shaft diam. 55 mm, M40 .....	92,95
		OES-60-34P2.0 .....	OMM bimetallic nose for shaft diam. 60 mm, M34 .....	114,40
		OES-60-42P3.0 .....	OMM bimetallic nose for shaft diam. 60 mm, M42 .....	114,40
		OES-60-45P3.0 .....	OMM bimetallic nose for shaft diam. 60 mm, M45 .....	114,40
 	168	66810 .....	Hollex mild steel flange nut M20 x 1.5 mm .....	p.o.r.
		66815 .....	Hollex mild steel flange nut M22 x 1.5 mm .....	p.o.r.
		66820 .....	Hollex mild steel flange nut M24 x 2 mm .....	p.o.r.
		66830 .....	Hollex mild steel flange nut M27 x 2 mm .....	p.o.r.
		66841 .....	Hollex mild steel flange nut M30 x 2 mm .....	p.o.r.
		66851 .....	Hollex mild steel flange nut M36 x 2 mm .....	p.o.r.
		66861 .....	Hollex mild steel flange nut M42 x 2 mm .....	p.o.r.
		66866 .....	Hollex mild steel flange nut M48 x 3 mm .....	p.o.r.
		66871 .....	Hollex mild steel flange nut M56 x 3 mm .....	p.o.r.
		66881 .....	Hollex mild steel flange nut M64 x 4 mm .....	p.o.r.
		66891 .....	Hollex mild steel flange nut M72 x 4 mm .....	p.o.r.
		66901 .....	Hollex mild steel flange nut M80 x 4 mm .....	p.o.r.
		67151 .....	Exalto sterntube nut M48 x 1.5 mm, shaft diameter 25 mm .....	143,02
		67152 .....	Exalto sterntube nut M53 x 1.5 mm, shaft diameter 30 mm .....	149,66
		67153 .....	Exalto sterntube nut M58 x 1.5 mm, shaft diameter 35 mm .....	225,43
		67154 .....	Exalto sterntube nut M63 x 2 mm, shaft diameter 40 mm .....	239,04
		67155 .....	Exalto sterntube nut M75 x 2 mm, shaft diameter 45 mm .....	253,68
		67156 .....	Exalto sterntube nut M80 x 2 mm, shaft diameter 50 mm .....	236,33
		67157 .....	Exalto sterntube nut M90 x 2 mm, shaft diameter 60 mm .....	292,51
		67158 .....	Exalto sterntube nut M100 x 2 mm, shaft diameter 70 mm .....	314,16
		67159 .....	Exalto sterntube nut M110 x 2 mm, shaft diameter 80 mm .....	328,61
		67160 .....	Exalto sterntube nut M120 x 2 mm, shaft diameter 90 mm .....	360,26
		67161 .....	Exalto sterntube nut M140 x 3 mm, shaft diameter 100 mm .....	367,94
		67162 .....	Exalto sterntube nut M150 x 3 mm, shaft diameter 110 mm .....	332,33
		67163 .....	Exalto sterntube nut M170 x 3 mm, shaft diameter 120 mm .....	296,69
		67167 .....	Exalto sterntube nut M80 x 2 mm, shaft diameter 50K mm .....	276,48
	169	63009 .....	Hollex key stainless steel 316, 6 x 6 x 40 mm .....	9,21
		63010 .....	Hollex key stainless steel 316, 6 x 6 x 45 mm .....	4,41
		63011 .....	Hollex key stainless steel 316, 6 x 6 x 50 mm .....	3,50
		63012 .....	Hollex key stainless steel 316, 6 x 6 x 55 mm .....	4,45
		63020 .....	Hollex key stainless steel 316, 8 x 7 x 45 mm .....	11,31
		63030 .....	Hollex key stainless steel 316, 8 x 7 x 55 mm .....	11,31
		63031 .....	Hollex key stainless steel 316, 8 x 7 x 60 mm .....	4,12
		63032 .....	Hollex key stainless steel 316, 8 x 7 x 65 mm .....	4,56
		63039 .....	Hollex key stainless steel 316, 10 x 8 x 60 mm .....	5,10
		63040 .....	Hollex key stainless steel 316, 10 x 8 x 50 mm .....	13,89
		63041 .....	Hollex key stainless steel 316, 10 x 8 x 63 mm .....	8,56
		63043 .....	Hollex key stainless steel 316, 10 x 8 x 70 mm .....	5,90



Product	Page	Cat. no.	Description	Excl. V.A.T.
  	169	63044	Hollex key stainless steel 316, 10 x 8 x 80 mm	6,39
		63045	Hollex key stainless steel 316, 10 x 8 x 90 mm	6,84
		63060	Hollex key stainless steel 316, 12 x 8 x 50 mm	5,49
		63061	Hollex key stainless steel 316, 12 x 8 x 60 mm	6,47
		63070	Hollex key stainless steel 316, 12 x 8 x 70 mm	7,25
		63071	Hollex key stainless steel 316, 12 x 8 x 80 mm	7,35
		63080	Hollex key stainless steel 316, 12 x 8 x 90 mm	7,94
		63081	Hollex key stainless steel 316, 12 x 8 x 100 mm	8,52
		63090	Hollex key stainless steel 316, 14 x 9 x 80 mm	9,95
		63095	Hollex key stainless steel 316, 14 x 9 x 90 mm	10,25
		63100	Hollex key stainless steel 316, 14 x 9 x 100 mm	11,15
		63105	Hollex key stainless steel 316, 14 x 9 x 120 mm	11,55
		63110	Hollex key stainless steel 316, 16 x 10 x 80 mm	14,99
		63120	Hollex key stainless steel 316, 16 x 10 x 100 mm	53,31
		63122	Hollex key stainless steel 316, 16 x 10 x 120 mm	25,75
		63124	Hollex key stainless steel 316, 16 x 10 x 140 mm	29,07
		63125	Hollex key stainless steel 316, 18 x 11 x 110 mm	25,80
		63126	Hollex key stainless steel 316, 18 x 11 x 120 mm	26,10
		63130	Hollex key stainless steel 316, 18 x 11 x 125 mm	27,30
		63132	Hollex key stainless steel 316, 18 x 11 x 140 mm	29,75
		63134	Hollex key stainless steel 316, 18 x 11 x 150 mm	31,61
		63136	Hollex key stainless steel 316, 18 x 11 x 160 mm	32,10
		63140	Hollex key stainless steel 316, 20 x 12 x 140 mm	43,04
		63142	Hollex key stainless steel 316, 20 x 12 x 150 mm	54,30
		63144	Hollex key stainless steel 316, 20 x 12 x 160 mm	58,03
		63146	Hollex key stainless steel 316, 20 x 12 x 170 mm	55,89
		63148	Hollex key stainless steel 316, 20 x 12 x 180 mm	60,03
		63150	Hollex key stainless steel 316, 22 x 14 x 160 mm	45,37
		63151	Hollex key stainless steel 316, 22 x 14 x 180 mm	50,20
		63152	Hollex key stainless steel 316, 22 x 14 x 150 mm	67,85
		63153	Hollex key stainless steel 316, 22 x 14 x 190 mm	82,23
		63154	Hollex key stainless steel 316, 22 x 14 x 200 mm	82,23
		63155	Hollex key stainless steel 316, 25 x 14 x 100 mm	41,73
		63156	Hollex key stainless steel 316, 22 x 14 x 210 mm	77,27
		63157	Hollex key stainless steel 316, 25 x 14 x 140 mm	46,72
		63160	Hollex key stainless steel 316, 25 x 14 x 180 mm	79,52
		63162	Hollex key stainless steel 316, 25 x 14 x 190 mm	92,14
		63164	Hollex key stainless steel 316, 25 x 14 x 200 mm	92,14
		63166	Hollex key stainless steel 316, 25 x 14 x 210 mm	100,74
		63168	Hollex key stainless steel 316, 25 x 14 x 220 mm	100,74
		63169	Hollex key stainless steel 316, 25 x 14 x 230 mm	114,50
		63170	Hollex key stainless steel 316, 28 x 16 x 200 mm	79,73
		63180	Hollex key stainless steel 316, 32 x 18 x 200 mm	100,37
		63185	Hollex key stainless steel 316, 32 x 18 x 220 mm	127,72
		63190	Hollex key stainless steel 316, 36 x 20 x 260 mm	292,67
		63200	Hollex key stainless steel 316, 40 x 22 x 300 mm	209,87
	170	63001	Hollex adoptor key stainless steel 316, 8/6 x 7 x 55 mm	12,25
		63002	Hollex adoptor key stainless steel 316, 10/8 x 8 x 90 mm	14,52
		63003	Hollex adoptor key stainless steel 316, 12/10 x 8 x 100 mm	15,43
		63004	Hollex adoptor key stainless steel 316, 14/12 x 9 x 100 mm	18,60
		63005	Hollex adoptor key stainless steel 316, 16/14 x 10 x 100 mm	36,76
		63006	Hollex adoptor key stainless steel 316, 1/4" x 6 x 1/4" x 45 mm.	24,96
		63210	Hollex key steel C60, 6 x 6 x 40 mm	2,32
		63211	Hollex key steel C60, 6 x 6 x 45 mm	2,60
		63220	Hollex key steel C60, 8 x 7 x 40 mm	2,51
		63221	Hollex key steel C60, 8 x 7 x 45 mm	2,66
		63230	Hollex key steel C60, 8 x 7 x 50 mm	2,71




Product	Page	Cat. no.	Description	Excl. V.A.T.
      	170	63231 .....	Hollex key steel C60, 8 x 7 x 63 mm .....	2,76
		63232 .....	Hollex key steel C60, 8 x 7 x 55 mm .....	2,73
		63240 .....	Hollex key steel C60, 10 x 8 x 40 mm .....	2,91
		63250 .....	Hollex key steel C60, 10 x 8 x 50 mm .....	3,08
		63251 .....	Hollex key steel C60, 10 x 8 x 60 mm .....	3,22
		63260 .....	Hollex key steel C60, 10 x 8 x 63 mm .....	3,30
		63261 .....	Hollex key steel C60, 10 x 8 x 70 mm .....	3,47
		63262 .....	Hollex key steel C60, 10 x 8 x 80 mm .....	3,57
		63263 .....	Hollex key steel C60, 10 x 8 x 90 mm .....	4,06
		63269 .....	Hollex key steel C60, 12 x 8 x 40 mm .....	3,08
		63270 .....	Hollex key steel C60, 12 x 8 x 50 mm .....	3,30
		63271 .....	Hollex key steel C60, 12 x 8 x 60 mm .....	3,72
		63280 .....	Hollex key steel C60, 12 x 8 x 63 mm .....	3,80
		63285 .....	Hollex key steel C60, 12 x 8 x 70 mm .....	4,06
		63286 .....	Hollex key steel C60, 12 x 8 x 80 mm .....	4,24
		63287 .....	Hollex key steel C60, 12 x 8 x 90 mm .....	4,56
		63288 .....	Hollex key steel C60, 12 x 8 x 100 mm .....	4,69
		63290 .....	Hollex key steel C60, 14 x 9 x 50 mm .....	4,19
		63300 .....	Hollex key steel C60, 14 x 9 x 63 mm .....	4,41
		63305 .....	Hollex key steel C60, 14 x 9 x 80 mm .....	4,86
		63306 .....	Hollex key steel C60, 14 x 9 x 90 mm .....	5,31
		63307 .....	Hollex key steel C60, 14 x 9 x 100 mm .....	5,52
		63310 .....	Hollex key steel C60, 14 x 9 x 120 mm .....	6,16
		63319 .....	Hollex key steel C60, 16 x 10 x 50 mm .....	4,93
		63320 .....	Hollex key steel C60, 16 x 10 x 63 mm .....	5,33
		63321 .....	Hollex key steel C60, 16 x 10 x 80 mm .....	5,64
		63322 .....	Hollex key steel C60, 16 x 10 x 70 mm .....	5,54
		63323 .....	Hollex key steel C60, 16 x 10 x 90 mm .....	6,31
		63324 .....	Hollex key steel C60, 16 x 10 x 100 mm .....	6,41
		63329 .....	Hollex key steel C60, 18 x 11 x 70 mm .....	7,78
		63330 .....	Hollex key steel C60, 18 x 11 x 63 mm .....	7,20
		63331 .....	Hollex key steel C60, 18 x 11 x 80 mm .....	8,09
		63332 .....	Hollex key steel C60, 18 x 11 x 90 mm .....	8,62
		63333 .....	Hollex key steel C60, 18 x 11 x 100 mm .....	9,07
		63334 .....	Hollex key steel C60, 18 x 11 x 120 mm .....	10,11
		63335 .....	Hollex key steel C60, 18 x 11 x 110 mm .....	9,75
		63336 .....	Hollex key steel C60, 18 x 11 x 125 mm .....	10,33
		63339 .....	Hollex key steel C60, 20 x 12 x 90 mm .....	9,86
		63340 .....	Hollex key steel C60, 20 x 12 x 80 mm .....	9,46
		63341 .....	Hollex key steel C60, 20 x 12 x 100 mm .....	10,44
		63342 .....	Hollex key steel C60, 20 x 12 x 140 mm .....	11,63
		63350 .....	Hollex key steel C60, 22 x 14 x 80 mm .....	11,86
		63351 .....	Hollex key steel C60, 22 x 14 x 100 mm .....	12,74
		63352 .....	Hollex key steel C60, 22 x 14 x 150 mm .....	20,41
		63353 .....	Hollex key steel C60, 22 x 14 x 160 mm .....	22,53
		63354 .....	Hollex key steel C60, 22 x 14 x 180 mm .....	25,66
		63360 .....	Hollex key steel C60, 25 x 14 x 80 mm .....	12,40
		63361 .....	Hollex key steel C60, 25 x 14 x 100 mm .....	13,38
		63362 .....	Hollex key steel C60, 25 x 14 x 140 mm .....	18,14
		63363 .....	Hollex key steel C60, 25 x 14 x 115 mm .....	16,72
		63364 .....	Hollex key steel C60, 25 x 14 x 120 mm .....	18,85
		63365 .....	Hollex key steel C60, 25 x 14 x 180 mm .....	26,08
		63370 .....	Hollex key steel C60, 28 x 16 x 110 mm .....	16,83
		63371 .....	Hollex key steel C60, 28 x 16 x 140 mm .....	21,20
		63373 .....	Hollex key steel C60, 28 x 16 x 200 mm .....	22,58
		63380 .....	Hollex key steel C60, 32 x 18 x 110 mm .....	19,03
		63381 .....	Hollex key steel C60, 32 x 18 x 140 mm .....	25,79
		63382 .....	Hollex key steel C60, 32 x 18 x 180 mm .....	27,22
		63383 .....	Hollex key steel C60, 32 x 18 x 200 mm .....	29,48











Product	Page	Cat. no.	Description	Excl. V.A.T.
	170	63384 .....	Hollex key steel C60, 32 x 18 x 220 mm .....	36,64
		63390 .....	Hollex key steel C60, 36 x 20 x 100 mm .....	25,33
		63391 .....	Hollex key steel C60, 36 x 20 x 160 mm .....	30,91
		63392 .....	Hollex key steel C60, 36 x 20 x 200 mm .....	38,16
		63395 .....	Hollex key steel C60, 40 x 22 x 160 mm .....	44,25
		63396 .....	Hollex key steel C60, 40 x 22 x 200 mm .....	48,59
		63397 .....	Hollex key steel C60, 40 x 22 x 225 mm .....	52,68
  	171	79015 .....	Grease lubricated brass bearings 25 x 40 x 25 mm .....	136,37
		79025 .....	Grease lubricated brass bearings 30 x 45 x 30 mm .....	139,01
		79035 .....	Grease lubricated brass bearings 35 x 50 x 35 mm .....	142,00
		79045 .....	Grease lubricated brass bearings 40 x 55 x 40 mm .....	145,38
		79055 .....	Grease lubricated brass bearings 45 x 60 x 45 mm .....	148,47
		79065 .....	Grease lubricated brass bearings 50 x 65 x 50 mm .....	152,17
		79075 .....	Grease lubricated brass bearings 55 x 70 x 55 mm .....	178,04
		79085 .....	Grease lubricated brass bearings 60 x 75 x 60 mm .....	182,37
		79095 .....	Grease lubricated brass bearings 65 x 80 x 65 mm .....	186,97
		79105 .....	Grease lubricated brass bearings 70 x 85 x 70 mm .....	191,11
		79115 .....	Grease lubricated brass bearings 75 x 95 x 75 mm .....	209,60
		79125 .....	Grease lubricated brass bearings 80 x 100 x 80 mm .....	218,20
		79135 .....	Grease lubricated brass bearings 85 x 105 x 85 mm .....	225,79
		79145 .....	Grease lubricated brass bearings 90 x 110 x 90 mm .....	232,67
		79155 .....	Grease lubricated brass bearings 95 x 115 x 95 mm .....	240,53
		79165 .....	Grease lubricated brass bearings 100 x 120 x 100 mm .....	248,19
		79175 .....	Grease lubricated brass bearings 110 x 130 x 110 mm .....	287,09
		79185 .....	Grease lubricated brass bearings 120 x 140 x 120 mm .....	304,87
		79215 .....	Grease lubricated brass bearings 25 x 40 x 50 mm .....	151,16
		79225 .....	Grease lubricated brass bearings 30 x 45 x 60 mm .....	155,23
		79235 .....	Grease lubricated brass bearings 35 x 50 x 70 mm .....	159,92
		79245 .....	Grease lubricated brass bearings 40 x 55 x 80 mm .....	165,32
		79255 .....	Grease lubricated brass bearings 45 x 60 x 90 mm .....	170,34
		79265 .....	Grease lubricated brass bearings 50 x 65 x 100 mm .....	176,43
		79275 .....	Grease lubricated brass bearings 55 x 70 x 110 mm .....	204,86
		79285 .....	Grease lubricated brass bearings 60 x 75 x 120 mm .....	212,18
		79295 .....	Grease lubricated brass bearings 65 x 80 x 130 mm .....	220,04
		79305 .....	Grease lubricated brass bearings 70 x 85 x 140 mm .....	227,17
		79315 .....	Grease lubricated brass bearings 75 x 95 x 150 mm .....	258,54
		79325 .....	Grease lubricated brass bearings 80 x 100 x 160 mm .....	273,68
		79335 .....	Grease lubricated brass bearings 85 x 105 x 170 mm .....	287,20
		79345 .....	Grease lubricated brass bearings 90 x 110 x 180 mm .....	299,55
		79355 .....	Grease lubricated brass bearings 95 x 115 x 190 mm .....	313,65
		79365 .....	Grease lubricated brass bearings 100 x 120 x 200 mm .....	327,54
		79375 .....	Grease lubricated brass bearings 110 x 130 x 220 mm .....	380,19
		79385 .....	Grease lubricated brass bearings 120 x 140 x 240 mm .....	410,48
		79415 .....	Oil lubricated brass bearings 25 x 40 x 25 mm .....	136,37
		79425 .....	Oil lubricated brass bearings 30 x 45 x 30 mm .....	139,01
		79435 .....	Oil lubricated brass bearings 35 x 50 x 35 mm .....	142,00
		79445 .....	Oil lubricated brass bearings 40 x 55 x 40 mm .....	145,38
		79455 .....	Oil lubricated brass bearings 45 x 60 x 45 mm .....	148,47
		79465 .....	Oil lubricated brass bearings 50 x 65 x 50 mm .....	152,17
		79475 .....	Oil lubricated brass bearings 55 x 70 x 55 mm .....	178,04
		79485 .....	Oil lubricated brass bearings 60 x 75 x 60 mm .....	182,37
		79495 .....	Oil lubricated brass bearings 65 x 80 x 65 mm .....	186,97
		79505 .....	Oil lubricated brass bearings 70 x 85 x 70 mm .....	191,11
		79515 .....	Oil lubricated brass bearings 75 x 95 x 75 mm .....	209,60
		79525 .....	Oil lubricated brass bearings 80 x 100 x 80 mm .....	218,20
		79535 .....	Oil lubricated brass bearings 85 x 105 x 85 mm .....	225,79
		79545 .....	Oil lubricated brass bearings 90 x 110 x 90 mm .....	232,67







Product	Page	Cat. no.	Description	Excl. V.A.T.
	171	79555	Oil lubricated brass bearings 95 x 115 x 95 mm	240,53
		79565	Oil lubricated brass bearings 100 x 120 x 100 mm	248,19
		79575	Oil lubricated brass bearings 110 x 130 x 110 mm	287,09
		79585	Oil lubricated brass bearings 120 x 140 x 120 mm	304,87
		79615	Oil lubricated brass bearings 25 x 40 x 50 mm	151,16
		79625	Oil lubricated brass bearings 30 x 45 x 60 mm	155,23
		79635	Oil lubricated brass bearings 35 x 50 x 70 mm	159,92
		79645	Oil lubricated brass bearings 40 x 55 x 80 mm	165,13
		79655	Oil lubricated brass bearings 45 x 60 x 90 mm	170,34
		79665	Oil lubricated brass bearings 50 x 65 x 100 mm	176,43
		79675	Oil lubricated brass bearings 55 x 70 x 110 mm	204,86
		79685	Oil lubricated brass bearings 60 x 75 x 120 mm	212,18
		79695	Oil lubricated brass bearings 65 x 80 x 130 mm	220,04
		79705	Oil lubricated brass bearings 70 x 85 x 140 mm	227,17
		79715	Oil lubricated brass bearings 75 x 95 x 150 mm	258,54
		79725	Oil lubricated brass bearings 80 x 100 x 160 mm	273,68
		79735	Oil lubricated brass bearings 85 x 105 x 170 mm	287,20
		79745	Oil lubricated brass bearings 90 x 110 x 180 mm	299,55
		79755	Oil lubricated brass bearings 95 x 115 x 190 mm	313,65
		79765	Oil lubricated brass bearings 100 x 120 x 200 mm	327,54
		79775	Oil lubricated brass bearings 110 x 130 x 220 mm	380,19
		79785	Oil lubricated brass bearings 120 x 140 x 240 mm	520,88
	172	71404	Rubber bearing with non-metallic shell $\frac{3}{4}$ " x $1\frac{1}{4}$ " x 3"	40,92
		71410	Rubber bearing with non-metallic shell 1" x $1\frac{1}{2}$ " x 4"	43,66
		71423	Rubber bearing with non-metallic shell $1\frac{3}{8}$ " x $1\frac{7}{8}$ " x $5\frac{1}{2}$ "	51,10
		71430	Rubber bearing with non-metallic shell $1\frac{1}{2}$ " x 2" x 6"	53,42
		71440	Rubber bearing with non-metallic shell $1\frac{3}{4}$ " x $2\frac{3}{8}$ " x 7"	69,38
		71442	Rubber bearing with non-metallic shell $1\frac{3}{4}$ " x $2\frac{1}{2}$ " x 7"	72,38
		71450	Rubber bearing with non-metallic shell 2" x $2\frac{5}{8}$ " x 8"	78,59
		71481	Rubber bearing with non-metallic shell $2\frac{3}{4}$ " x $3\frac{3}{4}$ " x 11"	96,87
		71490	Rubber bearing with non-metallic shell 3" x $3\frac{3}{4}$ " x 12"	111,07
		71501	Rubber bearing with non-metallic shell $3\frac{1}{4}$ " x $4\frac{1}{4}$ " x 13"	142,83
		71511	Rubber bearing with non-metallic shell $3\frac{1}{2}$ " x $4\frac{1}{2}$ " x 14"	180,69
		71523	Rubber bearing with non-metallic shell $3\frac{7}{4}$ " x $5\frac{1}{4}$ " x $15\frac{1}{2}$ "	192,89
		71530	Rubber bearing with non-metallic shell 4" x 5" x 16"	256,57
		71550	Rubber bearing with non-metallic shell $4\frac{1}{2}$ " x $5\frac{1}{2}$ " x 18"	285,86
		71551	Rubber bearing with non-metallic shell $4\frac{1}{2}$ " x $5\frac{3}{4}$ " x 18"	287,80
		71555	Rubber bearing with non-metallic shell 5" x $6\frac{1}{8}$ " x 20"	413,98
		71404.001	Rubber bearing with non-metallic shell $\frac{3}{4}$ " x $1\frac{1}{4}$ " x $1\frac{1}{2}$ "	24,55
		71410.001	Rubber bearing with non-metallic shell 1" x $1\frac{1}{2}$ " x 2"	26,20
		71423.001	Rubber bearing with non-metallic shell $1\frac{3}{8}$ " x $1\frac{7}{8}$ " x $2\frac{3}{4}$ "	30,66
		71430.001	Rubber bearing with non-metallic shell $1\frac{1}{2}$ " x 2" x 3"	32,05
		71440.001	Rubber bearing with non-metallic shell $1\frac{3}{4}$ " x $2\frac{3}{8}$ " x $3\frac{1}{2}$ "	41,63
		71442.001	Rubber bearing with non-metallic shell $1\frac{3}{4}$ " x $2\frac{1}{2}$ " x $3\frac{1}{2}$ "	43,42
		71450.001	Rubber bearing with non-metallic shell 2" x $2\frac{5}{8}$ " x 4"	47,16
		71481.001	Rubber bearing with non-metallic shell $2\frac{3}{4}$ " x $3\frac{3}{4}$ " x $5\frac{1}{2}$ "	58,12
		71490.001	Rubber bearing with non-metallic shell 3" x $3\frac{3}{4}$ " x 6"	66,65
		71501.001	Rubber bearing with non-metallic shell $3\frac{1}{4}$ " x $4\frac{1}{4}$ " x $6\frac{1}{2}$ "	85,70
		71511.001	Rubber bearing with non-metallic shell $3\frac{1}{2}$ " x $4\frac{1}{2}$ " x 7"	108,40
		71523.001	Rubber bearing with non-metallic shell $3\frac{7}{4}$ " x $5\frac{1}{4}$ " x $7\frac{3}{4}$ "	115,72
		71530.001	Rubber bearing with non-metallic shell 4" x 5" x 8"	153,94
		71550.001	Rubber bearing with non-metallic shell $4\frac{1}{2}$ " x $5\frac{1}{2}$ " x 9"	171,52
		71551.001	Rubber bearing with non-metallic shell $4\frac{1}{2}$ " x $5\frac{3}{4}$ " x 9"	172,67
		71555.001	Rubber bearing with non-metallic shell 5" x $6\frac{1}{8}$ " x 10"	248,40

Product	Page	Cat. no.	Description	Excl. V.A.T.
	173	71006	Rubber bearing with non-metallic shell 22 x 35 x 88 mm	38,19
		71007	Rubber bearing with non-metallic shell 20 x 35 x 80 mm	37,98
		71008	Rubber bearing with non-metallic shell 22 x 1 1/4" x 88 mm	37,40
		71010	Rubber bearing with non-metallic shell 25 x 40 x 100 mm	41,34
		71011	Rubber bearing with non-metallic shell 28 x 42 x 112 mm	45,75
		71020	Rubber bearing with non-metallic shell 30 x 45 x 120 mm	46,83
		71021	Rubber bearing with non-metallic shell 32 x 45 x 128 mm	47,10
		71030	Rubber bearing with non-metallic shell 35 x 50 x 140 mm	46,48
		71031	Rubber bearing with non-metallic shell 38 x 55 x 152 mm	55,42
		71040	Rubber bearing with non-metallic shell 40 x 55 x 160 mm	55,89
		71050	Rubber bearing with non-metallic shell 45 x 65 x 180 mm	72,44
		71060	Rubber bearing with non-metallic shell 50 x 70 x 200 mm	74,12
		71070	Rubber bearing with non-metallic shell 55 x 75 x 220 mm	83,53
		71080	Rubber bearing with non-metallic shell 60 x 80 x 240 mm	88,55
		71090	Rubber bearing with non-metallic shell 65 x 85 x 260 mm	87,67
		71100	Rubber bearing with non-metallic shell 70 x 90 x 280 mm	93,73
		71110	Rubber bearing with non-metallic shell 75 x 95 x 300 mm	105,19
		71120	Rubber bearing with non-metallic shell 80 x 100 x 320 mm	111,34
		71130	Rubber bearing with non-metallic shell 85 x 105 x 340 mm	161,29
		71140	Rubber bearing with non-metallic shell 90 x 110 x 360 mm	211,24
		71150	Rubber bearing with non-metallic shell 95 x 115 x 380 mm	216,09
		71160	Rubber bearing with non-metallic shell 100 x 125 x 400 mm	230,64
		71161	Rubber bearing with non-metallic shell 105 x 130 x 420 mm	248,05
		71170	Rubber bearing with non-metallic shell 110 x 135 x 440 mm	268,25
		71171	Rubber bearing with non-metallic shell 115 x 145 x 460 mm	281,06
		71180	Rubber bearing with non-metallic shell 120 x 155 x 480 mm	317,76
		71810	Rubber bearing with non-metallic shell 25 x 1 1/2" x 100 mm	47,48
		71820	Rubber bearing with non-metallic shell 30 x 1 3/4" x 120 mm	46,83
		71830	Rubber bearing with non-metallic shell 35 x 1 7/8" x 140 mm	47,10
		71840	Rubber bearing with non-metallic shell 40 x 2 1/8" x 160 mm	55,30
		71850	Rubber bearing with non-metallic shell 45 x 2 3/8" x 180 mm	69,44
		71860	Rubber bearing with non-metallic shell 50 x 2 5/8" x 200 mm	76,12
		71870	Rubber bearing with non-metallic shell 60 x 3 1/4" x 240 mm	89,67
		71880	Rubber bearing with non-metallic shell 70 x 3 1/2" x 280 mm	96,73
		71890	Rubber bearing with non-metallic shell 80 x 4" x 320 mm	141,83
		71006.001	Rubber bearing with non-metallic shell 22 x 35 x 42 mm	21,32
		71007.001	Rubber bearing with non-metallic shell 20 x 35 x 42 mm	21,17
		71008.001	Rubber bearing with non-metallic shell 22 x 1 1/4" x 46 mm	20,76
		71010.001	Rubber bearing with non-metallic shell 25 x 40 x 48 mm	21,14
		71011.001	Rubber bearing with non-metallic shell 28 x 42 x 58 mm	27,46
		71020.001	Rubber bearing with non-metallic shell 30 x 45 x 58 mm	28,11
		71021.001	Rubber bearing with non-metallic shell 32 x 45 x 62 mm	28,25
		71030.001	Rubber bearing with non-metallic shell 35 x 50 x 68 mm	27,90
		71031.001	Rubber bearing with non-metallic shell 38 x 55 x 74 mm	33,25
		71040.001	Rubber bearing with non-metallic shell 40 x 55 x 78 mm	33,55
		71050.001	Rubber bearing with non-metallic shell 45 x 65 x 88 mm	43,45
		71060.001	Rubber bearing with non-metallic shell 50 x 70 x 98 mm	44,48
		71070.001	Rubber bearing with non-metallic shell 55 x 75 x 108 mm	50,13
		71080.001	Rubber bearing with non-metallic shell 60 x 80 x 118 mm	53,13
		71090.001	Rubber bearing with non-metallic shell 65 x 85 x 128 mm	52,60
		71100.001	Rubber bearing with non-metallic shell 70 x 90 x 138 mm	56,24
		71110.001	Rubber bearing with non-metallic shell 75 x 95 x 148 mm	63,12
		71120.001	Rubber bearing with non-metallic shell 80 x 100 x 158 mm	66,80
		71130.001	Rubber bearing with non-metallic shell 85 x 105 x 168 mm	104,25
		71140.001	Rubber bearing with non-metallic shell 90 x 110 x 178 mm	126,74
		71150.001	Rubber bearing with non-metallic shell 95 x 115 x 188 mm	129,65
		71160.001	Rubber bearing with non-metallic shell 100 x 125 x 198 mm	138,39
		71161.001	Rubber bearing with non-metallic shell 105 x 130 x 208 mm	148,82





Product	Page	Cat. no.	Description	Excl. V.A.T.
	173	71170.001 .....	Rubber bearing with non-metallic shell 110 x 135 x 218 mm .....	160,97
		71171.001 .....	Rubber bearing with non-metallic shell 115 x 145 x 228 mm .....	168,64
		71180.001 .....	Rubber bearing with non-metallic shell 120 x 155 x 238 mm .....	190,66
		71810.001 .....	Rubber bearing with non-metallic shell 25 x 1 <sup>1</sup> / <sub>2</sub> " x 48 mm .....	22,84
		71820.001 .....	Rubber bearing with non-metallic shell 30 x 1 <sup>3</sup> / <sub>4</sub> " x 58 mm .....	28,11
		71830.001 .....	Rubber bearing with non-metallic shell 35 x 1 <sup>7</sup> / <sub>8</sub> " x 68 mm .....	28,25
		71840.001 .....	Rubber bearing with non-metallic shell 40 x 2 <sup>1</sup> / <sub>8</sub> " x 78 mm .....	33,16
		71850.001 .....	Rubber bearing with non-metallic shell 45 x 2 <sup>3</sup> / <sub>8</sub> " x 88 mm .....	41,66
		71860.001 .....	Rubber bearing with non-metallic shell 50 x 2 <sup>5</sup> / <sub>8</sub> " x 98 mm .....	45,66
		71870.001 .....	Rubber bearing with non-metallic shell 60 x 3 <sup>1</sup> / <sub>4</sub> " x 118 mm .....	53,80
		71880.001 .....	Rubber bearing with non-metallic shell 70 x 3 <sup>1</sup> / <sub>2</sub> " x 138 mm .....	58,04
		71890.001 .....	Rubber bearing with non-metallic shell 80 x 4" x 158 mm. ....	85,08
<p><b>Due to daily fluctuating prices of brass, prices on all bearings with naval brass shells are only available on request. Please always contact our sales department for the most up to date prices, before placing your order.</b></p>				
	176	72010 .....	Rubber bearing with GRP shell 25 x 40 x 100 mm .....	45,48
		72020 .....	Rubber bearing with GRP shell 30 x 45 x 120 mm .....	56,83
		72030 .....	Rubber bearing with GRP shell 35 x 50 x 140 mm .....	65,30
		72040 .....	Rubber bearing with GRP shell 40 x 55 x 160 mm .....	75,35
		72050 .....	Rubber bearing with GRP shell 45 x 65 x 180 mm .....	89,64
		72060 .....	Rubber bearing with GRP shell 50 x 70 x 200 mm .....	93,11
		72010.001 .....	Rubber bearing with GRP shell 25 x 40 x 48 mm .....	27,28
		72020.001 .....	Rubber bearing with GRP shell 30 x 45 x 58 mm .....	34,10
		72030.001 .....	Rubber bearing with GRP shell 35 x 50 x 68 mm .....	37,87
		72040.001 .....	Rubber bearing with GRP shell 40 x 55 x 78 mm .....	43,70
		72050.001 .....	Rubber bearing with GRP shell 45 x 65 x 88 mm .....	53,80
		72060.001 .....	Rubber bearing with GRP shell 50 x 70 x 98 mm .....	55,86
	177	81210 .....	Plummer block roller bearing unit type ST for shaft diam. 25 mm .....	496,25
		81215 .....	Plummer block roller bearing unit type SR for shaft diam. 25 mm .....	391,10
		81220 .....	Plummer block roller bearing unit type ST for shaft diam. 30 mm .....	459,05
		81225 .....	Plummer block roller bearing unit type SR for shaft diam. 30 mm .....	354,50
		81230 .....	Plummer block roller bearing unit type ST for shaft diam. 35 mm .....	562,99
		81235 .....	Plummer block roller bearing unit type SR for shaft diam. 35 mm .....	476,93
		81240 .....	Plummer block roller bearing unit type ST for shaft diam. 40 mm .....	580,27
		81245 .....	Plummer block roller bearing unit type SR for shaft diam. 40 mm .....	493,51
		81250 .....	Plummer block roller bearing unit type ST for shaft diam. 45 mm .....	682,15
		81255 .....	Plummer block roller bearing unit type SR for shaft diam. 45 mm .....	595,10
		81260 .....	Plummer block roller bearing unit type ST for shaft diam. 50 mm .....	749,83
		81265 .....	Plummer block roller bearing unit type SR for shaft diam. 50 mm .....	613,30
	178	81211 .....	Thrust bearing type DV for shaft diam. 25 mm .....	955,01
		81212 .....	Thrust bearing type DO for shaft diam. 25 mm .....	873,40
		81213 .....	Thrust bearing type DW for shaft diam. 25 mm .....	997,97
		81221 .....	Thrust bearing type DV for shaft diam. 30 mm .....	961,16
		81222 .....	Thrust bearing type DO for shaft diam. 30 mm .....	878,30
		81223 .....	Thrust bearing type DW for shaft diam. 30 mm .....	1004,10
		81231 .....	Thrust bearing type DV for shaft diam. 35 mm .....	1284,57
		81232 .....	Thrust bearing type DO for shaft diam. 35 mm .....	1171,04
		81233 .....	Thrust bearing type DW for shaft diam. 35 mm .....	1345,32
		81241 .....	Thrust bearing type DV for shaft diam. 40 mm .....	1430,63
		81242 .....	Thrust bearing type DO for shaft diam. 40 mm .....	1301,75
		81243 .....	Thrust bearing type DW for shaft diam. 40 mm .....	1504,89




Product	Page	Cat. no.	Description	Excl. V.A.T.
	178	81251 .....	Thrust bearing type DV for shaft diam. 45 mm .....	1580,86
		81252 .....	Thrust bearing type DO for shaft diam. 45 mm .....	1487,58
		81253 .....	Thrust bearing type DW for shaft diam. 45 mm .....	1739,19
		81261 .....	Thrust bearing type DV for shaft diam. 50 mm .....	1988,35
		81262 .....	Thrust bearing type DO for shaft diam. 50 mm .....	1874,81
		81263 .....	Thrust bearing type DW for shaft diam. 50 mm .....	2290,29
		81281 .....	Thrust bearing type DV for shaft diam. 60 mm .....	2395,85
		81282 .....	Thrust bearing type DO for shaft diam. 60 mm .....	2263,90
		81283 .....	Thrust bearing type DW for shaft diam. 60 mm .....	2776,94
		81301 .....	Thrust bearing type DV for shaft diam. 70 mm .....	3223,08
		81302 .....	Thrust bearing type DO for shaft diam. 70 mm .....	2901,51
		81303 .....	Thrust bearing type DW for shaft diam. 70 mm .....	3172,76
		81321 .....	Thrust bearing type DV for shaft diam. 80 mm .....	4162,64
		81322 .....	Thrust bearing type DO for shaft diam. 80 mm .....	3537,91
		81323 .....	Thrust bearing type DW for shaft diam. 80 mm .....	4139,93
		81341 .....	Thrust bearing type DV for shaft diam. 90 mm .....	5505,39
		81342 .....	Thrust bearing type DO for shaft diam. 90 mm .....	5322,53
		81343 .....	Thrust bearing type DW for shaft diam. 90 mm .....	5797,51
		81361 .....	Thrust bearing type DV for shaft diam. 100 mm .....	6878,22
		81362 .....	Thrust bearing type DO for shaft diam. 100 mm .....	6190,26
		81363 .....	Thrust bearing type DW for shaft diam. 100 mm .....	7242,74
  	179	77025 .....	Exalto seal housing type SA for 25 mm shaft diam. ....	486,53
		77030 .....	Exalto seal housing type SA for 30 mm shaft diam. ....	522,13
		77035 .....	Exalto seal housing type SA for 35 mm shaft diam. ....	545,60
		77040 .....	Exalto seal housing type SA for 40 mm shaft diam. ....	674,43
		77045 .....	Exalto seal housing type SA for 45 mm shaft diam. ....	613,40
		77050 .....	Exalto seal housing type SA for 50 mm shaft diam. ....	698,98
		77060 .....	Exalto seal housing type SA for 60 mm shaft diam. ....	743,60
		77070 .....	Exalto seal housing type SA for 70 mm shaft diam. ....	926,40
		77080 .....	Exalto seal housing type SA for 80 mm shaft diam. ....	966,61
		77090 .....	Exalto seal housing type SA for 90 mm shaft diam. ....	1064,82
		77100 .....	Exalto seal housing type SA for 100 mm shaft diam. ....	1138,72
		77150 .....	Exalto rear seal housing type SB for 50 mm shaft diam. ....	1773,00
		77160 .....	Exalto rear seal housing type SB for 60 mm shaft diam. ....	1786,03
		77170 .....	Exalto rear seal housing type SB for 70 mm shaft diam. ....	1993,60
		77180 .....	Exalto rear seal housing type SB for 80 mm shaft diam. ....	2326,10
		77190 .....	Exalto rear seal housing type SB for 90 mm shaft diam. ....	2486,48
		77200 .....	Exalto rear seal housing type SB for 100 mm shaft diam. ....	2993,45
		77525 .....	Exalto seal housing type SV for 25 mm shaft diam. ....	p.o.r.
		77526 .....	Exalto flanged front seal housing type SF for 25 mm shaft diam. ....	p.o.r.
		77530 .....	Exalto seal housing type SV for 30 mm shaft diam. ....	p.o.r.
		77531 .....	Exalto flanged front seal housing type SF for 30 mm shaft diam. ....	p.o.r.
		77535 .....	Exalto seal housing type SV for 35 mm shaft diam. ....	p.o.r.
		77536 .....	Exalto flanged front seal housing type SF for 35 mm shaft diam. ....	p.o.r.
		77540 .....	Exalto seal housing type SV for 40 mm shaft diam. ....	p.o.r.
		77541 .....	Exalto flanged front seal housing type SF for 40 mm shaft diam. ....	p.o.r.
		77545 .....	Exalto seal housing type SV for 45 mm shaft diam. ....	p.o.r.
		77546 .....	Exalto flanged front seal housing type SF for 45 mm shaft diam. ....	p.o.r.
		77550 .....	Exalto seal housing type SV for 50 mm shaft diam. ....	p.o.r.
		77551 .....	Exalto flanged front seal housing type SF for 50 mm shaft diam. ....	p.o.r.
		77560 .....	Exalto seal housing type SV for 60 mm shaft diam. ....	p.o.r.
		77561 .....	Exalto flanged front seal housing type SF for 60 mm shaft diam. ....	p.o.r.
		77570 .....	Exalto seal housing type SV for 70 mm shaft diam. ....	p.o.r.
		77571 .....	Exalto flanged front seal housing type SF for 70 mm shaft diam. ....	p.o.r.
		77580 .....	Exalto seal housing type SV for 80 mm shaft diam. ....	p.o.r.
		77581 .....	Exalto flanged front seal housing type SF for 80 mm shaft diam. ....	p.o.r.
		77590 .....	Exalto seal housing type SV for 90 mm shaft diam. ....	p.o.r.












Product	Page	Cat. no.	Description	Excl. V.A.T.
	179	77591 .....	Exalto flanged front seal housing type SF for 90 mm shaft diam. ....	p.o.r.
		77600 .....	Exalto seal housing type SV for 100 mm shaft diam. ....	p.o.r.
		77601 .....	Exalto flanged front seal housing type SF for 100 mm shaft diam. ....	p.o.r.
		77650 .....	Exalto front seal housing type SC for 50 mm shaft diam. ....	p.o.r.
		77651 .....	Exalto flanged front seal housing type SD for 50 mm shaft diam. ....	p.o.r.
		77660 .....	Exalto front seal housing type SC for 60 mm shaft diam. ....	p.o.r.
		77661 .....	Exalto flanged front seal housing type SD for 60 mm shaft diam. ....	p.o.r.
		77670 .....	Exalto front seal housing type SC for 70 mm shaft diam. ....	p.o.r.
		77671 .....	Exalto flanged front seal housing type SD for 70 mm shaft diam. ....	p.o.r.
		77680 .....	Exalto front seal housing type SC for 80 mm shaft diam. ....	p.o.r.
		77681 .....	Exalto flanged front seal housing type SD for 80 mm shaft diam. ....	p.o.r.
		77690 .....	Exalto front seal housing type SC for 90 mm shaft diam. ....	p.o.r.
		77691 .....	Exalto flanged front seal housing type SD for 90 mm shaft diam. ....	p.o.r.
		77700 .....	Exalto front seal housing type SC for 100 mm shaft diam. ....	p.o.r.
		77701 .....	Exalto flanged front seal housing type SD for 100 mm shaft diam. ....	p.o.r.
    	180	60005 .....	Exalto bronze stuffing box type PB for shaft Ø 25 mm. ....	334,74
		60006 .....	Exalto bronze stuffing box type PB for shaft Ø 30 mm. ....	306,15
		60007 .....	Exalto bronze stuffing box type PB for shaft Ø 35 mm. ....	328,50
		60008 .....	Exalto bronze stuffing box type PB for shaft Ø 40 mm. ....	391,22
		60009 .....	Exalto bronze stuffing box type PB for shaft Ø 45 mm. ....	447,61
		60010 .....	Exalto bronze stuffing box type PB for shaft Ø 50 mm. ....	504,00
		60012 .....	Exalto bronze stuffing box type PB for shaft Ø 60 mm. ....	580,69
		60013 .....	Exalto bronze stuffing box type PB for shaft Ø 70 mm. ....	741,05
		60014 .....	Exalto bronze stuffing box type PB for shaft Ø 80 mm. ....	782,91
		60015 .....	Exalto bronze stuffing box type PB for shaft Ø 90 mm. ....	867,13
		60016 .....	Exalto bronze stuffing box type PB for shaft Ø 100 mm. ....	1109,08
		60017 .....	Exalto bronze stuffing box type PB for shaft Ø 110 mm. ....	1448,16
		60040 .....	Exalto bronze stuffing box type PB for shaft Ø 120 mm. ....	1614,68
		60105 .....	Exalto bronze stuffing box type PL for shaft Ø 25 mm. ....	448,98
		60106 .....	Exalto bronze stuffing box type PL for shaft Ø 30 mm. ....	419,66
		60107 .....	Exalto bronze stuffing box type PL for shaft Ø 35 mm. ....	446,04
		60108 .....	Exalto bronze stuffing box type PL for shaft Ø 40 mm. ....	509,71
		60109 .....	Exalto bronze stuffing box type PL for shaft Ø 45 mm. ....	582,46
		60110 .....	Exalto bronze stuffing box type PL for shaft Ø 50 mm. ....	641,14
		60112 .....	Exalto bronze stuffing box type PL for shaft Ø 60 mm. ....	728,81
		60113 .....	Exalto bronze stuffing box type PL for shaft Ø 70 mm. ....	895,72
		60114 .....	Exalto bronze stuffing box type PL for shaft Ø 80 mm. ....	944,36
		60115 .....	Exalto bronze stuffing box type PL for shaft Ø 90 mm. ....	1044,23
		60116 .....	Exalto bronze stuffing box type PL for shaft Ø 100 mm. ....	1317,26
		60117 .....	Exalto bronze stuffing box type PL for shaft Ø 110 mm. ....	1663,62
		60140 .....	Exalto bronze stuffing box type PL for shaft Ø 120 mm. ....	1835,37
		60205 .....	Exalto bronze stuffing box type PZ for shaft Ø 25 mm. ....	369,99
		60206 .....	Exalto bronze stuffing box type PZ for shaft Ø 30 mm. ....	341,40
		60207 .....	Exalto bronze stuffing box type PZ for shaft Ø 35 mm. ....	363,75
		60208 .....	Exalto bronze stuffing box type PZ for shaft Ø 40 mm. ....	426,47
		60209 .....	Exalto bronze stuffing box type PZ for shaft Ø 45 mm. ....	482,86
		60210 .....	Exalto bronze stuffing box type PZ for shaft Ø 50 mm. ....	552,69
		60212 .....	Exalto bronze stuffing box type PZ for shaft Ø 60 mm. ....	629,38
		60213 .....	Exalto bronze stuffing box type PZ for shaft Ø 70 mm. ....	789,74
		60214 .....	Exalto bronze stuffing box type PZ for shaft Ø 80 mm. ....	831,60
		60215 .....	Exalto bronze stuffing box type PZ for shaft Ø 90 mm. ....	915,82
		60216 .....	Exalto bronze stuffing box type PZ for shaft Ø 100 mm. ....	1171,21
		60217 .....	Exalto bronze stuffing box type PZ for shaft Ø 110 mm. ....	1510,29
		60240 .....	Exalto bronze stuffing box type PZ for shaft Ø 120 mm. ....	1676,81
		60305 .....	Exalto bronze stuffing box type PR for shaft Ø 25 mm. ....	475,86
		60306 .....	Exalto bronze stuffing box type PR for shaft Ø 30 mm. ....	446,54
		60307 .....	Exalto bronze stuffing box type PR for shaft Ø 35 mm. ....	472,92







Product	Page	Cat. no.	Description	Excl. V.A.T.
	<b>180</b>	60308	Exalto bronze stuffing box type PR for shaft Ø 40 mm.	536,59
		60309	Exalto bronze stuffing box type PR for shaft Ø 45 mm.	609,34
		60310	Exalto bronze stuffing box type PR for shaft Ø 50 mm.	681,46
		60312	Exalto bronze stuffing box type PR for shaft Ø 60 mm.	769,13
		60313	Exalto bronze stuffing box type PR for shaft Ø 70 mm.	936,04
		60314	Exalto bronze stuffing box type PR for shaft Ø 80 mm.	984,68
		60315	Exalto bronze stuffing box type PR for shaft Ø 90 mm.	1084,55
		60316	Exalto bronze stuffing box type PR for shaft Ø 100 mm.	1371,02
		60317	Exalto bronze stuffing box type PR for shaft Ø 110 mm.	1717,38
		60340	Exalto bronze stuffing box type PR for shaft Ø 120 mm.	1889,13
  	<b>181</b>	60501	Exalto flexible stuffing box for shaft Ø 25 mm	326,76
		60502	Exalto flexible stuffing box for shaft Ø 30 mm, length of 293 mm.	414,43
		60503	Exalto flexible stuffing box for shaft Ø 35 mm, length of 293 mm.	387,44
		60504	Exalto flexible stuffing box for shaft Ø 40 mm, length of 347 mm.	430,81
		60505	Exalto flexible stuffing box for shaft Ø 45 mm	464,94
		60506	Exalto flexible stuffing box for shaft Ø 50 mm, length of 366 mm.	537,07
		60507	Exalto flexible stuffing box for shaft Ø 60 mm	568,18
		60508	Exalto flexible stuffing box for shaft Ø 70 mm	722,90
		60509	Exalto flexible stuffing box for shaft Ø 80 mm	780,70
		60510	Exalto flexible stuffing box for shaft Ø 90 mm	929,24
		60511	Exalto flexible stuffing box for shaft Ø 100 mm	1065,88
		60512	Exalto flexible stuffing box for shaft Ø 30 mm, length of 278 mm	365,93
		60513	Exalto flexible stuffing box for shaft Ø 40 mm, length of 312 mm.	406,70
		60515	Exalto flexible stuffing box for shaft Ø 50 mm, length of 341 mm.	509,54
		TS-25	OMM flexible stuffing box TS for shaft Ø25 mm	175,89
		TS-30	OMM flexible stuffing box TS for shaft Ø30 mm	180,18
		TS-35	OMM flexible stuffing box TS for shaft Ø35 mm	228,80
		TS-40	OMM flexible stuffing box TS for shaft Ø40 mm	235,95
		TS-45	OMM flexible stuffing box TS for shaft Ø45 mm	300,30
		TS-50	OMM flexible stuffing box TS for shaft Ø50 mm	314,60
		TS-55	OMM flexible stuffing box TS for shaft Ø55 mm	572,00
		TS-60	OMM flexible stuffing box TS for shaft Ø60 mm	596,31
		TS-65	OMM flexible stuffing box TS for shaft Ø65 mm	574,86
		TS-70	OMM flexible stuffing box TS for shaft Ø70 mm	1172,60
		TS-75	OMM flexible stuffing box TS for shaft Ø75 mm	1179,75
		TS-80	OMM flexible stuffing box TS for shaft Ø80 mm	1181,18
		TS-85	OMM flexible stuffing box TS for shaft Ø85 mm	2223,65
		TS-90	OMM flexible stuffing box TS for shaft Ø90 mm	2223,65
		TS-3inch	OMM flexible stuffing box TS for shaft Ø3"	1181,18
		TS2inch1/4.	OMM flexible stuffing box TS for shaft Ø2 1/4"	572,00
		TS-2inch1/2.	OMM flexible stuffing box TS for shaft Ø2 1/2"	596,31
	<b>182</b>	66410	Rameh shaft packing 5 mm thick, 1 metre long	12,80
		66420	Rameh shaft packing 6 mm thick, 1 metre long	14,53
		66430	Rameh shaft packing 8 mm thick, 1 metre long	19,01
		66440	Rameh shaft packing 10 mm thick, 1 metre long	23,66
		66450	Rameh shaft packing 11 mm thick, 1 metre long	29,04
		66460	Rameh shaft packing 12.5 mm thick, 1 metre long	33,04
		66470	Rameh shaft packing 14 mm thick, 1 metre long	39,82
		66480	Rameh shaft packing 16 mm thick, 1 metre long	49,42
		66490	Rameh shaft packing 19 mm thick, 1 metre long	79,77
		66500	Rameh shaft packing 22 mm thick, 1 metre long	107,69
		66510	Rameh shaft packing 25 mm thick, 1 metre long	137,35
		66548	Hollex flexible packing remover for 6 or 8 mm thick packing	p.o.r.
		66552	Hollex flexible packing remover for 10, 11 or 12.5 mm thick packing	45,79
		66553	Hollex flexible packing remover for 14, 16 or 19 mm thick packing	44,72
		66554	Hollex flexible packing remover for 22 or 25 mm thick packing	43,66

Product	Page	Cat. no.	Description	Excl. V.A.T.
	182	TG-25 .....	OMM flexible stuffing box TG for shaft Ø 25 mm .....	271,70
		TG-30 .....	OMM flexible stuffing box TG for shaft Ø 30 mm .....	271,70
		TG-35 .....	OMM flexible stuffing box TG for shaft Ø 35 mm .....	328,90
		TG-40 .....	OMM flexible stuffing box TG for shaft Ø 40 mm .....	328,90
		TG-45 .....	OMM flexible stuffing box TG for shaft Ø 45 mm .....	429,00
		TG-50 .....	OMM flexible stuffing box TG for shaft Ø 50 mm .....	429,00
		66430025 .....	Rameh shaft packing ring 8 mm thick, Ø 25 mm .....	7,22
		66430030 .....	Rameh shaft packing ring 8 mm thick, Ø 30 mm .....	8,99
		66430035 .....	Rameh shaft packing ring 8 mm thick, Ø 35 mm .....	9,21
		66430040 .....	Rameh shaft packing ring 8 mm thick, Ø 40 mm .....	9,41
		66440045 .....	Rameh shaft packing ring 10 mm thick, Ø 45 mm .....	10,47
		66440050 .....	Rameh shaft packing ring 10 mm thick, Ø 50 mm .....	10,75
		66440060 .....	Rameh shaft packing ring 10 mm thick, Ø 60 mm .....	11,20
		66460070 .....	Rameh shaft packing ring 12.5 mm thick, Ø 70 mm .....	14,25
		66460080 .....	Rameh shaft packing ring 12.5 mm thick, Ø 80 mm .....	14,95
		66470090 .....	Rameh shaft packing ring 14 mm thick, Ø 90 mm .....	18,40
		66470100 .....	Rameh shaft packing ring 14 mm thick, Ø 90 mm .....	19,26
		66480120 .....	Rameh shaft packing ring 16 mm thick, Ø 120 mm .....	25,42
	183	88025 .....	Exalto FWO seal for shaft diameter of 25 mm .....	p.o.r.
		88030 .....	Exalto FWO seal for shaft diameter of 30 mm .....	p.o.r.
		88035 .....	Exalto FWO seal for shaft diameter of 35 mm .....	p.o.r.
		88040 .....	Exalto FWO seal for shaft diameter of 40 mm .....	p.o.r.
		88045 .....	Exalto FWO seal for shaft diameter of 45 mm .....	p.o.r.
		88050 .....	Exalto FWO seal for shaft diameter of 50 mm .....	p.o.r.
		88060 .....	Exalto FWO seal for shaft diameter of 60 mm .....	p.o.r.
		TP-25 .....	OMM asternhead TP-25 .....	82,94
		TP-30 .....	OMM asternhead TP-30 .....	104,39
		TP-35 .....	OMM asternhead TP-35 .....	131,56
		TP-40 .....	OMM asternhead TP-40 .....	153,01
		TP-45 .....	OMM asternhead TP-45 .....	178,75
		TP-50 .....	OMM asternhead TP-50 .....	241,67
		TP-25-R .....	OMM asternhead TPR-25 .....	108,68
		TP-30-R .....	OMM asternhead TPR-30 .....	124,41
		TP-35-R .....	OMM asternhead TPR-35 .....	153,01
		TP-40-R .....	OMM asternhead TPR-40 .....	181,61
		TP-45-R .....	OMM asternhead TPR-45 .....	218,79
		TP-50-R .....	OMM asternhead TPR-50 .....	278,85
	184	75501 .....	Exalto grease flex seal for shaft diam. 25 mm .....	324,27
		75502 .....	Exalto grease flex seal for shaft diam. 30 mm .....	312,84
		75503 .....	Exalto grease flex seal for shaft diam. 35 mm .....	360,50
		75504 .....	Exalto grease flex seal for shaft diam. 40 mm .....	375,83
		75505 .....	Exalto grease flex seal for shaft diam. 45 mm .....	444,36
		75506 .....	Exalto grease flex seal for shaft diam. 50 mm .....	467,85
		75508 .....	Exalto grease flex seal for shaft diam. 60 mm .....	553,53
		75510 .....	Exalto grease flex seal for shaft diam. 70 mm .....	547,54
		81025 .....	Exalto Waterflexseal for shaft diam. 25 mm .....	278,37
		81030 .....	Exalto Waterflexseal for shaft diam. 30 mm .....	280,01
		82025.xwd .....	Exalto XW seal with two lip seals for shaft diam. 25 mm .....	p.o.r.
		82025.xws .....	Exalto XW seal with one lip seal for shaft diam. 25 mm .....	p.o.r.
		82030.xwd .....	Exalto XW seal with two lip seals for shaft diam. 30 mm .....	p.o.r.
		82030.xws .....	Exalto XW seal with one lip seal for shaft diam. 30 mm .....	p.o.r.
		82035.xwd .....	Exalto XW seal with two lip seals for shaft diam. 35 mm .....	p.o.r.
		82035.xws .....	Exalto XW seal with one lip seal for shaft diam. 35 mm .....	p.o.r.






Product	Page	Cat. no.	Description	Excl. V.A.T.
	184	82040.xwd .....	XW seal with two lip seals for shaft diam. 40 mm .....	p.o.r.
		82040.xws .....	XW seal with one lip seal for shaft diam. 40 mm .....	p.o.r.
		82030.001.xwd .....	XW seal with two lip seals for shaft diam. 30 mm .....	p.o.r.
		82030.001.xws .....	XW seal with one lip seal for shaft diam. 30 mm .....	p.o.r.
  	185	82010 .....	Hollex seal for shaft diameter of 25 mm .....	438,15
		82020 .....	Hollex seal for shaft diameter of 30 mm .....	484,46
		82030 .....	Hollex seal for shaft diameter of 35 mm .....	498,75
		82040 .....	Hollex seal for shaft diameter of 40 mm .....	503,60
		82050 .....	Hollex seal for shaft diameter of 45 mm .....	623,39
		82060 .....	Hollex seal for shaft diameter of 50 mm .....	653,39
		82069 .....	Hollex seal for shaft diameter of 55 mm .....	682,25
		82070 .....	Hollex seal for shaft diameter of 60 mm .....	748,20
		82080 .....	Hollex seal for shaft diameter of 70 mm .....	1003,60
		82090 .....	Hollex seal for shaft diameter of 80 mm .....	1044,60
		82100 .....	Hollex seal for shaft diameter of 90 mm .....	1390,30
		82110 .....	Hollex seal for shaft diameter of 100 mm .....	1433,05
		82120 .....	Hollex seal for shaft diameter of 110 mm .....	1798,46
		82130 .....	Hollex seal for shaft diameter of 120 mm .....	1731,20
		83010 .....	Hollex seal for shaft diameter of $\frac{3}{4}$ " .....	438,13
		83020 .....	Hollex seal for shaft diameter of $\frac{7}{8}$ " .....	438,15
		83030 .....	Hollex seal for shaft diameter of 1" .....	484,46
		83050 .....	Hollex seal for shaft diameter of $1\frac{1}{4}$ " .....	498,74
		83070 .....	Hollex seal for shaft diameter of $1\frac{1}{2}$ " .....	503,60
		83090 .....	Hollex seal for shaft diameter of $1\frac{3}{4}$ " .....	623,39
		83110 .....	Hollex seal for shaft diameter of 2" .....	682,25
		83130 .....	Hollex seal for shaft diameter of $2\frac{1}{4}$ " .....	748,20
		83150 .....	Hollex seal for shaft diameter of $2\frac{1}{2}$ " .....	1003,60
		83170 .....	Hollex seal for shaft diameter of $2\frac{3}{4}$ " .....	1023,30
		83190 .....	Hollex seal for shaft diameter of 3" .....	1044,60
		83210 .....	Hollex seal for shaft diameter of $3\frac{1}{4}$ " .....	1390,30
		83230 .....	Hollex seal for shaft diameter of $3\frac{1}{2}$ " .....	1411,67
		83250 .....	Hollex seal for shaft diameter of $3\frac{3}{4}$ " .....	1433,05
		83270 .....	Hollex seal for shaft diameter of 4" .....	1798,46
		83290 .....	Hollex seal for shaft diameter of $4\frac{1}{4}$ " .....	p.o.r.
		83310 .....	Hollex seal for shaft diameter of $4\frac{1}{2}$ " .....	p.o.r.
	186	ONE25M45MM .....	SeriesOne seal for shaft diam. 25 mm x 45 mm .....	227,50
		ONE30M45MM .....	SeriesOne seal for shaft diam. 30 mm x 45 mm .....	227,50
		ONE30M63MM .....	SeriesOne seal for shaft diam. 30 mm x 63 mm .....	227,50
		FSKM35M60M0 .....	SureSeal for shaft diam. 35 mm x 60 mm (single engine installation) .....	542,10
		FSKM40M60M0 .....	SureSeal for shaft diam. 40 mm x 57 mm (single engine installation) .....	702,00
		FSKM40M64M0 .....	SureSeal for shaft diam. 40 mm x 64 mm (single engine installation) .....	702,00
		FSKM45M79M0 .....	SureSeal for shaft diam. 45 mm x 79 mm (single engine installation) .....	750,10
		FSKM45M79M1 .....	SureSeal for shaft diam. 45 mm x 79 mm (twin engine installation) .....	750,10
		FSKM50M76M0 .....	SureSeal for shaft diam. 50 mm x 76 mm (single engine installation) .....	851,50
		FSKM50M76M1 .....	SureSeal for shaft diam. 50 mm x 76 mm (twin engine installation) .....	851,50
		FSKM50M79M0 .....	SureSeal for shaft diam. 50 mm x 79 mm (single engine installation) .....	851,50
		FSKM50M79M1 .....	SureSeal for shaft diam. 50 mm x 79 mm (single engine installation) .....	851,50
		FSKM60M89M0 .....	SureSeal for shaft diam. 60 mm x 89 mm (single engine installation) .....	978,90
		FSKM60M89M1 .....	SureSeal for shaft diam. 60 mm x 89 mm (twin engine installation) .....	978,90
		FSKM70M114M0 .....	SureSeal for shaft diam. 70 mm x 114 mm (single engine installation) .....	1163,50
		FSKM70M114M1 .....	SureSeal for shaft diam. 70 mm x 114 mm (twin engine installation) .....	1163,50
	187	75010 .....	Hollex grease lubricated inner gland type 1V for shaft diam. 25 mm. ....	p.o.r.
		75030 .....	Hollex grease lubricated inner gland type 1V for shaft diam. 30 mm. ....	p.o.r.
		75040 .....	Hollex grease lubricated inner gland type 1V for shaft diam. 35 mm. ....	p.o.r.



Product	Page	Cat. no.	Description	Excl. V.A.T.
  	187	75060 .....	Hollox grease lubricated inner gland type 1V for shaft diam. 40 mm. ....	p.o.r.
		75070 .....	Hollox grease lubricated inner gland type 1V for shaft diam. 45 mm. ....	p.o.r.
		75090 .....	Hollox grease lubricated inner gland type 1V for shaft diam. 50 mm. ....	p.o.r.
		75210 .....	Hollox grease lubricated outer gland type AV for shaft diam. 25 mm. ....	p.o.r.
		75230 .....	Hollox grease lubricated outer gland type AV for shaft diam. 30 mm. ....	p.o.r.
		75240 .....	Hollox grease lubricated outer gland type AV for shaft diam. 35 mm. ....	p.o.r.
		75260 .....	Hollox grease lubricated outer gland type AV for shaft diam. 40 mm. ....	p.o.r.
		75270 .....	Hollox grease lubricated outer gland type AV for shaft diam. 45 mm. ....	p.o.r.
		75290 .....	Hollox grease lubricated outer gland type AV for shaft diam. 50 mm. ....	p.o.r.
		KFM35MM00. ....	SureSeal spare seal with carrier for shaft diam. 35 mm and 1 <sup>3</sup> / <sub>8</sub> " .....	131,30
		LSF1375 .....	SureSeal spare seal for shaft diam. 35 mm and 1 <sup>3</sup> / <sub>8</sub> " .....	48,10
		KFM40MM00. ....	SureSeal spare seal with carrier for shaft diam. 40 mm .....	193,70
		LSF40MM .....	SureSeal spare seal for shaft diam. 40 mm .....	48,10
		KFM45MM00. ....	<i>SureSeal spare seal with carrier for shaft diam. 45 mm .....</i>	<i>200,20</i>
		LSF45MM .....	SureSeal spare seal for shaft diam. 45 mm .....	48,10
		KM50MM00. ....	SureSeal spare seal with carrier for shaft diam. 50 mm .....	236,60
		LS50MM .....	SureSeal spare seal for shaft diam. 50 mm .....	67,34
		KM55MM00. ....	SureSeal spare seal with carrier for shaft diam. 55 mm .....	256,10
		LS55MM .....	SureSeal spare seal for shaft diam. 55 mm .....	67,34
		KM60MM00. ....	SureSeal spare seal with carrier for shaft diam. 60 mm .....	288,60
		LS60MM .....	SureSeal spare seal for shaft diam. 60 mm .....	67,34
		KM65MM00. ....	SureSeal spare seal with carrier for shaft diam. 65 mm .....	300,30
		LS65MM .....	SureSeal spare seal for shaft diam. 65 mm .....	67,34
		KF275000 .....	SureSeal spare seal with carrier for shaft diam. 70 mm and 2 <sup>3</sup> / <sub>4</sub> " .....	335,40
		LSF2750 .....	SureSeal spare seal for shaft diam. 70 mm and 2 <sup>3</sup> / <sub>4</sub> " .....	86,58
		KFM75MM00. ....	SureSeal spare seal with carrier for shaft diam. 75 mm .....	383,50
		LSF75MM .....	SureSeal spare seal for shaft diam. 75 mm .....	86,58
		KM80MM00. ....	SureSeal spare seal with carrier for shaft diam. 80 mm .....	413,40
		LS80MM .....	SureSeal spare seal for shaft diam. 80 mm .....	86,58
		TK0625-3/8-218 .....	Tides Marine water pick-up set shaft Ø 35 - 75 mm, hose ID 16 mm .....	29,30
		TK0750-3/8-218 .....	Tides Marine water pick-up set shaft Ø 35 - 75 mm, hose ID 19 mm .....	35,81
		TK1000-3/8-218 .....	Tides Marine water pick-up set shaft Ø 35 - 75 mm, hose ID 25 mm .....	35,81
		TK1250-3/8-218 .....	Tides Marine water pick-up set shaft Ø 35 - 75 mm, hose ID 32 mm .....	48,83
		TK1500-1/2-218 .....	Tides Marine water pick-up set shaft Ø 80 mm, hose ID 38 mm. ....	55,34
		TK1500-3/8-218 .....	Tides Marine water pick-up set shaft Ø 35 - 75 mm, hose ID 38 mm .....	55,34
		INJHOSE0375 .....	Extra set with hose for SureSeal in twin engine applications. ....	5,60
  	188	75310 .....	Hollox HD grease lubricated inner gland type 2V shaft diam. 25 mm. ....	p.o.r.
		75311 .....	Hollox HD grease lubricated inner gland type 2V shaft diam. 30 mm. ....	p.o.r.
		75312 .....	Hollox HD grease lubricated inner gland type 2V shaft diam. 35 mm. ....	p.o.r.
		75313 .....	Hollox HD grease lubricated inner gland type 2V shaft diam. 40 mm. ....	p.o.r.
		75314 .....	Hollox HD grease lubricated inner gland type 2V shaft diam. 45 mm. ....	p.o.r.
		75315 .....	Hollox HD grease lubricated inner gland type 2V shaft diam. 50 mm. ....	p.o.r.
		75320 .....	Hollox HD grease lubricated outer gland type BV shaft diam. 25 mm. ....	p.o.r.
		75321 .....	Hollox HD grease lubricated outer gland type BV shaft diam. 30 mm. ....	p.o.r.
		75322 .....	Hollox HD grease lubricated outer gland type BV shaft diam. 35 mm. ....	p.o.r.
		75323 .....	Hollox HD grease lubricated outer gland type BV shaft diam. 40 mm. ....	p.o.r.
		75324 .....	Hollox HD grease lubricated outer gland type BV shaft diam. 45 mm. ....	p.o.r.
		75325 .....	Hollox HD grease lubricated outer gland type BV shaft diam. 50 mm. ....	p.o.r.
		920209 .....	JW seal for shaft diam. 25 mm. ....	36,28
		920306 .....	JW seal for shaft diam. 30 mm. ....	36,28
		920357 .....	JW seal for shaft diam. 35 mm. ....	40,27
		920403 .....	JW seal for shaft diam. 40 mm. ....	57,22
		920454 .....	JW seal for shaft diam. 45 mm. ....	58,55
		920500 .....	JW seal for shaft diam. 50 mm. ....	59,48
		920608 .....	JW seal for shaft diam. 60 mm. ....	64,07
		920705 .....	JW seal for shaft diam. 70 mm. ....	92,39
		920802 .....	JW seal for shaft diam. 80 mm. ....	101,92



Product	Page	Cat. no.	Description	Excl. V.A.T.
	188	920901 .....	JW seal for shaft diam. 90 mm.....	110,02
		921000 .....	JW seal for shaft diam. 100 mm.....	124,55
		921108 .....	JW seal for shaft diam. 110 mm.....	139,59
		921205 .....	JW seal for shaft diam. 120 mm.....	141,68
	189	84000 .....	Oil pressure unit for Exalto standby-seals, incl. 2 metres hose .....	419,15
		84010 .....	Exalto Standby-seal for shaft diam. of 40 mm.....	798,13
		84020 .....	Exalto Standby-seal for shaft diam. of 45 mm.....	884,48
		84030 .....	Exalto Standby-seal for shaft diam. of 50 mm.....	890,00
		84040 .....	Exalto Standby-seal for shaft diam. of 55 mm.....	899,03
		84050 .....	Exalto Standby-seal for shaft diam. of 60 mm.....	1059,93
		84060 .....	Exalto Standby-seal for shaft diam. of 70 mm.....	1172,43
		84070 .....	Exalto Standby-seal for shaft diam. of 80 mm.....	1177,23
		84080 .....	Exalto Standby-seal for shaft diam. of 90 mm.....	1265,48
		84090 .....	Exalto Standby-seal for shaft diam. of 100 mm.....	1298,98
		84100 .....	Exalto Standby-seal for shaft diam. of 110 mm.....	1355,40
		84110 .....	Exalto Standby-seal for shaft diam. of 120 mm.....	1365,90
 	190	74670 .....	Exalto unmachined half coupling with tapered bore shaft Ø 25 mm.....	609,00
		74671 .....	Exalto unmachined half coupling with tapered bore shaft Ø 30 mm.....	609,00
		74672 .....	Exalto unmachined half coupling with tapered bore shaft Ø 35 mm.....	727,00
		74673 .....	Exalto unmachined half coupling with tapered bore shaft Ø 40 mm.....	727,00
		74674 .....	Exalto unmachined half coupling with tapered bore shaft Ø 45 mm.....	853,00
		74675 .....	Exalto unmachined half coupling with tapered bore shaft Ø 50 mm.....	853,00
		74677 .....	Exalto unmachined half coupling with tapered bore shaft Ø 60 mm.....	1004,00
		74679 .....	Exalto unmachined half coupling with tapered bore shaft Ø 70 mm.....	1004,00
		74681 .....	Exalto unmachined half coupling with tapered bore shaft Ø 80 mm.....	1201,00
		74683 .....	Exalto unmachined half coupling with tapered bore shaft Ø 90 mm.....	1201,00
		74685 .....	Exalto unmachined half coupling with tapered bore shaft Ø 100 mm.....	1357,00
		74687 .....	Exalto unmachined half coupling with tapered bore shaft Ø 110 mm.....	1357,00
		74689 .....	Exalto unmachined half coupling with tapered bore shaft Ø 120 mm.....	1508,00
		25-FL-102 .....	OMM flange coupling for shaft diam. 25 mm / flange diam. 102 mm .....	92,95
		30-FL-102 .....	OMM flange coupling for shaft diam. 30 mm / flange diam. 102 mm .....	92,95
		30-FL-127 .....	OMM flange coupling for shaft diam. 30 mm / flange diam. 127 mm .....	115,83
		35-FL-102 .....	OMM flange coupling for shaft diam. 35 mm / flange diam. 102 mm .....	143,00
		35-FL-121 .....	OMM flange coupling for shaft diam. 35 mm / flange diam. 121 mm .....	145,86
		35-FL-127 .....	OMM flange coupling for shaft diam. 35 mm / flange diam. 127 mm .....	128,70
		40-FL-102 .....	OMM flange coupling for shaft diam. 40 mm / flange diam. 102 mm .....	143,00
		40-FL-121 .....	OMM flange coupling for shaft diam. 40 mm / flange diam. 121 mm .....	145,86
		40-FL-127 .....	OMM flange coupling for shaft diam. 40 mm / flange diam. 127 mm .....	135,85
		45-FL-121 .....	OMM flange coupling for shaft diam. 45 mm / flange diam. 121 mm .....	171,60
		45-FL-127 .....	OMM flange coupling for shaft diam. 45 mm / flange diam. 127 mm .....	164,45
		45-FL-146 .....	OMM flange coupling for shaft diam. 45 mm / flange diam. 146 mm .....	193,05
		50-FL-121 .....	OMM flange coupling for shaft diam. 50 mm / flange diam. 121 mm .....	171,60
		50-FL-127 .....	OMM flange coupling for shaft diam. 50 mm / flange diam. 127 mm .....	164,45
		50-FL-146 .....	OMM flange coupling for shaft diam. 50 mm / flange diam. 146 mm .....	193,05
		55-FL-185 .....	OMM flange coupling for shaft diam. 55 mm / flange diam. 185 mm .....	350,35
		60-FL-185 .....	OMM flange coupling for shaft diam. 60 mm / flange diam. 185 mm .....	378,95
		70-FL-185 .....	OMM flange coupling for shaft diam. 70 mm / flange diam. 185 mm .....	429,00
		74670.010 .....	Machining of Exalto half coupling for shaft diam. 25 mm.....	155,50
		74671.010 .....	Machining of Exalto half coupling for shaft diam. 30 mm.....	155,50
		74672.010 .....	Machining of Exalto half coupling for shaft diam. 35 mm.....	155,50
		74673.010 .....	Machining of Exalto half coupling for shaft diam. 40 mm.....	155,50
		74674.010 .....	Machining of Exalto half coupling for shaft diam. 45 mm.....	211,00
		74675.010 .....	Machining of Exalto half coupling for shaft diam. 50 mm.....	211,00
		74677.010 .....	Machining of Exalto half coupling for shaft diam. 60 mm.....	211,00
		74679.010 .....	Machining of Exalto half coupling for shaft diam. 70 mm.....	271,20
		74681.010 .....	Machining of Exalto half coupling for shaft diam. 80 mm.....	271,20



Product	Page	Cat. no.	Description	Excl. V.A.T.
	190	74683.010 .....	Machining of Exalto half coupling for shaft diam. 90 mm. ....	271,20
		74685.010 .....	Machining of Exalto half coupling for shaft diam. 100 mm. ....	350,80
		74687.010 .....	Machining of Exalto half coupling for shaft diam. 110 mm. ....	350,80
		74689.010 .....	Machining of Exalto half coupling for shaft diam. 120 mm. ....	350,80
		80-FL-220 .....	OMM flange coupling for shaft diam. 80 mm / flange diam. 220 mm .....	557,70
		90-FL-240 .....	OMM flange coupling for shaft diam. 90 mm / flange diam. 240 mm .....	686,40
	191	74660 .....	Exalto unmachined clamp-on coupling, parallel bore, shaft Ø 25 mm. ....	235,88
		74661 .....	Exalto unmachined clamp-on coupling, parallel bore, shaft Ø 30 mm. ....	235,88
		74662 .....	Exalto unmachined clamp-on coupling, parallel bore, shaft Ø 35 mm. ....	258,02
		74663 .....	Exalto unmachined clamp-on coupling, parallel bore, shaft Ø 40 mm. ....	268,02
		74664 .....	Exalto unmachined clamp-on coupling, parallel bore, shaft Ø 45 mm. ....	299,68
		74665 .....	Exalto unmachined clamp-on coupling, parallel bore, shaft Ø 50 mm. ....	335,01
		74667 .....	Exalto unmachined clamp-on coupling, parallel bore, shaft Ø 60 mm. ....	370,34
		74669 .....	Exalto unmachined clamp-on coupling, parallel bore, shaft Ø 70 mm. ....	470,34
		25-FM-102 .....	OMM clamp-on coupling Ø25 mm .....	87,23
		30-FM-102 .....	OMM clamp-on coupling Ø30 mm .....	87,23
		35-FM-127 .....	OMM clamp-on coupling Ø35 mm .....	111,54
		40-FM-127 .....	OMM clamp-on coupling Ø40 mm .....	111,54
		74660.010 .....	Machining on Exalto clamp-on coupling for shaft diam. 25 mm. ....	168,20
		74661.010 .....	Machining on Exalto clamp-on coupling for shaft diam. 30 mm. ....	168,20
		74662.010 .....	Machining on Exalto clamp-on coupling for shaft diam. 35 mm. ....	168,20
		74663.010 .....	Machining on Exalto clamp-on coupling for shaft diam. 40 mm. ....	168,20
		74664.010 .....	Machining on Exalto clamp-on coupling for shaft diam. 45 mm. ....	226,00
		74665.010 .....	Machining on Exalto clamp-on coupling for shaft diam. 50 mm. ....	226,00
		74667.010 .....	Machining on Exalto clamp-on coupling for shaft diam. 60 mm. ....	226,00
		74669.010 .....	Machining on Exalto clamp-on coupling for shaft diam. 70 mm. ....	226,00
 	193	94701 .....	Centaflex coupling, type M 127 for shaft diam 25 - 35 mm. ....	p.o.r.
		94702 .....	Centaflex coupling, type M 160 for shaft diam 25 - 40 mm. ....	p.o.r.
		94703 .....	Centaflex coupling, type AM 12 for shaft diam 25 - 35 mm .....	p.o.r.
		94704 .....	Centaflex coupling, type AM 22 for shaft diam 25 - 35 mm .....	p.o.r.
		94705 .....	Centaflex coupling, type AM 28 for shaft diam 25 - 40 mm .....	p.o.r.
		94710 .....	Centaflex coupling, type AM 30 for shaft diam 25 - 50 mm .....	p.o.r.
		94720 .....	Centaflex coupling, type AM 50 for shaft diam 25 - 50 mm .....	p.o.r.
		94730 .....	Centaflex coupling, type AM 80 for shaft diam 25 - 50 mm .....	p.o.r.
		94740 .....	Centaflex coupling, type AM 140 for shaft diam 35 - 60 mm .....	p.o.r.
		94750 .....	Centaflex coupling, type AM 200 for shaft diam 40 - 70 mm .....	p.o.r.
		94760 .....	Centaflex coupling, type AM 250 for shaft diam 45 - 80 mm .....	p.o.r.
		94770 .....	Centaflex coupling, type AM 400 for shaft diam 50 - 100 mm .....	p.o.r.
		94780 .....	Centaflex coupling, type AM 600 for shaft diam 50 - 100 mm .....	p.o.r.
	194	94802 .....	Centaflex coupling, type AGM 08 for shaft diam 20 - 35 mm .....	1160,96
		94803 .....	Centaflex coupling, type AGM 16 for shaft diam 20 - 35 mm .....	1264,05
		94804 .....	Centaflex coupling, type AGM 25 for shaft diam 20 - 40 mm .....	1555,57
		94810 .....	Centaflex coupling, type AGM 30 for shaft diam 30 - 40 mm .....	1721,42
		94820 .....	Centaflex coupling, type AGM 50 for shaft diam 35 - 50 mm .....	2106,40
		94830 .....	Centaflex coupling, type AGM 80 for shaft diam 35 - 50 mm .....	2640,22
		94840 .....	Centaflex coupling, type AGM 140 for shaft diam 35 - 60 mm .....	5440,88
		94850 .....	Centaflex coupling, type AGM 200 for shaft diam 50 - 80 mm .....	9347,86
		94860 .....	Centaflex coupling, type AGM 250 for shaft diam 50 - 80 mm .....	11185,88
		94870 .....	Centaflex coupling, type AGM 400 for shaft diam 50 - 127 mm .....	p.o.r.
		94880 .....	Centaflex coupling, type AGM 600 for shaft diam 50 - 165 mm .....	p.o.r.
		95804 .....	Centaflex coupling, type AGM 25P for shaft diam 20 - 35 mm .....	1457,14
		95810 .....	Centaflex coupling, type AGM 30P for shaft diam 20 - 40 mm .....	1838,06
		95820 .....	Centaflex coupling, type AGM 50P for shaft diam 30 - 40 mm .....	1833,09
		95830 .....	Centaflex coupling, type AGM 80P for shaft diam 35 - 50 mm .....	2198,12

Product	Page	Cat. no.	Description	Excl. V.A.T.
	194	95840 .....	Centaflex coupling, type AGM 140P for shaft diam 35 - 50 mm. ....	3819,57
		95850 .....	Centaflex coupling, type AGM 200P for shaft diam 35 - 60 mm. ....	7285,71
	195	94902 .....	Centaflex coupling, type ACV 08 for shaft diam 20 - 35 mm. ....	1607,52
		94903 .....	Centaflex coupling, type ACV 16 for shaft diam 20 - 35 mm. ....	1676,72
		94904 .....	Centaflex coupling, type ACV 25 for shaft diam 20 - 40 mm. ....	1950,48
		94910 .....	Centaflex coupling, type ACV 30 for shaft diam 30 - 40 mm. ....	2121,60
		94920 .....	Centaflex coupling, type ACV 50 for shaft diam 35 - 50 mm. ....	3560,08
		94930 .....	Centaflex coupling, type ACV 80 for shaft diam 35 - 50 mm. ....	5814,63
		94940 .....	Centaflex coupling, type ACV 140 for shaft diam 35 - 60 mm. ....	9097,42
		94950 .....	Centaflex coupling, type ACV 200 for shaft diam 50 - 80 mm. ....	12775,34
		94960 .....	Centaflex coupling, type ACV 250 for shaft diam 50 - 80 mm. ....	29791,17
		94970 .....	Centaflex coupling, type ACV 400 for shaft diam 50 - 127 mm. ....	p.o.r.
		94980 .....	Centaflex coupling, type ACV 600 for shaft diam 50 - 165 mm. ....	p.o.r.
		95904 .....	Centaflex coupling, type ACV 25P for shaft diam 20 - 35 mm. ....	1741,59
		95910 .....	Centaflex coupling, type ACV 30P for shaft diam 20 - 40 mm. ....	1913,01
		95920 .....	Centaflex coupling, type ACV 50P for shaft diam 30 - 40 mm. ....	3138,98
		95930 .....	Centaflex coupling, type ACV 80P for shaft diam 35 - 50 mm. ....	5375,71
		95940 .....	Centaflex coupling, type ACV 140P for shaft diam 35 - 50 mm. ....	8058,22
		95950 .....	Centaflex coupling, type ACV 200P for shaft diam 35 - 60 mm. ....	11233,17

Product	Page	Cat. no.	Description	Excl. V.A.T.